

# Aru Islands Bird Checklist

## Indonesia

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

[swiftlet@optusnet.com.au](mailto:swiftlet@optusnet.com.au)

[To communicate: please re-type e-mail address]

#	Common Name	Scientific Name	Ecol. Status	Abundance	Reference
1.	Southern Cassowary	<i>Casuarius casuarius aruensis</i>	Res bre	P,	2,10,
2.	Black-billed Brush-turkey	<i>Talegalla fuscirostris occidentis</i>	Res bre	P, C,	2,10,
3.	Orange-footed Scrubfowl	<i>Megapodius f. freycinet aruensis</i>	Res bre	MC in Lowlands.	10,12,
4.	Spotted Whistling Duck	<i>Dendrocygna guttata</i>	Res	P,	2,10,
5.	White-headed Shelduck	<i>Tadorna radjah</i>	Res bre	P,	2,10,
6.	Slender-billed Cuckoo-Dove	<i>Macropygia amboinensis doreya</i>	Res bre	3 spec. AMNH, Coll. by Webster 1896,	4,10,23,
7.	New Guinea Bronzewing	<i>Henicophaps albifrons schlegeli</i>	Res bre	C,	2,10,11,
8.	Cinnamon Ground Dove	<i>Gallicolumba rufigula helviventris</i>	Res bre	MC in Old forests	2,10,
9.	Stephan's Dove	<i>Chalcophaps stephani stephani</i>	Res bre	C. Coll. by Webster 1896,	10,23,
10.	Pheasant Pigeon	<i>Otidiphaps nobilis aruensis</i>	Res bre	MC	2,10,
11.	Pink-spotted Fruit-Dove	<i>Ptilinopus perlatus zonurus</i>	Res bre	MC.	2,10,
12.	Orange-fronted Fruit-Dove	<i>Ptilinopus aurantiifrons</i>	Res bre	Near sea-level. < 300m, Coll. by Webster 1896,	2,10,23,
13.	Wallace's Fruit-Dove	<i>Ptilinopus wallacii</i>	Res bre	In lowland forest. Coastal & Rivers. Coll. by Webster 1896, 5-26 birds obs @ 7 sites, 1988.	2,7,9,10,11,23, 25,
14.	Rose-crowned Fruit-Dove	<i>Ptilinopus regina</i>	Res bre	P,	2,
15.	Coroneted Fruit-Dove	<i>Ptilinopus c. coronulatus</i>	Res bre	P, MC, Coll. by Webster 1896,	2,9,10,23,
16.	Orange-bellied Fruit-Dove	<i>Ptilinopus iozonus iozonus</i>	Res bre	P, MC, Coll. by Webster 1896,	2,9,10,23,
17.	Claret-breasted Fruit-Dove	<i>Ptilinopus viridis</i>	Res bre ?	Rec.	16,
18.	Superb Fruit-Dove	<i>Ptilinopus superb</i>	Res	Coll. by Webster 1896,	23,10,
19.	Pinon Imperial Pigeon	<i>Ducula pinon pinon</i>	Res bre	MC, Coll. by Webster 1896,	2,9,23,
20.	Collared Imperial Pigeon	<i>Ducula müellerii</i>	Res bre	P,	2,10,
21.	Zoë Imperial Pigeon	<i>Ducula zoeae</i>	Res bre	P, MC, Coll. by Webster 1896,	2,10,23,
22.	Pied Imperial Pigeon	<i>Ducula bicolor</i>	Res bre?	P, Coll. by Webster 1896,	7,10,23,
23.	Elegant Imperial Pigeon	<i>Ducula concinna separata (also = aru)</i>	Res bre	P, A small island specialist. Only obs 2x on Aru,	2,4,7,10,11,25,
24.	Peaceful Dove	<i>Geopelia striata</i>	Res bre	Obs 3x Mar/Apr 1988 = 1 <sup>st</sup> rec for Aru,	25,
25.	Marbled Frogmouth	<i>Podargus o. ocellatus</i>	Res bre	P.	2,10,
26.	Papuan Frogmouth	<i>Podargus papuensis</i>	Res bre	P, 6 spec.	2,6,10,
27.	Barred Owlet-Nightjar	<i>Aegotheles bennettii wallacii</i>	Res bre	P,	2,9,10,
28.	Spotted-eared Nightjar	<i>Eurostopodus argus guttatus</i>	Res bre	P, Prob winter visitor to dry woodlands.	2,7,10,11,
29.	Mountain Eared-Nightjar	<i>Eurostopodus archboldi</i>	Res bre	UC,	10,
30.	Large-tailed Nightjar	<i>Caprimulgus macrurus yorki/aruensis</i>	Res bre	P,	10,11,
31.	Moustached Tree-swift	<i>Hemiprocne mystacea confirmata</i>	Res bre	P,	2,10,
32.	Uniform Swiftlet	<i>Aerodramus vanikorensis granti</i>	Res	P, P,	10,20,
33.	Glossy Swiftlet	<i>Collocalia esculenta</i>	Res	F skin in BM,	20,
34.	Fork-tailed Swift	<i>Apus pacificus</i>	Spr/Aut mig	1 <sup>st</sup> Aru record = 2 over Dosi 3 Apr 1988,	25,
35.	White-throated Needletail	<i>Hirundapus caudacutus</i>	Spr/Aut mig	1 <sup>st</sup> Aru record – 1 following 2 FTS over Dosi 3 Apr 1988,	25,

36.	Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	Vag	P,	2,10,
37.	Little Pied Cormorant	<i>Phalacrocorax melanoleucos</i>	Res bre	P,	2,10,
38.	Australian Pelican	<i>Pelicanus conspicillatus</i>	Vag	1 obs 13 Apr 1988 = 1 <sup>st</sup> rec for Aru,	25,
39.	Black Bittern	<i>Ixobrychus flavicollis</i>	Res bre	Mod Common	2,
40.	Forest Bittern	<i>Zonerodius heliosylus</i>	Res bre	Uncommon	2,10,
41.	Great-billed Heron	<i>Ardea sumatrana</i>	Res bre	P,	2,
42.	Striated Heron	<i>Ardeola striata</i>	Res bre	P,	2,10,
43.	Pied Heron	<i>Egretta picata</i>	Res	P,	2,10,
44.	Rufous Night Heron	<i>Nycticorax caledonica caledonica</i>	Res bre	4 spec. AMNH, Coll. by Webster 1896,	5,23,
45.	Royal Spoonbill	<i>Platalea regia</i>	Vag	2 obs 10 Apr 1988 = 1 <sup>st</sup> rec for Aru,	25,
46.	Eastern Osprey	<i>Pandion cristatus</i>	Res bre	P,	10,
47.	Pacific Baza	<i>Aviceda subcristata stenozona</i>	Res bre	P. Coll. by Webster 1896,	10,11,23,
48.	White-bellied Sea-eagle	<i>Haliaeetus leucogaster</i>	Res bre	P,	2,10,
49.	Brahminy Kite	<i>Haliastur indus</i>	Res bre	MC, Coll. by Webster 1896,	2,23,
50.	Long-tailed Buzzard	<i>Henicopernis longicauda minimus</i>	Res	P,	2,10,
51.	Variable Goshawk	<i>Accipiter hiogaster</i>	Res	P,	2,10,
52.	Grey-headed Goshawk	<i>Accipiter poliocephalus</i>	Res bre	P, MC, P,	2,10,11,
53.	Collared Sparrowhawk	<i>Accipiter cirrhocephalus</i>	Res bre	P, MC,	2,10,
54.	Gurney's Eagle	<i>Aquila gurneyi</i>	Res	P,	2,10,
55.	Australian Kestrel	<i>Falco cenchroidescenchroides</i>	Win mig	1 rec.	2,10,
56.	Peregrine Falcon	<i>Falco peregrinus ernesti</i>	Res	P,	2,10,
57.	Chestnut Rail	<i>Eulabeornis castaneiventris sharpei</i>	Res bre	P, Habitat = tidal mangroves.	2,7,10,11,
58.	Red-necked Rail	<i>Rallina t. tricolor</i>	Res bre	P, Shy. 1 <sup>st</sup> Desc from Aru.	2,10,11,
59.	Bare-eyed Rail	<i>Gymnocrex plumbeiventris hoeveni</i>	Res bre	P	10,
60.	Purple Swampphen	<i>Porphyrio porphyrio melanopterus</i>	Res bre	P,	10,
61.	Pied Oystercatcher	<i>Haematopus longirostris</i>	Win mig	Uncommon	2,10,
62.	Masked Lapwing	<i>Vanellus miles</i>	Res bre	C.	10,
63.	Comb-crested Jacana	<i>Irediparra gallinacea novaeguineae</i>	Res bre	Mod Common	2,10,
64.	Eastern Curlew	<i>Numenius madagascariensis</i>	Sum mig?	1 <sup>st</sup> record for Aru 1 @ Woda Woda & 1 at Salerem Apr 1988,	25,
65.	Common Greenshank	<i>Tringa nebularia</i>	Sum mig	Obs at Woda Woda 29 Mar 1988,	25,
66.	Marsh Sandpiper	<i>Tringa stagnatalis</i>	Sum mig	1 <sup>st</sup> rec for Aru 29 Mar 1988 at Woda Woda,	25,
67.	Grey-tailed Tattler	<i>Tringa brevipes</i>	Sum mig	2+ obs Woda Woda 29 Mar 1988,	25,
68.	Terek Sandpiper	<i>Xenus cinereus</i>	Sum mig	1 <sup>st</sup> Aru record 1 obs 9 Apr 1988 at river mouth nr Salerem,	25,
69.	Common Tern	<i>Sterna hirundo</i>	Sum mig	Abundant	2,10,
70.	Little Tern	<i>Sterna albifrons</i>	Res bre?	Sm flock obs Apr 1988 + some on sand cay in courtship display = 1 <sup>st</sup> record for Aru.	25,
71.	Lesser Crested Tern	<i>Thalasseus bengalensis</i>	Res?	P,	10,
72.	Palm Cockatoo	<i>Probosciger aterrimus intermedius</i>	Res bre	P, 5 spec. AMNH, M3F coll by Kühn & Webster, M > F,	2,3,10,11,24,
73.	Sulphur-crested Cockatoo	<i>Cacatua galerita triton</i>	Res bre	10 spec measured, 3 coll for Tring,	4,10,24,
74.	Greater Streaked Lory	<i>Chalcopsitta s. scintillata rubifrons</i>	Res bre	P, Coll. by Webster 1896,	2,9,10,11,23,
75.	Coconut Lorikeet	<i>Trichoglossus haematodus nigrogularis brooki</i> from Spirit Is, (Aru Grp)	Res bre	P, Coll. by Webster 1896,	2,10,11,23,
76.	Red-flanked Lorikeet	<i>Charmosyna p. placentis</i>	Res bre	P,	2,
77.	Yellow-capped Pygmy-Parrot	<i>Micropsitta keiensis keiensis</i>	Res bre	P,	2,9,10,
78.	Orange-breasted Fig-Parrot	<i>Cyclopsitta gulelmiterti melanogenia</i>	Res bre	P, UC-R 4M3F at Tring coll. by Kühn & Webster,	2,9,10,24,
79.	Double-eyed Fig-Parrot	<i>Cyclopsitta d. diophthalma aruensis</i>	Res bre	P, R. Coll. by Webster 1896, Desc. of ssp.	2,10,11,23,24,
80.	Red-cheeked Parrot	<i>Geoffroyus geoffroyi aruensis</i>	Res bre	P, MC, Lge series at Tring,	2,10,11,24,

81.	Eclectus Parrot	<i>Eclectus roratus aruensis</i>	Res bre	P, Coll. by Webster 1896, 8M3F at Tring ssp descri.,	2,10,11,23,24.
82.	Greater Black Coucal	<i>Centropus menbeki aruensis</i>	Res bre	P, C.	2,10,
83.	Eastern Koel	<i>Eudynamis orientalis rufiventer &amp; subcyanocephala</i>	Res bre/Win mig	R.	10,
84.	Black-eared Cuckoo	<i>Chalcites osculans</i>	Win mig	P, Rare VUC,	2,7,10,11,
85.	Horsefield's Bronze-Cuckoo	<i>Chalcites basalis</i>	Win Vag	P, Rare vagrant.	2,10,
86.	Little Bronze-cuckoo	<i>Chalcites minutillius poecilurus</i>	Win mig	MC	10,
87.	Fan-tailed Cuckoo	<i>Cacomantis flabelliformis prionurus</i>	Win mig	P, MC.	2,10,
88.	Brush Cuckoo	<i>Cuculus variolosus infaustus &amp; variolosus</i>	Res bre/Win Mig	MC.	10,
89.	Chestnut-breasted Cuckoo	<i>Cuculus c. castaneiventris</i>	Res bre	P, MC.	2,10,
90.	Long-billed Cuckoo	<i>Rhamphomantis m. megarhynchus</i>	Res bre	Rare & local.	2,10,
91.	Rufous Owl	<i>Ninox rufa aruensis</i>	Res bre	Uncommon	2,10,11,
92.	Azure Kingfisher	<i>Alcedo azurea wallaceana</i>	Res bre	P,	2,10,
93.	Variable Dwarf Kingfisher	<i>Ceyx lepidus solitarius</i>	Res bre	P,	2,10,
94.	Little Kingfisher	<i>Ceyx p. pusilla</i>	Res bre	P,	2,10,
95.	Little Paradise-Kingfisher	<i>Tanyiptera hydrocharis</i>	Res bre	P,	2,10,11,
96.	Spangled Kookaburra	<i>Dacelo tyro tryo</i>	Res bre	C, Coll. by Webster 1896, C 1988,	10,11,13,23,25
97.	Rufous-bellied Kingfisher	<i>Dacelo gaudichaud</i>	Res bre	P, VC, Coll by Webster 1896, C 1988,	2,9,10,23,25,
98.	Yellow-billed Kingfisher	<i>Syma torotoro tentelare</i>	Res bre	P, C, Coll by Webster 1896,	2,10,11,23,
99.	Forest Kingfisher	<i>Todirhamphus macleayi insularis</i>	Res/mig	P, 2 spec.	2,6,10,11,
100.	Collared Kingfisher	<i>Todirhamphus chloris sordida</i>	Res bre	P, UC.	2,10,11,
101.	Sacred Kingfisher	<i>Todirhamphus sancta sancta</i>	Win mig	P,	10,
102.	Rainbow Bee-eater	<i>Merops ornatus</i>	Win mig	?	2,
103.	Dollarbird	<i>Eurystomus orientalis</i>	Win mig	P,	2,
104.	Blue-breasted Pitta	<i>Pitta erythrogaster aruensis</i>	Res bre	P, MC in Forests and remnant forest, MC, Coll by Kühn,	2,7,10,19,24,
105.	Hooded Pitta	<i>Pitta sordida goodfellowi</i>	Res bre	P, LMC-LC in forest, regrowth & remnant forests.	2,7,10,19,
106.	Barn Swallow	<i>Hirundo rustica</i>	Sum mig	Rare Inhabits large swamps with dead trees	7,
107.	Pacific Swallow	<i>Hirundo tahitica</i>	Res bre	UC-LA near fresh water.	7,
108.	White-bellied Cuckoo-shrike	<i>Coracina papuensis hypoleuca</i>	Res bre	C-VC in forest edges, savanna, regrowth, littoral woodland comments on ssp,	2,7,10,21,
109.	Stout-billed Cuckoo-Shrike	<i>Coracina c. caeruleogrisea</i>	Res bre	P, UC-LMC in & near forests regrowth and disturbed Habitat. Coll by Webster 1896,	2,7,10,23,
110.	Slender-billed Cicadabird	<i>Coracina tenuirostris aruensis</i>	Res bre	P, UC in forest, forest edges, gardens, savanna & mangroves Coll by Webster 1896,	2,7,10,23,
111.	Black Cuckoo-shrike	<i>Coracina melaena goodsoni</i>	Res bre	C in lowland rainforest & mangroves, MC at higher altitude. MC.	2,7,10,
112.	Yellow-eyed Cuckoo-shrike	<i>Coaracina lineata axilaris?</i>	Res bre	MC & widespread but 1 <sup>st</sup> rec for Aru 1988,	25,
113.	Varied Triller	<i>Lalage leucomela polygrammica</i>	Res	P, MC in rainforest. MC.	2,3,7,10,
114.	Oriental Reed-Warbler	<i>Acrocephalus orientalis</i>	Sum mig	Rare Spec 1969.	7,8,
115.	Wallace's Fairy-wren	<i>Sipodotus wallacii coronatus</i>	Res bre	P, MC in forests of foothills.	2,7,9,10, 17,19,
116.	Emperor Fairy-wren	<i>Malurus cyanocephalus dohertyi</i>	Res bre	P, MC in patches of scrub along creeks and in forest breaks.	2,7,10,
117.	Rusty Mouse-warbler	<i>Crateroscelis murina monacha</i>	Res bre	P, C-VC in forests of Foothills and hills, sometimes lowlands.	2,7,10,
118.	Pale-billed Scrub-wren	<i>Sericornis spilodera aruensis</i>	Res bre	P, MC in hills >200m	2,7,10,
119.	Beccari's Scrub-wren	<i>Sericornis beccarii beccarii</i>	Res bre	P,	2,10,
120.	Yellow-bellied Gerygone	<i>Gerygone c. chrysogaster</i>	Res bre	P, MC-VC in lowland rainforests. MC.	2,7,10,
121.	Green-backed Gerygone	<i>Gerygone chloronotus aruensis</i>	Res bre	P, LMC or UC in lowland forest edges & disturbed forest or bush.	2,7,10,

122.	Fairy Gerygone	<i>Gerygone palpebrosa palpebrosa</i>	Res bre	P, C in hill forests, UC in lowland forests. C.	2,7,10,
123.	Large-billed Gerygone	<i>Gerygone magnirostris brunneipectus</i>	Res bre	LC-VC in mangroves, swamps and other wet locations. C-VC	2,7,10,
124.	Sooty Thicket-Fantail	<i>Rhipidura threnothorax threnothorax</i>	Res bre	P, C-VC in swampy and dry habitats with dense shade	2,7,10,
125.	Black Thicket-Fantail	<i>Rhipidura maculipectus</i>	Res bre	P, UC-MC in dense shade close to ground. Very shy.	2,7,10,
126.	Rufous Fantail	<i>Rhipidura rufifrons henrici</i>	Res bre	P, Mainly in mangroves UC-C	2,7,10,
127.	Chestnut-bellied Fantail	<i>Rhipidura hyperythra hyperantra</i>	Res bre	P, MC-C in Forests < 1370m, MC.	2,7,10,
128.	Northern Fantail	<i>Rhipidura rufiventris</i>	Res bre	?	2,
129.	Mangrove Fantail	<i>Rhipidura phasiana</i>	Res bre	P. Prob only on small offshore islands,	18,25,
130.	Willie Wagtail	<i>Rhipidura leucophrys melaleuca</i>	Res bre	C-VC in man-made or naturally open country < 850m	7,18,
131.	Yellow Wagtail	<i>Motacilla flava</i>	Sum mig	2 pr obs 9/10 Apr 1988,	25,
132.	Island Monarch	<i>Monarcha cinerascens inornatus</i>	Res bre	P, MC-VC Inhabits littoral forest, scrub and gardens.	2,7,10,
133.	Spot-winged Monarch	<i>Monarcha guttulus</i>	Res bre	P, C in Rainforest, monsoon forest & tall regrowth-quiet.	2,7,10,
134.	Golden Monarch	<i>Monarcha chrysomela aruensis</i>	Res bre	P, MC-C in most forests < 700m, P,	2,7,10,19,
135.	Black-faced Monarch	<i>Monarcha melanopsis</i>	Win mig	5 obs Apr 1988 = 1 <sup>st</sup> Aru record,	25,
136.	Frisled Monarch	<i>Arses telescopthalmus aruensis</i>	Res bre	P, C in rainforest, monsoon forest & regrowth < 1100m, P,	2,7,10,19,
137.	Broad-billed Flycatcher	<i>Myiagra ruficollis mimikae</i>	Res bre	UC sedentary in mangroves & forest edges.	7,10,
138.	Shining Flycatcher	<i>Myiagra alecto rufolateralis</i>	Res bre	P,UC-C in Lowland Swamp forest, littoral & riparian scrub, P,	2,10,15,19,
139.	Yellow-breasted Boatbill	<i>Machaerirhynchus flaviventer xanthogenys</i>	Res bre	P, MC in Rainforest, monsoon forest & regrowth. P,	2,7,10,19,
140.	Olive Flyrobin	<i>Microeca flavovirescens</i>	Res bre	P, MC-VC in rainforest & monsoon forest.	2,7,
141.	Lemon-bellied Flyrobin	<i>Microeca flavigaster</i>	Res bre	1 <sup>st</sup> record for Aru made of 1, and pr, at Dosi, Mar 1988,	25,
142.	Yellow-legged Flyrobin	<i>Microeca griseiceps</i>	Res bre	1 <sup>st</sup> record for Aru made of 1 bird at Dosi Apr 1988,	25,
143.	Mangrove Robin	<i>Eopsaltria pulverulenta</i>	Res bre	P, LMC.	2,7,
144.	Northern Scrub-robin	<i>Drymodes superciliaris</i>	Res bre	P, UC & difficult to find in forests.	2,7,
145.	Grey Whistler	<i>Pachycephala simplex griseiceps</i>	Res bre	P, C in lowlands. C.	2,7,10,
146.	Island Whistler	<i>Pachycephala phaionotus</i>	Res bre	P, Inhabits coastal vegetation.	2,7,10,
147.	Black-headed Whistler	<i>Pachycephala monacha monacha</i>	End + NG	C in small patches of trees and cleared areas. R.	7,10,
148.	Little Shrike-thrush	<i>Colluricincla megarhyncha aruensis</i>	Res bre	C-A more often heard than seen in forest & regrowth C., ssp is olive above,	7,10,19,
149.	Variable Pitohui	<i>Pitohui kirhocephalus aruensis</i>	Res bre	Rare- VC in forests UC-C. Coll by Webster 1896,	2,7,10,19,23,
150.	Rusty Pitohui	<i>Pitohui ferrugineus brevipennis</i>	Res bre	P, MC-C in all forests & regrowth, ssp has smaller wing,	2,7,10,19,
151.	Black Berrypecker	<i>Melanocharis nigra chloroptera</i>	Res bre	P,	2,10,
152.	Mistletoebird	<i>Dicaeum hirundinaceum ignicollis</i>	Res bre	P, P.	2,7,10,
153.	Black Sunbird	<i>Nectarinia aspasia chlorocephala</i>	Res bre	MC-C in forests and forest edges.	7,10,
154.	Yellow-bellied Sunbird	<i>Nectarinia jugularis</i>	Res bre	MC-C outside of forests	7,
155.	New Guinea White-eye	<i>Zosterops novaeguineae aruensis</i>	Res bre	P, LC at low elevations.	2,7,10,
156.	Lemon-bellied White-eye	<i>Zosterops chloris</i>	Res bre	P, A small island bird.	2,7,10,
157.	Long-billed Honeyeater	<i>Melilestes m. megarhynchus</i>	Res bre	P, Common but inconspicuous.	2,7,10,
158.	Yellow-bellied Longbill	<i>Toxorhamphus novaeguineae flaviventris</i>	Res bre	P,	2,10,
159.	Green-backed Honeyeater	<i>Glycichaera fallax poliocephala</i>	Res bre	P, mostly UC occasionally LC.	2,7,10,
160.	Brown Honeyeater	<i>Lichmera indistincta nupta</i>	Res bre	P, UC.	2,7,10,
161.	Dusky Myzomela	<i>Myzomela obscura aruensis</i>	Res bre	LMC	2,7,10,
162.	Black Myzomela	<i>Myzomela nigrita nigrita</i>	Res bre	P, C.	2,9,10,
163.	Red-headed Myzomela	<i>Myzomela erythrocephala infuscata</i>	Res bre	LMC	7,10,
164.	Puff-backed Meliphaga	<i>Meliphaga a. aruensis</i>	Res bre	P, MC-C in Forest and tall regrowth < 1200m, MC.	2,7,10,
165.	Mimic Meliphaga	<i>Meliphaga analoga longirostris</i>	Res bre	P, C in forest, regrowth & gardens.	2,7,10,
166.	Graceful Meliphaga	<i>Meliphaga g. gracilis</i>	Res bre	P, MC-C in shrubs and trees, C. A & Ubiquitous,	2,7,10,25,
167.	Tawny-breasted Honeyeater	<i>Xanthotis flaviventer saturation</i>	Res bre	P, Abundant & ubiquitous.	2,7,10,

168.	Streak-headed Honeyeater	<i>Pycnopygius stictocephalus</i>	Res bre	P, <b>Uncommon &amp; LC.</b>	2,7,
169.	Helmeted Friarbird	<i>Philemon buceroides aruensis</i>	Res bre	P, <b>Common.</b> Coll by Webster 1896,	2,7,10,23,
170.	Brown-backed Honeyeater	<i>Ramsayornis modestus</i>	Res bre	P, <b>MC-C.</b>	2,7,
171.	Rufous-banded Honeyeater	<i>Conopophila albogularis mimikae</i>	Res bre	LC,	2,10,
172.	Singing Starling	<i>Aplornis cantoroides</i>	Res bre	P, <b>LC</b>	2,7,
173.	Metallic Starling	<i>Aplornis m. metallicus</i>	Res bre	<b>MC-VC</b>	7,10,
174.	Yellow-faced Myna	<i>Mino d. dumontii</i>	Res bre	P, <b>MC-C,</b> Coll by Webster 1896,	2,7,10,23,
175.	Green Oriole	<i>Oriolus flavocinctus mülleri</i>	Res bre	P, Coll by Webster 1896,	2,10,23,
176.	Spangled Drongo	<i>Dicrurus bracteatus carbonarius</i>	Res bre	<b>CU in Rain Gallery, Monsoon &amp; Teak forests &amp; mangroves.</b> Coll by Webster 1896,	7,10,23,
177.	White-breasted Woodswallow	<i>Artamus leucorhynchus</i>	Res bre	P, Coll by Webster 1896,	2,7,23,
178.	Hooded Butcherbird	<i>Cracticus c. cassicus</i>	Res bre	<b>C.</b> Coll by Webster 1896,	7,10,23,
179.	Black Butcherbird	<i>Cracticus quoyi spaldingi</i>	Res bre	P, <b>UC-MC, UC,</b> Coll by Webster 1896,	2,7,10,23,
180.	Spotted Catbird	<i>Ailuroedus melanotis melanotis</i>	Res bre	P, Coll by Webster 1896,	2,10,23,
181.	Glossy-mantled Manucode	<i>Manucodia atra altera</i>	Res bre	P, <b>Descr of Egg,</b> Coll by Webster 1896,	2,22,23,
182.	Trumpet Manucode	<i>Manucodia keraudrenii jamesii</i>	Res bre	In lowlands, <b>C,</b>	2,10,15,
183.	King Bird-of-Paradise	<i>Cicinnurus r. regius</i>	Res bre	P, <b>C,</b> Coll by Webster 1896,	2,9,10,23,
184.	Greater Bird-of-Paradise	<i>Paradisaea a. apoda</i>	Res bre	P, <b>“Particularly on this island”</b> <b>F</b> coll by Webster 1896,	2,9,10,14, 23,
185.	Brown-headed Crow	<i>Corvus f. fuscicapillus</i>	Res bre	P, <b>Inhabits low forests &amp; mangroves.</b> Coll by Webster 1896, <b>UC but widely distributed in primary forest,</b>	2,7,10,23,25,

## KEY

### Ecological status

**End** = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

### Abundance

**R** = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

**Colour coding** applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

**Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.**

## REFERENCES

1. Mayr, E. & J. Diamond. 2001. **The Birds of Northern Melanesia.** Oxford University Press, Oxford.
2. Beehler, B.M., T.K. Pratt & D.A. Zimmerman. 1986. **Birds of New Guinea.** Princeton University Press, Princeton.
3. Mayr, E. & Ripley. 1941. Birds collected during the Whitney South Sea Expedition *Am. Mus. Novit.* 1116.
4. Mayr, E. 1937. Birds collected during the Whitney South Sea Expedition. 36. Notes on New Guinea Birds. 3. *Am. Mus. Novit.* 947: 1-11.
5. Amadon, D. 1942a. Birds Collected during the Whitney South Sea Expedition. 49. Notes on some non-passerine genera, 1. *American Museum Novitates* 1175.
6. Mayr, E. 1937. Birds collected during the Whitney South Sea Expedition. 35. Notes on New Guinea Birds. 2. *Amer. Mus. Novit.* 939: 1-14.
7. Coates, B.J. 1990. **The Birds of Papua New Guinea Vol. 2.** Dove Pub. Aldersley, Qld.
8. LeCroy, M. 1969. *Acrocephalus arundinaceus orientalis*, first record in New Guinea. *Emu* 69, 119-120.
9. Gould, J. & A. Rutgers. 1970. **Birds of New Guinea.** Methuen. London.
10. Rand, A.L., & E.T. Gilliard. 1967. **Handbook of New Guinea Birds.** Weidenfeld & Nicolson, London.
11. Iredale, T. 1956. **Birds of New Guinea. Vol. 1.** Georgian House, Melbourne.
12. Hoyo, J del., A. Elliott & J Sargatal. 1994. **Handbook of the Birds of the World** Vol. 2. Lynx Edicions / Birdlife International.
13. Hoyo, J del., A. Elliott & J Sargatal. 2001. **Handbook of the Birds of the World** Vol. 6. Lynx Edicions / Birdlife International.

14. Maunder, S. 1854. **The Treasury of Natural History**. Longman, Brown, & Green. London.
15. Mayr, E. 1941. Birds collected during the Whitney South Sea Expedition. 45. Notes on New Guinea Birds 8. *Amer. Mus. Novit.* 1133, 1-8.
16. Diamond, J. M. 1985. New distributional records and taxa from the outlying mountain ranges of New Guinea. *Emu* 85, 65-91.
17. Boles, W.E. 2007. In Hoyo, J. A. Elliott, & D Christie. 2007. **Handbook of the Birds of the World Vol 12**. Lynx Edicions. Barcelona.
18. Boles, W.E. 2006. Fantails. In Hoyo, J. A. Elliott, & D Christie. 2006. **Handbook of the Birds of the World Vol 11**. Lynx Edicions. Barcelona.
19. Iredale, T. 1956. **Birds of New Guinea**. V. 2. Georgian House. Melbourne.
20. Salomonsen, F. 1983. Revision of the Melanesian Swiftlets (*Apodes, Aves*) & their Conspecific Forms in the Indo-Australian and Polynesian Region. Noona Dan Papers No. 141.
21. Rothschild, W. & E. Hartert. 1916a. On some forms of *Coracina Graucalus* Auct.) from the Solomon Islands. *Novit. Zool.* 23: 289-291.
22. Hartert, E. 1910. On the eggs of the Paradiseidae. *Novitates Zoologicae* 17, 484-491.
23. Rothschild, W. & E. Hartert. 1896d. Contributions to the Ornithology of the Papuan Islands: VII. List of a collection of birdskins made in the Aru Islands by Captain Cayley Webster from May to July 1896. *Novitates Zoologicae* 3, 534-536.
24. Rothschild, W. & Hartert, E. 1901a. Notes on Papuan Birds. *Novitates Zoologicae* 8, 55-88.
25. Diamond, J.M. & K.D. Bishop. 1994. New Records and observations from the Aru Islands, New Guinea Region. *Emu* 94: 41-45.