

Waigeo Is. Bird Checklist

Raja Ampat Grp. West Papua, Indonesia.

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[To communicate: please re-type e-mail address]

| # | Common Name | Scientific Name | Ecol. Status | Abundance | References |
|-----|---------------------------|--|--------------|---|--|
| 1. | Wedge-tailed Shearwater | <i>Ardenna pacificus chlororhyncha</i> | Vag? | M coll off Kabaré, | 25, |
| 2. | Lesser Frigatebird | <i>Fregata ariel</i> | Res | 1 obs offshore Mar 2007, | Obs offshore Sep 1948 1 imm coll 19,26,27, |
| 3. | Brown Booby | <i>Sula leucogaster</i> | Res | 5 obs offshore Mar 2007, | 19,27, |
| 4. | Little Pied Cormorant | <i>Phalacrocorax melanoleucos</i> | Res bre | P, | 4, |
| 5. | Eastern Reef Egret | <i>Egretta sacra</i> | Res | 1 spec. AMNH. | 5, |
| 6. | Little Egret | <i>Egretta garzetta</i> | Res | Obs along Orobia R Mar 2007, | 19,27, |
| 7. | Rufous Night Heron | <i>Nycticorax c. caledonicus</i> | Res bre | 2 spec. AMNH | 7, |
| 8. | Striated Heron | <i>Butorides striatus</i> | Res bre | 1 F Coll. 1929. | 17, |
| 9. | Australian White Ibis | <i>Threskiornis m. moluccus</i> | Res | P, F coll Waifo Sep 1948, 2M coll by others, | 13,26, |
| 10. | White-bellied Sea-eagle | <i>Haliaeetus leucogaster</i> | Res bre | P, Obs along Orobia R Mar 2007, | 4,13,19,27 |
| 11. | Gurney's Eagle | <i>Aquila gurneyi</i> | Res | P, | 4,13, |
| 12. | Grey-faced Buzzard | <i>Butastur indicus</i> | Win mig | P, | 5,13,15, |
| 13. | Brahminy Kite | <i>Haliastur indus</i> | Res? | P Mar 2007, | 27, |
| 14. | Long-tailed Honey-Buzzard | <i>Henicopernis longicauda</i> | Res | Obs at 450m Mar 2007, | 27, |
| 15. | Chinese Goshawk | <i>Accipiter soloensis</i> | Sum Mig | P, Rare | 4,13, |
| 16. | Grey-headed Goshawk | <i>Accipiter poliocephalus</i> | Res bre | P, MC, | 4,13, |
| 17. | Variable Goshawk | <i>Accipiter hiogaster leucosomus</i> | Res bre | P, 2 coll 1954, Pat 450m Mar 2007, | 13,24,27, |
| 18. | Collared Sparrowhawk | <i>Accipiter cirrhocephalus papuanus</i> | Res bre | P, MC | 4,13, |
| 19. | Pacific Baza | <i>Aviceda subcristata waigeuensis</i> | Res bre | P, 2M1immM coll Sep 1955. | 13,15,24, |
| 20. | Eastern Osprey | <i>Pandion cristatus</i> | Res | F&M coll Sep 1948, | 26, |
| 21. | Rajah Shelduck | <i>Tadorna radjah</i> | Res bre | Uncommon, Obs along Orobia R Mar 2007, | 19,27, |
| 22. | Hardhead | <i>Aythya australis</i> | Res | UC, Note on coll skin, | 4,28,28, |
| 23. | Salvadori's Teal | <i>Anas waigiensis</i> | End + NG | P, | 15,28, |
| 24. | Dusky Scrubfowl | <i>Megapodius f. freycinet</i> | Res bre | MC, skins coll 1954, M coll 1948, | 13,14,24,26, |
| 25. | Bruijn's Brush-turkey | <i>Talegalla bruijnii</i> | End | Rare Inhabits hill forest, Mound only around 750m and most predated by pigs, 1 active Mar 2007, Desc from spec coll by Bruijn's local collectors <1880 not seen again until F coll 1939, 12 skins in collections, Inflated Wattles of M form red "hood" | 4,10,13,19,26, 27, |
| 26. | Red-necked Rail | <i>Rallina tricolor maxima</i> | Res bre | Lowlands & foothills, Shy. M & F Coll AMNH, | 2,13,20, |
| 27. | Common Sandpiper | <i>Actitis hypoleucos</i> | Sum Mig | Obs along Orobia R Mar 2007, | 19,27, |
| 28. | Greater Sand-plover | <i>Charadrius l. leschenaultii</i> | Sum mig | Coll in Sept and Oct 1955, | 25, |
| 29. | Wandering Tattler | <i>Tringa incana brevipes</i> | Sum mig | M coll 22 Sep 1948, | 26, |
| 30. | Swinhoe's Snipe | <i>Gallinago megala</i> | Sum mig | Collected 1955, | 25, |
| 31. | Red-necked Phalarope | <i>Phalaropus lobatus</i> | Sum Mig, | 15 offshore Mar 2007, 1 coll offshore by Khakiaj 1955, | 19,24,27, |

| | | | | | |
|-----|-------------------------------|---|----------|--|----------------------------|
| 32. | Pomarine Skua | <i>Stercorarius pomarinus</i> | Sum Mig, | 1 offshore Mar 2007, | 19,27, |
| 33. | Bridled Tern | <i>Onychoprion anaethetus</i> | Res | 70 offshore Mar 2007, | 19,27, |
| 34. | Grey-backed Tern | <i>Onychoprion lunata</i> | Visitor | P, | 11, |
| 35. | Crested Tern | <i>Thalasseus bergii cristatus</i> | Res | Common. 1 Coll. Jun 1929, 5 offshore Mar 2007, | 17,19,27, |
| 36. | Black Noddy | <i>Anous minutus</i> | Res | A few in Mar, 50 Apr 2007, | 19,27, |
| 37. | White-throated Pigeon | <i>Columba vitiensishalmaheira</i> | Res bre | UC | 13, |
| 38. | Slender-billed Cuckoo-Dove | <i>Macropygia amboinensis doreya</i> | Res bre | Obs at 120 & 450m & heard at 570 & 750m Mar 2007, Coll, F & 2immM coll 1948, | 19,24,26,27, |
| 39. | Great Cuckoo-Dove | <i>Reinwardtoena reinwardtii griseotincta</i> | Res bre | MC, Obs at 120, 450 & 750m Mar 2007, F in br cond coll Oct. | 13,19,24,27, |
| 40. | New Guinea Bronzewing | <i>Henicophaps a. albifrons</i> | Res bre | C in old forest | 1,13, |
| 41. | Nicobar Pigeon | <i>Caloenas n. nicobarica</i> | Res bre | MC, | 13, |
| 42. | Cinnamon Ground Dove | <i>Gallicolumba rufigula</i> | Res bre | MC in old lowland forests, 1 obs 750m Mar 07, | 13,19,27, |
| 43. | Stephan's Dove | <i>Chalcophaps s. stephani</i> | Res bre | C, | 13, |
| 44. | Pheasant Pigeon | <i>Otidiphaps n. nobilis</i> | Res bre | MC, Heard 400m upwards, C at 800m Mar 2007 on Wilson's BOP leks, | 13,19,27, |
| 45. | Western Crowned Pigeon | <i>Goura cristata minor</i> | Res bre | P, In lowland and foothill forests. C < 100m. 1 Coll. Jun 1929. 2 obs, C heard <700m Mar 2007, Coll spec larger than those from Misool, 1 coll 1948, | 4,10,13,17,19,24,26,27, |
| 46. | Pink-spotted Fruit-Dove | <i>Ptilinopus perlatus</i> | Res bre | P, | 4, |
| 47. | Beautiful Fruit-Dove | <i>Ptilinopus p. pulchellus</i> | Res bre | P, Obs at 450m Mar 2007, 2M coll 1948, | 4,6,19,26,27, |
| 48. | White-bibbed Fruit-Dove | <i>Ptilinopus rivoli prasinorrhous</i> | Res bre | P, | 13, |
| 49. | Claret-breasted Fruit-Dove | <i>Ptilinopus viridis pectoralis</i> | Res bre | P, | 13,15, |
| 50. | Orange-bellied Fruit-Dove | <i>Ptilinopus iozonus humeralis</i> | Res bre | P, MC, | 4,13, |
| 51. | Wompoo Fruit-dove | <i>Ptilinopus magnificus puella</i> | Res bre | MC-C in most forest types, Obs 450 & 570m Heard 750m Mar 07, Coll in Jan & Feb 1955, M coll 1948, | 13,19,24,26,27, |
| 52. | Superb Fruit-Dove | <i>Ptilinopus superbus</i> | Res bre | Obs 750m Mar 2007, | 19,27, |
| 53. | Dwarf Fruit-Dove | <i>Ptilinopus nanus minimus</i> | Res bre | Rare, 3 spec, | 6,13, |
| 54. | Purple-tailed Imperial Pigeon | <i>Ducula r. rufigaster</i> | Res bre | P, MC, Obs 450 & 570m heard 750m Mar 07, Juv coll Sept, | 4,13,19,24,27, |
| 55. | Pinon Imperial Pigeon | <i>Ducula p. pinon</i> | Res bre | MC, Obs at 120 & 450m heard at 570m & 750m Mar 07, 3 coll 1955, | 13,19,24,27, |
| 56. | Spice Imperial Pigeon | <i>Ducula m. myristicivora</i> | Res bre | P, | 13,15, |
| 57. | Violet-necked Lory | <i>Eos s. squamata</i> | Res bre | P, | 4,13,15, |
| 58. | Coconut Lorikeet | <i>Trichoglossus h. haematodus</i> | Res bre | Obs along Orobia R Mar 2007, M coll 1948, | 19,26,27, |
| 59. | Western Black-capped Lory | <i>Lorius lory major</i> | Res bre | P,MC. 1 Coll. Jun 1929, Nesting 750m Obs 120 & 450m Mar 07, 1M1F coll, M2F coll 1948, Coll by Guillemard for Tring, | 07,4,13,17,19,24,26,27,29, |
| 60. | Red-flanked Lorikeet | <i>Charmosyna placentis ornata</i> | Res bre | P, | 4,13, |
| 61. | Palm Cockatoo | <i>Probosciger aterrimus alecto</i> | Res? | 1 Coll. Jun 1929, Obs 120 & 570m Mar 2007, 2M coll, F coll 1948, | 17,19,24,26,27, |
| 62. | Sulphur-crested Cockatoo | <i>Cacatua galerita triton</i> | Res bre | 5 spec rec, Obs 120, 450 & 570m heard 750m Mar 07, Coll, | 6,19,24,27, |
| 63. | Yellow-capped Pygmy-Parrot | <i>Micropsitta keiensis chloroxantha</i> | Res bre | P, | 13,29, |
| 64. | Double-eyed Fig-Parrot | <i>Cyclopsitta d. diophthalma</i> | Res bre | R. P, | 13,29, |
| 65. | Red-cheeked Parrot | <i>Geoffroyus geoffroyi pucherani</i> | Res bre | MC, Sev coll in coastal trees, for Tring, | 13,24,29, |
| 66. | Great-billed Parrot | <i>Tanygnathus m. megalorynchos/sanfordi</i> | Res bre | P, Inhabits coastal forest and mangroves of islands, Type of T.m. s. coll, F coll 1948, 1 coll. by Guillemard for Tring, | 4,10,13,24,26,29, |
| 67. | Eclectus Parrot | <i>Eclectus roratus pectoralis</i> | Res bre | Obs along Orobia R & at 450m Mar 2007, Series coll, M3F coll 1948, | 19,24,26,27, |

| | | | | | |
|------|-------------------------------|--|-----------------|--|----------------------|
| 68. | Moluccan King Parrot | <i>Alisterus amboinensis dorsalis</i> | Res bre | Present in lowland, hill and lower montane forest. UC, VC 07, 10,13,19,27, | |
| 69. | Orange-fronted Hanging Parrot | <i>Loriculus aurantiifrons batavorum</i> | Res bre | In lowlands, R, F coll 1948, | 4,13,26, |
| 70. | Brush Cuckoo | <i>Cuculus variolosus infaustus</i> & v. | Res bre/Win Mig | MC. | 13, |
| 71. | Oriental Cuckoo | <i>Cuculus s. saturatus s. horsfieldi</i> | Sum mig | M coll Sep 1955, M coll 1948, | 24,25,26, |
| 72. | Little Bronze-cuckoo | <i>Chrysococcyx minutillus poecilurus</i> | Win mig | MC | 13, |
| 73. | Long-billed Cuckoo | <i>Rhamphomantis megarhynchus sanfordi</i> | Res bre | P, Rare & local. | 4,13,15, |
| 74. | Channel-billed Cuckoo | <i>Scythrops novaehollandiae</i> | Win mig | 1 st spec coll 29 Sep, | 24, |
| 75. | Eastern Koel | <i>Eudynamys orientalis rufiventer</i> | Res bre/Win mig | R, | 13, |
| 76. | White-crowned Koel | <i>Caliechthrus leucolophus</i> | Res | Heard at 450m Mar 2007, | 19,27, |
| 77. | Dwarf Koel | <i>Microdynamis parva</i> | Res | Heard at 450m Mar 2007, | 19,27, |
| 78. | Sooty Owl | <i>Tyto tenebricosa</i> | Res | 1 st rec Mar 2007 at 450m, | 19,27, |
| 79. | Rufous Owl | <i>Ninox rufa franseni</i> | Res bre | UC, Pr heard at 450m Mar 2007, | 4,13,15,19,27, |
| 80. | Jungle Boobook | <i>Ninox theomacha hoedtii</i> | Res bre | P, Heard at 450, 570 & 750m Mar 07, | 4,13,19,27, |
| 81. | Marbled Frogmouth | <i>Podargus o. ocellatus</i> | Res bre | P, Prob C as 2 obs more heard Mar 2007 at higher camps, | 4,13,19,27, |
| 82. | Papuan Frogmouth | <i>Podargus papuensis</i> | Res bre | 3 spec. M coll 1948, | 8,13,26, |
| 83. | Large-tailed Nightjar | <i>Caprimulgus macrurus schillmölleri</i> | Res bre | P, 7 coll mainly calling and flying 0600h, | 13,15,24, |
| 84. | Wallace's Owllet-Nightjar | <i>Aegotheles wallacii</i> | Res bre | 1 st rec for island 2003 Again Mar 2007 in hill forest, | 19,27, |
| 85. | Moustached Tree-swift | <i>Hemiprocne m. mystacea</i> | Res bre | P, | 13, |
| 86. | Uniform Swiftlet | <i>Aerodramus vanikorensis waigeuensis</i> | Res bre | 4+ spec. AMNH, Obs along Orobia R & < 450m, P, | 9,13,19,23,27, |
| 87. | Glossy Swiftlet | <i>Collocalia esculenta</i> | Res | Obs along Orobia R & < 450m, | 19,27, |
| 88. | Common Paradise-Kingfisher | <i>Tanyptera g. galatea</i> | Res Bre | Obs at 350m Mar 2007, Coll Sep 1955, M coll 1948, | 13,19,24,26,27, |
| 89. | Hook-billed Kingfisher | <i>Melidora macrorrhina waigiensis</i> | Res bre | Obs 450m heard 570m & 750m Mar 2007, | 13,19,27, |
| 90. | Rufous-bellied Kookaburra | <i>Dacelo gaudichaud</i> | Res bre | VC, Obs 570m heard 450 & 750m Mar 2007, series coll, 2M | 13,19,24,26,27, |
| 91. | Collared Kingfisher | <i>Todirhamphus c. chloris</i> | Res bre | UC. | 13, |
| 92. | Sacred Kingfisher | <i>Todirhamphus s. sancta</i> | Win mig | 1-3 Coll. Jun 1929, Coll, | 17,24, |
| 93. | Yellow-billed Kingfisher | <i>Syma t. torotoro</i> | Res bre | C, Heard 120, 450, & 570m Obs 750m Mar 07, F coll 1948, | 13,19,26,27, |
| 94. | Variable Dwarf Kingfisher | <i>Ceyx lepidus solitarius</i> | Res bre | P, Coll, | 13,24, |
| 95. | Azure Kingfisher | <i>Alcedo azurea lessonii</i> | Res bre | Obs along Orobia R Mar 2007, | 13,19,27, |
| 96. | Dollarbird | <i>Eurystomus orientalis waigiouensis/ cyanicollis</i> | Res/Win mig | MC, Obs along Orobia R, Mar 2007, 1 coll Sep, | 13,19,24,27, |
| 97. | Blyth's Hornbill | <i>Aceros plicatus ruficollis</i> | Res bre | 2 spec. MC, Obs 120, 450, 570m & 750m Mar 07, M in Moults, | 3,8,13,15,19, 24,27, |
| 98. | Red-bellied Pitta | <i>Pitta erythrogaster macklotii</i> | Res bre | MC in Forests and remnant forest. MC, Obs at 750m Mar 07, | 7,13,19,27, |
| 99. | Pacific Swallow | <i>Hirundo tahitica</i> | Res bre | UC-LA near fresh water. | 10, |
| 100. | Yellow Wagtail | <i>Motacilla flava simillima</i> | Sum Mig | 1 rec ? Prefers wet grasslands, swamps and rice fields, 2 coll = 3 rd rec for NG, | 10,24, |
| 101. | Grey Wagtail | <i>Motacilla cinerea caspica</i> | Sum mig | UC-LMC in Mtn streams, lake and pond shores, Coll, M coll | 1948, 10,24,26, |
| 102. | Barred Cuckoo-Shrike | <i>Coracina lineata Axillaris</i> | Res bre | P, LMC in forest tall regrowth and partly cleared forest. | 4,10,13, |
| 103. | Slender-billed Cicadabird | <i>Coracina tenuirostris nehrkorni</i> | Res/Mig | UC in forest, forest edges, gardens, savanna & mangroves | 10,13, |
| 104. | Black-shouldered Cicadabird | <i>Coracina incerta (morio)</i> | Res bre | UC-MC & local in hill forests. LC, 1 subAd M coll Sep, | 4,10,13,24, |
| 105. | Black Cuckoo-shrike | <i>Coracina melaena waigeuense</i> | Res bre | C in lowland rainforest & mangroves, MC at higher altitude. | 10,13, |
| 106. | Black-browed Triller | <i>Lalage a. atrovirens</i> | Res bre | P, MC, | 4,13, |
| 107. | Grey-streaked Flycatcher | <i>Muscicapa griseisticta</i> | Sum mig | Rare in clearings and forest edges < 1460m. | 10, |
| 108. | New Guinea Babbler | <i>Pomatostomus isidorei</i> | Res bre | P, MC-C in forest and tall regrowth <300m, 1 st coll = 1955, | 4,10,25, |

| | | | | | |
|------|----------------------------|--|---------|--|-----------------|
| 109. | Grey's Grasshopper-warbler | <i>Locustella fasciolata</i> | Sum mig | LMC Oct-Apr in regrowth forests, & thickets. | 10,30, |
| 110. | Rusty Mouse-warbler | <i>Crateroscelis murina capitalis</i> | Res bre | P, C-VC in forests of Foothills and hills, sometimes lowlands. | 4,10,13,19,26, |
| 111. | Pale-billed Scrub-wren | <i>Sericornis spilodera ferrugineus</i> | Res bre | P, MC in hills >200m, Obs at 450, 570 & 750m Mar 2007, | 1,4,10,13,19, |
| 112. | Beccari's Scrub-wren | <i>Sericornis beccarii capitalis</i> | Res bre | 1st rec Mar 2007 found it to be common high on Mt Salal , | 1,19,27, |
| 113. | Yellow-bellied Gerygone | <i>Gerygone chrysogaster neglecta waigiuenis</i> | Res bre | MC-VC in lowland rainforests, MC, M coll 1948, | 1,10,13,26, |
| 114. | Green-backed Gerygone | <i>Gerygone chloronotus aruensis/cinereiceps</i> | Res bre | P, LMC or UC in lowland forest edges & disturbed forest or bush. | 1,4,10,13,21, |
| 115. | Fairy Gerygone | <i>Gerygone palpebrosa palpebrosa</i> | Res bre | P, C in hill forests, UC in lowland forests, Obs 450 & 570m | 4,10,19,21,27, |
| 116. | Large-billed Gerygone | <i>Gerygone magnirostris cobana</i> | Res bre | P, LC-VC in mangroves, swamps and other wet locations. | 4,10,13, |
| 117. | Sooty Thicket-Fantail | <i>Rhipidura threnothorax threnothorax</i> | Res bre | P, C-VC in swampy and dry habitats with dense shade UC, | 4,10,13,19,27, |
| 118. | Arafura Fantail | <i>Rhipidura dryas squamata</i> | Res bre | Heard at 570m & 750m Mar 07, | 10,13,22, |
| 119. | Black Fantail | <i>Rhipidura atra atra</i> | Res bre | Mainly in mangroves UC-C. | 10,13, |
| 120. | Northern Fantail | <i>Rhipidura rufiventris gularis</i> | Res bre | MC-C in all forests, forest edges and regrowth of lowl. & hills | 10,13,19,24,26, |
| 121. | Willie Wagtail | <i>Rhipidura leucophrys melaleuca</i> | Res bre | Obs along Orobia R Mar 2007, | 19,22,27, |
| 122. | Island Monarch | <i>Monarcha cinerascens inornatus</i> | Res bre | MC-VC Inhabits littoral forest, scrub and gardens. | 10,13, |
| 123. | Spot-winged Monarch | <i>Monarcha guttula</i> | Res bre | C in Rainforest, monsoon forest & tall regrowth-quiet, M&F | 10,26, |
| 124. | Golden Monarch | <i>Monarcha chrysomela melanonotus</i> | Res bre | coll 1948, | |
| 125. | Frilled Monarch | <i>Monarcha telescopthalmus batantae</i> | Res bre | P, MC-C in most forests < 700m, Obs at 450m Mar 2007, Coll, | 4,10,13,19,24, |
| 126. | Shining Flycatcher | <i>Myiagra alecto chalybeocephalus</i> | Res bre | P, C in rainforest, monsoon forest & regrowth < 1100m, Obs | 4,10,12,13,19, |
| 127. | Yellow-breasted Boatbill | <i>Machaerirhynchus flaviventer albifrons</i> | Res bre | at 450 & 570m Mar 07, 2F&M coll 1948, | 26,27, |
| 128. | Olive Flyrobin | <i>Microeca flavovirescens cuicui</i> | Res bre | UC-C in Lowland Swamp forest, littoral & riparian scrub | 2,10,13,16, |
| 129. | Black-sided Robin | <i>Poecilodryas hypoleuca steina</i> | Res bre | F have dark Chestnut back, M Variable. | |
| 130. | Grey Whistler | <i>Pachycephala simplex waigeuensis</i> | Res bre | P, MC in Rainforest, monsoon forest & regrowth, 1 Coll. Jun | 1,4,10,13,17, |
| 131. | Grey-headed Whistler | <i>Pachycephala griseiceps</i> | Res | 1929, Obs at 450, 570m & 750m Mar 2007, | 19,27, |
| 132. | Island Whistler | <i>Pachycephala phaionota</i> | Res bre | MC-VC in rainforest & monsoon forest, Obs 450-750m Mar 07, | 10,19,21,26, |
| 133. | Little Shrike-thrush | <i>Colluricincla megarhyncha affinis</i> | Res bre | M coll 1948, | 27, |
| 134. | Variable Pitohui | <i>Pitohui kirhocephalus cerviniventris</i> | Res bre | P, MC-C in Swamp forest, rainforest & sago palms, Obs 450m | 1,4,10,11,19, |
| 135. | Rusty Pitohui | <i>Pitohui ferrugineus leucorhynchus</i> | Res bre | & 570m, | 27, |
| | | | | C in lowlands. C. 1 Coll. Jun 1929. | 10,11,17, |
| | | | | Obs at 450m Mar 2007, | 19,27, |
| | | | | Coastal UC-MC, | 21, |
| | | | | C-A more often heard than seen in forest & regrowth, Obs at | 1,10,11,19 |
| | | | | 370 450 & 750m Mar 2007, 2M coll 1948, ssp has olive lwr | 26,27, |
| | | | | surface, | |
| | | | | Rare- VC in forests UC-C, Obs at 450, 570 & 750m Mar 2007, | 1,10,12,13, |
| | | | | 19,27, | |
| | | | | P, MC-C in all forests & regrowth, Obs at 450, & 570m Mar 07, | 1,4,10,12,13, |
| | | | | 3M1F coll 1948, | 19,26,27, |

| | | | | |
|------|----------------------------|--|---------|---|
| 136. | Black Berrypecker | <i>Melanocharis nigra pallida</i> | Res bre | P, singly except where tree is fruiting, Obs at 720m Mar 2007, 4,13,19,27, |
| 137. | Olive-crowned Flowerpecker | <i>Dicaeum pectorale</i> | Res bre | MC-C but inconspicuous, Obs at 570 & 750m Mar 2007, Coll, 10,13,19,24, 37, None had any red, |
| 138. | Black Sunbird | <i>Nectarinia aspasia cochrani</i> | Res bre | MC-C in forests and forest edges. 1-3 Coll. Jun 1929. 10,13,17, |
| 139. | Yellow-bellied Sunbird | <i>Nectarinia jugularis frenata</i> | Res bre | MC-C outside of forests, M br cond coll Jan Apr Oct, 10,24, |
| 140. | Long-billed Honeyeater | <i>Melilestes megarhynchus vagans</i> | Res bre | P, Common but inconspicuous. 1 Coll. Jun 1929, Obs at 570m 4,10,13,17,19, & 750m Mar 2007, |
| 141. | Yellow-bellied Longbill | <i>Toxorhamphus n. novaeguineae</i> | Res bre | P, 1 nesting 450m, Obs at 750m Mar 2007, 4,13,19,27, |
| 142. | Plumed Longbill | <i>Oedistoma iliolophus cinerascens</i> | Res bre | P, A. & ubiquitous in lowlands. 4,10,13, |
| 143. | Pygmy Longbill | <i>Oedistoma pygmaeum</i> | Res bre | P, MC-C in canopy, M coll 1948, 4,10,13,26, |
| 144. | Green-backed Honeyeater | <i>Glycichaera fallax pallida</i> | Res bre | P, mostly UC occasionally LC. 4,10,13, |
| 145. | Olive Honeyeater | <i>Lichmera a. argentauris</i> | Res bre | P, Feeds on Coconut and pawpaw blossoms. 4,10,13, |
| 146. | Red-throated Myzomela | <i>Myzomela e. eques</i> | Res bre | P, UC except locally around flowering trees. 4,10,13, |
| 147. | Black Myzomela | <i>Myzomela nigrita steini</i> | Res bre | P, LMC prob nomadic. C. Obs at 750m Mar 2007, 4,10,13,19,27, |
| 148. | Hill Forest Meliphaga | <i>Meliphaga orientalis facialis</i> | Res bre | P, MC >550m C at higher levels of forest., Obs at 750m Mar 2007, 4,10,19,27, |
| 149. | Puff-backed Meliphaga | <i>Meliphaga aruensis sharpei</i> | Res bre | MC-C in Forest and tall regrowth < 1200m MC, C at 750m, 4,10,13,19,27, |
| 150. | Mimic Meliphaga | <i>Meliphaga a. analoga</i> | Res bre | C in forest, regrowth & gardens, Obs 450m Mar 2007, M's coll 10,13,19,24, in Nov & Jan in Br Cond F not, 27, |
| 151. | Varied Honeyeater | <i>Lichenostomus versicolor sonoroides</i> | Res bre | MC-VC. C in coastal Veg. 10,13, |
| 152. | Spotted Honeyeater | <i>Xanthotis p. polygramma</i> | Res bre | P, Uncommon. 1 Coll. Jun 1929, C at 570m Mar 2007, 4,10,13,17,19, 27, |
| 153. | Tawny-breasted Honeyeater | <i>Xanthotis f. flaviventer</i> | Res bre | A. & ubiquitous, Obs at 450m Mar 2007, 10,13,19,27, |
| 154. | Helmeted Friarbird | <i>Philemon buceroides novaeguineae</i> | Res bre | C, Obs at 120, 450m heard at 570m & 750m Mar 2007, Coll, 10,13,19,24,27, |
| 155. | Brown-backed Honeyeater | <i>Ramsayornis modestus</i> | Res bre | P, MC-C. 4,10, |
| 156. | Singing Starling | <i>Aplornis cantoroides</i> | Res bre | LC. 10, |
| 157. | Moluccan Starling | <i>Aplornis m. mysolensis</i> | Res bre | P, A small island species of forest edge & scrub. 4,7,13, |
| 158. | Metallic Starling | <i>Aplornis m. metallica</i> | Res bre | Flgl coll Sep, 2imm coll Aug 1948, 24,26, |
| 159. | Yellow-faced Myna | <i>Mino d. dumontii</i> | Res bre | P, MC-C, Obs 570m Mar 2007, Coll, 4,10,13,19,24, 27, |
| 160. | Brown Oriole | <i>Oriolus szalayi</i> | Res bre | C in mangroves, Heard at 450 & 570m Mar 2007, 13,19,27, |
| 161. | Spangled Drongo | <i>Dicrurus bracteatus carbonarius</i> | Res bre | CU in Rain Gallery, Monsoon & Teak forests & mangroves. 10,13,17, 1-2 Coll. Jun 1929, Obs 120, 450, 570 & 750m Mar 2007, Br 19,24,27, AD coll Nov, Subad coll Sept, |
| 162. | White-breasted Woodswallow | <i>Artamus leucorhynchus</i> | Res bre | ? 10, |
| 163. | Hooded Butcherbird | <i>Cracticus c. cassicus</i> | Res bre | C, Obs at 120, 250m heard at 570 & 750m Mar 2007, Moulting 13,19,24,26,27, Feb, Sep & Oct & fledgl coll Jul, Sep, Oct, F coll 1948, |
| 164. | Black Butcherbird | <i>Cracticus q. quoyi</i> | Res bre | P, UC-MC, UC, Heard at 120 & 750m Mar 07, 4,10,13,19,27, |
| 165. | Lowland Peltops | <i>Peltops blainvillii</i> | Res bre | 0-550m, UC, M coll 1948, 4,12,26, |
| 166. | White-eared Catbird | <i>Ailuroedus buccoides oorti</i> | Res bre | 0-800m, 4,13, |
| 167. | Glossy-mantled Manucode | <i>Manucodia atra</i> | Res bre | 2 obs 570m Mar 2007, 3 imm coll, 19,24,27, |
| 168. | Wilson's Bird-of-Paradise | <i>Cicinnurus respublica</i> | Res bre | P, Hill forest > 300m, 4M6F obs 150-800+m Mar 2007, 2 M 4,10,12,13,19, coll 1948, 26,27, |
| 169. | Red Bird-of-Paradise | <i>Paradisaea r. rubra</i> | Res bre | P, Inhabits lowland & foothill forest. Males coll. in groups of 104,10,12,13,17, C. 2 Coll. Jun 1929, 30M2F obs 10-800M+ Mar 2007, 4 F coll 19,24,26,27, Sep not br or moulting, 13M3F3imm coll 1948, |
| 170. | Brown-headed Crow | <i>Corvus fuscicapillus megarhynchus</i> | Res bre | P, Inhabits lowland & foothill forests & mangroves. C at Low 4,10,13,19,24, |

| | | | | | |
|------|----------------|-----------------------|---------|---------------------------------------|---------------|
| 171. | Torresian Crow | <i>Corvus o. orru</i> | Res bre | & mid elevations, F coll, P, Coll, | 27, 10,24, |
|------|----------------|-----------------------|---------|---------------------------------------|---------------|

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **P** = present, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

- Iredale, T. 1956. **Birds of New Guinea. V. 2.** Georgian House. Melbourne.
- Mayr, E. 1941. Birds collected during the Whitney South Sea Expedition *Am. Mus. Novit.* 1133.
- Mayr, E. 1934. Birds collected during the Whitney South Sea Expedition. 28. Notes on some birds from New Britain, Bismarck Archipelago. *Am. Mus. Novit.* 709: 1-15.
- Beehler, B.M., T.K. Pratt & D.A. Zimmerman. 1986. **Birds of New Guinea.** Princeton University Press, Princeton.
- Mayr, E. & D. Amadon. 1941. Birds collected during the Whitney South Sea Expedition. XLVI. Geographical variation in *Demigretta sacra* (Gmelin). *Am. Mus. Novit.* 1144: 1-11.
- Mayr, E. 1937. Birds collected during the Whitney South Sea Expedition. 36. Notes on New Guinea Birds. 3. *Am. Mus. Novit.* 947: 1-11.
- Amadon, D. 1942a. Birds Collected during the Whitney South Sea Expedition. 49. Notes on some non-passerine genera, 1. *American Museum Novitates* 1175.
- Mayr, E. 1937. Birds collected during the Whitney South Sea Expedition. 35. Notes on New Guinea Birds. 2. *Amer. Mus. Novit.* 939: 1-14.
- Mayr, E. 1937. Birds collected during the Whitney South Sea Expedition. 33. Notes on New Guinea Birds 1. *Am. Mus. Novit.* 915: 1-19.
- Coates, B.J. 1990. **The Birds of Papua New Guinea Vol. 2.** Dove Pub. Aldersley, Qld.
- Coates, B.J. & W.S. Peckover. 2001. **Birds of New Guinea and the Bismarck Archipelago: A photographic guide.** Dove Pub. Alderley, Qld.
- Gould, J. & A. Rutgers. 1970. **Birds of New Guinea.** Methuen. London.
- Rand, A.L., & E.T Gilliard. 1967. **Handbook of New Guinea Birds.** Weidenfeld & Nicolson, London.
- Hoyo, J del., A. Elliott & J Sargatal. 1994. **Handbook of the Birds of the World Vol. 2.** Lynx Edicions / Birdlife International.
- Iredale, T. 1956. **Birds of New Guinea. Vol. 1.** Georgian House, Melbourne.
- Mayr, E. 1941. Birds collected during the Whitney South Sea Expedition. 45. Notes on New Guinea Birds 8. *Amer. Mus. Novit.* 1133, 1-8.
- Mayr, E. & S. Camras. 1938. Birds of the Crane Pacific Expedition. *Publ. Field Mus. (Zool.)*. 20, 453-473.
- Davies, C. Wonggor, Z. & Mauro, I. 2007. Papua, Indonesia: Waigeo Island, March-April 2007. www.surfbirds.com/trip_report.php?id=1239
- Mayr, E. 1949. Notes on the birds of Northern Melanesia. 2. *Amer. Mus. Novitates* 1417: 1-38.
- Gregory, P.A. 2007. Thornbills. In Hoyo, J. A. Elliott, & D Christie. 2007. Handbook of the Birds of the World Vol 12. Lynx Edicions. Barcelona.
- Boles, W.E. 2006. Fantails. In Hoyo, J. A. Elliott, & D Christie. 2007. Handbook of the Birds of the World Vol 11. Lynx Edicions. Barcelona.
- Salomonsen, F. 1983. Revision of the Melanesian Swiftlets (*Apodes, Aves*) & their Conspecific Forms in the Indo-Australian and Polynesian Region. Noona Dan Papers No. **141**.
- Ripley, S.D. 1964. A systematic and ecological study of birds of New Guinea. Peabody Mus of Nat. Hist. Yale Univ. Bull. 19, 1-87.
- Ripley, S.D. 1959. Comments on birds from the Western Papuan Islands. *Postilla* **38**, 1-17.
- Gyldenstolpe, N. 1955. Birds collected by Dr. Sten Bergman in Dutch New Guinea 1948-1949. *Arkiv för Zoologi* **8**(2), 1-397+.
- Davies, C. 2008. Waigeo Island, March-April 2007. *Muruk* **9**(1), 33-40.
- Rothschild, W. 1895. On *Salvadorina waigeuensis* Rothschild & Hartert. *Novitates Zoologicae* **2**, 22.
- Rothschild, W. & Hartert, E. 1901a. Notes on Papuan Birds. *Novitates Zoologicae* **8**, 55-88.
- Diamond, J.M. 1986. First records of the Large Grasshopper warbler *Locustella fasciolata* from islands east of New Guinea. *Emu* **86**, 249.