

Waigeo Is. Bird Checklist

Raja Ampat Grp. West Papua, Indonesia.

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[To communicate: please re-type e-mail address]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Wedge-tailed Shearwater	<i>Ardenna pacificus chlororhyncha</i>	Vag?	M coll off Kabaré,	25,
2.	Lesser Frigatebird	<i>Fregata ariel</i>	Res	1 obs offshore Mar 2007,	Obs offshore Sep 1948 1 imm coll 19,26,27,
3.	Brown Booby	<i>Sula leucogaster</i>	Res	5 obs offshore Mar 2007,	19,27,
4.	Little Pied Cormorant	<i>Phalacrocorax melanoleucos</i>	Res bre	P,	4,
5.	Eastern Reef Egret	<i>Egretta sacra</i>	Res	1 spec. AMNH.	5,
6.	Little Egret	<i>Egretta garzetta</i>	Res	Obs along Orobia R Mar 2007,	19,27,
7.	Rufous Night Heron	<i>Nycticorax c. caledonicus</i>	Res bre	2 spec. AMNH	7,
8.	Striated Heron	<i>Butorides striatus</i>	Res bre	1 F Coll. 1929.	17,
9.	Australian White Ibis	<i>Threskiornis m. moluccus</i>	Res	P, F coll Waifo Sep 1948, 2M coll by others,	13,26,
10.	White-bellied Sea-eagle	<i>Haliaeetus leucogaster</i>	Res bre	P, Obs along Orobia R Mar 2007,	4,13,19,27
11.	Gurney's Eagle	<i>Aquila gurneyi</i>	Res	P,	4,13,
12.	Grey-faced Buzzard	<i>Butastur indicus</i>	Win mig	P,	5,13,15,
13.	Brahminy Kite	<i>Haliastur indus</i>	Res?	P Mar 2007,	27,
14.	Long-tailed Honey-Buzzard	<i>Henicopernis longicauda</i>	Res	Obs at 450m Mar 2007,	27,
15.	Chinese Goshawk	<i>Accipiter soloensis</i>	Sum Mig	P, Rare	4,13,
16.	Grey-headed Goshawk	<i>Accipiter poliocephalus</i>	Res bre	P, MC,	4,13,
17.	Variable Goshawk	<i>Accipiter hiogaster leucosomus</i>	Res bre	P, 2 coll 1954, Pat 450m Mar 2007,	13,24,27,
18.	Collared Sparrowhawk	<i>Accipiter cirrhocephalus papuanus</i>	Res bre	P, MC	4,13,
19.	Pacific Baza	<i>Aviceda subcristata waigeuensis</i>	Res bre	P, 2M1immM coll Sep 1955.	13,15,24,
20.	Eastern Osprey	<i>Pandion cristatus</i>	Res	F&M coll Sep 1948, 1 obs Oct 2017,	26,31,
21.	Rajah Shelduck	<i>Tadorna radjah</i>	Res bre	Uncommon, Obs along Orobia R Mar 2007,	19,27,
22.	Hardhead	<i>Aythya australis</i>	Res	UC, Note on coll skin,	4,28,28,
23.	Salvadori's Teal	<i>Anas waigiensis</i>	End + NG	P,	15,28,
24.	Dusky Scrubfowl	<i>Megapodius f. freycinet</i>	Res bre	MC, skins coll 1954, M coll 1948,	13,14,24,26,
25.	Bruijn's Brush-turkey	<i>Talegalla bruijnii</i>	End	Rare Inhabits hill forest, Mound only around 750m and most predated by pigs, 1 active Mar 2007, Desc from spec coll by Bruijn's local collectors <1880 not seen again until F coll 1939, 12 skins in collections, Inflated Wattles of M form red "hood"	4,10,13,19,26, 27,
26.	Red-necked Rail	<i>Rallina tricolor maxima</i>	Res bre	Lowlands & foothills, Shy. M & F Coll AMNH,	2,13,20,
27.	Common Sandpiper	<i>Actitis hypoleucos</i>	Sum Mig	Obs along Orobia R Mar 2007,	19,27,
28.	Greater Sand-plover	<i>Charadrius l. leschenaultii</i>	Sum mig	Coll in Sept and Oct 1955,	25,
29.	Wandering Tattler	<i>Tringa incana brevipes</i>	Sum mig	M coll 22 Sep 1948,	26,
30.	Swinhoe's Snipe	<i>Gallinago megala</i>	Sum mig	Collected 1955,	25,
31.	Red-necked Phalarope	<i>Phalaropus lobatus</i>	Sum Mig,	15 offshore Mar 2007, 1 coll offshore by Khakiaj 1955,	19,24,27,

32.	Pomarine Skua	<i>Stercorarius pomarinus</i>	Sum Mig,	1 offshore Mar 2007,	19,27,
33.	Bridled Tern	<i>Onychoprion anaethetus</i>	Res	70 offshore Mar 2007,	19,27,
34.	Grey-backed Tern	<i>Onychoprion lunata</i>	Visitor	P,	11,
35.	Crested Tern	<i>Thalasseus bergii cristatus</i>	Res	Common. 1 Coll. Jun 1929, 5 offshore Mar 2007,	17,19,27,
36.	Black Noddy	<i>Anous minutus</i>	Res	A few in Mar, 50 Apr 2007,	19,27,
37.	White-throated Pigeon (Metallic)	<i>Columba vitiensishalmaheira</i>	Res bre	UC, 2 obs Oct 2017,	13,31,
38.	Slender-billed Cuckoo-Dove	<i>Macropygia amboinensis doreya</i>	Res bre	Obs at 120 & 450m & heard at 570 & 750m Mar 2007, Coll, F & 2immM coll 1948,	19,24,26,27,
39.	Great Cuckoo-Dove	<i>Reinwardtoena reinwardtii griseotincta</i>	Res bre	MC, Obs at 120, 450 & 750m Mar 2007, F in br cond coll Oct.	13,19,24,27,
40.	New Guinea Bronzewing	<i>Henicophaps a. albifrons</i>	Res bre	C in old forest	1,13,
41.	Nicobar Pigeon	<i>Caloenas n. nicobarica</i>	Res bre	MC,	13,
42.	Cinnamon Ground Dove	<i>Gallicolumba rufigula</i>	Res bre	MC in old lowland forests, 1 obs 750m Mar 07,	13,19,27,
43.	Stephan's Dove	<i>Chalcophaps s. stephani</i>	Res bre	C,	13,
44.	Pheasant Pigeon	<i>Otidiphaps n. nobilis</i>	Res bre	MC, Heard 400m upwards, C at 800m Mar 2007 on Wilson's BOP leks,	13,19,27,
45.	Western Crowned Pigeon	<i>Goura cristata minor</i>	Res bre	P, In lowland and foothill forests. C < 100m. 1 Coll. Jun 1929. 2 obs, C heard <700m Mar 2007, Coll spec larger than those from Misool, 1 coll 1948,	4,10,13,17,19, 24,26,27,
46.	Pink-spotted Fruit-Dove	<i>Ptilinopus perlatus</i>	Res bre	P,	4,
47.	Beautiful Fruit-Dove	<i>Ptilinopus p. pulchellus</i>	Res bre	P, Obs at 450m Mar 2007, 2M coll 1948,	4,6,19,26,27,
48.	White-bibbed Fruit-Dove	<i>Ptilinopus rivoli prasinorrhous</i>	Res bre	P,	13,
49.	Claret-breasted Fruit-Dove	<i>Ptilinopus viridis pectoralis</i>	Res bre	P,	13,15,
50.	Orange-bellied Fruit-Dove	<i>Ptilinopus iozonus humeralis</i>	Res bre	P, MC,	4,13,
51.	Wompoo Fruit-dove	<i>Ptilinopus magnificus puella</i>	Res bre	MC-C in most forest types, Obs 450 & 570m Heard 750m Mar 07, Coll in Jan & Feb 1955, M coll 1948,	13,19,24,26,27,
52.	Superb Fruit-Dove	<i>Ptilinopus superbus</i>	Res bre	Obs 750m Mar 2007,	19,27,
53.	Dwarf Fruit-Dove	<i>Ptilinopus nanus minimus</i>	Res bre	Rare, 3 spec,	6,13,
54.	Purple-tailed Imperial Pigeon	<i>Ducula r. rufigaster</i>	Res bre	P, MC, Obs 450 & 570m heard 750m Mar 07, Juv coll Sept,	4,13,19,24,27,
55.	Pinon Imperial Pigeon	<i>Ducula p. pinon</i>	Res bre	MC, Obs at 120 & 450m heard at 570m & 750m Mar 07, 3 coll 1955,	13,19,24,27,
56.	Spice Imperial Pigeon	<i>Ducula m. myristicivora</i>	Res bre	P, 1 obs Oct 2017,	13,15,31,
57.	Violet-necked Lory	<i>Eos s. squamata</i>	Res bre	P,	4,13,15,
58.	Coconut Lorikeet	<i>Trichoglossus h. haematodus</i>	Res bre	Obs along Orobia R Mar 2007, M coll 1948,	19,26,27,
59.	Western Black-capped Lory	<i>Lorius lory major</i>	Res bre	P, MC. 1 Coll. Jun 1929, Nesting 750m Obs 120 & 450m Mar 07, 1M1F coll, M2F coll 1948, Coll by Guillemard for Tring,	07,4,13,17,19, 24,26,27,29,
60.	Red-flanked Lorikeet	<i>Charmosyna placentis ornata</i>	Res bre	P,	4,13,
61.	Palm Cockatoo	<i>Probosciger aterrimus alecto</i>	Res?	1 Coll. Jun 1929, Obs 120 & 570m Mar 2007, 2M coll, F coll 1948,	17,19,24,26,27,
62.	Sulphur-crested Cockatoo	<i>Cacatua galerita triton</i>	Res bre	5 spec rec, Obs 120, 450 & 570m heard 750m Mar 07, Coll,	6,19,24,27,
63.	Yellow-capped Pygmy-Parrot	<i>Micropsitta keiensis chloroxantha</i>	Res bre	P,	13,29,
64.	Double-eyed Fig-Parrot	<i>Cyclopsitta d. diophthalma</i>	Res bre	R. P, 1 obs Oct 2017,	13,29,31,
65.	Red-cheeked Parrot	<i>Geoffroyus geoffroyi pucherani</i>	Res bre	MC, Sev coll in coastal trees, for Tring,	13,24,29,
66.	Great-billed Parrot	<i>Tanygnathus m. megalorynchos/ sanfordi</i>	Res bre	P, Inhabits coastal forest and mangroves of islands, Type of T.m. s. coll, F coll 1948, 1 coll. by Guillemard for Tring,	4,10,13,24,26, 29,
67.	Eclectus Parrot	<i>Eclectus roratus pectoralis</i>	Res bre	Obs along Orobia R & at 450m Mar 2007, Series coll, M3F coll 1948,	19,24,26,27,

68.	Moluccan King Parrot	<i>Alisterus amboinensis dorsalis</i>	Res bre	Present in lowland, hill and lower montane forest. UC, VC 07, 10,13,19,27,	
69.	Orange-fronted Hanging Parrot	<i>Loriculus aurantiifrons batavorum</i>	Res bre	In lowlands, R, F coll 1948,	4,13,26,
70.	Brush Cuckoo	<i>Cuculus variolosus infaustus</i> & v.	Res bre/Win Mig	MC.	13,
71.	Oriental Cuckoo	<i>Cuculus s. saturatus s. horsfieldi</i>	Sum mig	M coll Sep 1955, M coll 1948,	24,25,26,
72.	Little Bronze-cuckoo	<i>Chrysococcyx minutillus poecilurus</i>	Win mig	MC	13,
73.	Long-billed Cuckoo	<i>Rhamphomantis megarhynchus sanfordi</i>	Res bre	P, Rare & local.	4,13,15,
74.	Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	Win mig	1 st spec coll 29 Sep,	24,
75.	Eastern Koel	<i>Eudynamis orientalis rufiventer</i>	Res bre/Win mig	R,	13,
76.	White-crowned Koel	<i>Caliechthrus leucolophus</i>	Res	Heard at 450m Mar 2007,	19,27,
77.	Dwarf Koel	<i>Microdynamis parva</i>	Res	Heard at 450m Mar 2007,	19,27,
78.	Sooty Owl	<i>Tyto tenebricosa</i>	Res	1 st rec Mar 2007 at 450m,	19,27,
79.	Rufous Owl	<i>Ninox rufa franseni</i>	Res bre	UC, Pr heard at 450m Mar 2007,	4,13,15,19,27,
80.	Jungle Boobook	<i>Ninox theomacha hoedtii</i>	Res bre	P, Heard at 450, 570 & 750m Mar 07,	4,13,19,27,
81.	Marbled Frogmouth	<i>Podargus o. ocellatus</i>	Res bre	P, Prob C as 2 obs more heard Mar 2007 at higher camps,	4,13,19,27,
82.	Papuan Frogmouth	<i>Podargus papuensis</i>	Res bre	3 spec. M coll 1948,	8,13,26,
83.	Large-tailed Nightjar	<i>Caprimulgus macrurus schillmölleri</i>	Res bre	P, 7 coll mainly calling and flying 0600h,	13,15,24,
84.	Wallace's Owllet-Nightjar	<i>Aegotheles wallacii</i>	Res bre	1 st rec for island 2003 Again Mar 2007 in hill forest,	19,27,
85.	Moustached Tree-swift	<i>Hemiprocne m. mystacea</i>	Res bre	P,	13,
86.	Uniform Swiftlet	<i>Aerodramus vanikorensis waigeuensis</i>	Res bre	4+ spec. AMNH, Obs along Orobia R & < 450m, P,	9,13,19,23,27,
87.	Glossy Swiftlet	<i>Collocalia esculenta</i>	Res	Obs along Orobia R & < 450m,	19,27,
88.	Fork-tailed Swift	<i>Apus pacificus</i>	Spr Mig	6 obs 11 Oct 2017,	31,
89.	Common Paradise-Kingfisher	<i>Tanyptera g. galatea</i>	Res Bre	Obs at 350m Mar 2007, Coll Sep 1955, M coll 1948,	13,19,24,26,27,
90.	Hook-billed Kingfisher	<i>Melidora macrorrhina waigiensis</i>	Res bre	Obs 450m heard 570m & 750m Mar 2007,	13,19,27,
91.	Rufous-bellied Kookaburra	<i>Dacelo gaudichaud</i>	Res bre	VC, Obs 570m heard 450 & 750m Mar 2007, series coll, 2M 2F coll 1948,	13,19,24,26,27,
92.	Collared Kingfisher	<i>Todirhamphus c. chloris</i>	Res bre	UC.	13,
93.	Sacred Kingfisher	<i>Todirhamphus s. sancta</i>	Win mig	1-3 Coll. Jun 1929, Coll,	17,24,
94.	Beach Kingfisher	<i>Todirhamphus saurophaga</i>	Res bre	3 obs Oct 2017,	31,
95.	Yellow-billed Kingfisher	<i>Syma t. torotoro</i>	Res bre	C, Heard 120, 450, & 570m Obs 750m Mar 07, F coll 1948,	13,19,26,27,
96.	Variable Dwarf Kingfisher	<i>Ceyx lepidus solitarius</i>	Res bre	P, Coll,	13,24,
97.	Azure Kingfisher	<i>Alcedo azurea lessonii</i>	Res bre	Obs along Orobia R Mar 2007,	13,19,27,
98.	Dollarbird	<i>Eurystomus orientalis waigiouensis/ cyanicollis</i>	Res/Win mig	MC, Obs along Orobia R, Mar 2007, 1 coll Sep,	13,19,24,27,
99.	Blyth's Hornbill	<i>Aceros plicatus ruficollis</i>	Res bre	2 spec. MC, Obs 120, 450, 570m & 750m Mar 07, M in Moults coll Sept,	3,8,13,15,19, 24,27,
100.	Red-bellied Pitta	<i>Pitta erythrogaster macklotii</i>	Res bre	MC in Forests and remnant forest. MC, Obs at 750m Mar 07, 7,13,19,27,	
101.	Pacific Swallow	<i>Hirundo tahitica</i>	Res bre	UC-LA near fresh water.	10,
102.	Yellow Wagtail	<i>Motacilla flava simillima</i>	Sum Mig	1 rec ? Prefers wet grasslands, swamps and rice fields, 2 coll = 3 rd rec for NG,	10,24,
103.	Grey Wagtail	<i>Motacilla cinerea caspica</i>	Sum mig	UC-LMC in Mtn streams, lake and pond shores, Coll, M coll 1948,	10,24,26,
104.	Barred Cuckoo-Shrike	<i>Coracina lineata Axillaris</i>	Res bre	P, LMC in forest tall regrowth and partly cleared forest.	4,10,13,
105.	Slender-billed Cicadabird	<i>Coracina tenuirostris nehrkorni</i>	Res/Mig	UC in forest, forest edges, gardens, savanna & mangroves	10,13,
106.	Black-shouldered Cicadabird	<i>Coracina incerta (morio)</i>	Res bre	UC-MC & local in hill forests. LC, 1 subAd M coll Sep,	4,10,13,24,
107.	Black Cuckoo-shrike	<i>Coracina melaena waigeuense</i>	Res bre	C in lowland rainforest & mangroves, MC at higher altitude.	10,13,
108.	Black-browed Triller	<i>Lalage a. atrovirens</i>	Res bre	P, MC,	4,13,

109.	Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	Sum mig	Rare in clearings and forest edges < 1460m.	10,
110.	New Guinea Babbler	<i>Pomatostomus isidorei</i>	Res bre	P, MC-C in forest and tall regrowth <300m, 1 st coll = 1955,	4,10,25,
111.	Grey's Grasshopper-warbler	<i>Locustella fasciolata</i>	Sum mig	LMC Oct-Apr in regrowth forests, & thickets.	10,30,
112.	Rusty Mouse-warbler	<i>Crateroscelis murina capitalis</i>	Res bre	P, C-VC in forests of Foothills and hills, sometimes lowlands.	4,10,13,19,26,
113.	Pale-billed Scrub-wren	<i>Sericornis spilodera ferrugineus</i>	Res bre	P, MC in hills >200m, Obs at 450, 570 & 750m Mar 2007,	1,4,10,13,19,
114.	Beccari's Scrub-wren	<i>Sericornis beccarii capitalis</i>	Res bre	1st rec Mar 2007 found it to be common high on Mt Salal ,	1,19,27,
115.	Yellow-bellied Gerygone	<i>Gerygone chrysogaster neglecta waigiensis</i>	Res bre	MC-VC in lowland rainforests, MC, M coll 1948,	1,10,13,26,
116.	Green-backed Gerygone	<i>Gerygone chloronotus aruensis/cinereiceps</i>	Res bre	P, LMC or UC in lowland forest edges & disturbed forest or bush.	1,4,10,13,21,
117.	Fairy Gerygone	<i>Gerygone palpebrosa palpebrosa</i>	Res bre	P, C in hill forests, UC in lowland forests, Obs 450 & 570m	4,10,19,21,27,
118.	Large-billed Gerygone	<i>Gerygone magnirostris cobana</i>	Res bre	P, LC-VC in mangroves, swamps and other wet locations.	4,10,13,
119.	Sooty Thicket-Fantail	<i>Rhipidura threnothorax threnothorax</i>	Res bre	P, C-VC in swampy and dry habitats with dense shade UC,	4,10,13,19,27,
120.	Arafura Fantail	<i>Rhipidura dryas squamata</i>	Res bre	Heard at 570m & 750m Mar 07,	10,13,22,
121.	Black Fantail	<i>Rhipidura atra atra</i>	Res bre	Mainly in mangroves UC-C.	10,13,
122.	Northern Fantail	<i>Rhipidura rufiventris gularis</i>	Res bre	MC-C in forests and dense regrowth.	10,13,
123.	Willie Wagtail	<i>Rhipidura leucophrys melaleuca</i>	Res bre	MC-C in all forests, forest edges and regrowth of lowl. & hills	10,13,19,24,26,
124.	Island Monarch	<i>Monarcha cinerascens inornatus</i>	Res bre	Obs at 450 & 570m Mar 07, M Br cond coll Sep, 3M2F coll	27,
125.	Spot-winged Monarch	<i>Monarcha guttula</i>	Res bre	1948,	19,22,27,
126.	Golden Monarch	<i>Monarcha chrysomela melanonotus</i>	Res bre	Obs along Orobia R Mar 2007,	10,13,
127.	Frilled Monarch	<i>Monarcha telescopthalmus batantae</i>	Res bre	MC-VC Inhabits littoral forest, scrub and gardens.	10,13,
128.	Shining Flycatcher	<i>Myiagra alecto chalybeocephalus</i>	Res bre	C in Rainforest, monsoon forest & tall regrowth-quiet, M&F	10,26,
129.	Yellow-breasted Boatbill	<i>Machaerirhynchus flaviventer albifrons</i>	Res bre	coll 1948,	4,10,13,19,24,
130.	Olive Flyrobin	<i>Microeca flavovirescens cuicui</i>	Res bre	P, MC-C in most forests < 700m, Obs at 450m Mar 2007, Coll,	4,10,13,19,24,
131.	Black-sided Robin	<i>Poecilodryas hypoleuca steina</i>	Res bre	P, C in rainforest, monsoon forest & regrowth < 1100m, Obs	4,10,12,13,19,
132.	Grey Whistler	<i>Pachycephala simplex waigeuensis</i>	Res bre	at 450 & 570m Mar 07, 2F&M coll 1948,	26,27,
133.	Grey-headed Whistler	<i>Pachycephala griseiceps</i>	Res	UC-C in Lowland Swamp forest, littoral & riparian scrub	2,10,13,16,
134.	Island Whistler	<i>Pachycephala phaionota</i>	Res bre	F have dark Chestnut back, M Variable.	
135.	Little Shrike-thrush	<i>Colluricincla megarhyncha affinis</i>	Res bre	P, MC in Rainforest, monsoon forest & regrowth, 1 Coll. Jun	1,4,10,13,17,
136.	Variable Pitohui	<i>Pitohui kirhocephalus cerviniventris</i>	Res bre	1929, Obs at 450, 570m & 750m Mar 2007,	19,27,
				MC-VC in rainforest & monsoon forest, Obs 450-750m Mar 07,	10,19,21,26,
				M coll 1948,	27,
				P, MC-C in Swamp forest, rainforest & sago palms, Obs 450m	1,4,10,11,19,
				& 570m,	27,
				C in lowlands. C. 1 Coll. Jun 1929.	10,11,17,
				Obs at 450m Mar 2007,	19,27,
				Coastal UC-MC,	21,
				C-A more often heard than seen in forest & regrowth, Obs at	1,10,11,19
				370 450 & 750m Mar 2007, 2M coll 1948, ssp has olive lwr	26,27,
				surface,	
				Rare- VC in forests UC-C, Obs at 450, 570 & 750m Mar 2007,	1,10,12,13,
				19,27,	

137.	Rusty Pitohui	<i>Pitohui ferrugineus leucorhynchus</i>	Res bre	P, MC-C in all forests & regrowth, Obs at 450, & 570m Mar 07, 1,4,10,12,13, 3M1F coll 1948, 19,26,27,
138.	Black Berrypecker	<i>Melanocharis nigra pallida</i>	Res bre	P, singly except where tree is fruiting, Obs at 720m Mar 2007, 4,13,19,27,
139.	Olive-crowned Flowerpecker	<i>Dicaeum pectorale</i>	Res bre	MC-C but inconspicuous, Obs at 570 & 750m Mar 2007, Coll, 10,13,19,24, None had any red, 37,
140.	Black Sunbird	<i>Nectarinia aspasia cochrani</i>	Res bre	MC-C in forests and forest edges. 1-3 Coll. Jun 1929. 10,13,17,
141.	Yellow-bellied Sunbird	<i>Nectarinia jugularis frenata</i>	Res bre	MC-C outside of forests, M br cond coll Jan Apr Oct, 10,24,
142.	Long-billed Honeyeater	<i>Melilestes megarhynchus vagans</i>	Res bre	P, Common but inconspicuous. 1 Coll. Jun 1929, Obs at 570m 4,10,13,17,19, & 750m Mar 2007,
143.	Yellow-bellied Longbill	<i>Toxorhamphus n. novaeguineae</i>	Res bre	P, 1 nesting 450m, Obs at 750m Mar 2007, 4,13,19,27,
144.	Plumed Longbill	<i>Oedistoma iliolophus cinerascens</i>	Res bre	P, A. & ubiquitous in lowlands. 4,10,13,
145.	Pygmy Longbill	<i>Oedistoma pygmaeum</i>	Res bre	P, MC-C in canopy, M coll 1948, 4,10,13,26,
146.	Green-backed Honeyeater	<i>Glycichaera fallax pallida</i>	Res bre	P, mostly UC occasionally LC. 4,10,13,
147.	Olive Honeyeater	<i>Lichmera a. argentauris</i>	Res bre	P, Feeds on Coconut and pawpaw blossoms. 4,10,13,
148.	Red-throated Myzomela	<i>Myzomela e. eques</i>	Res bre	P, UC except locally around flowering trees. 4,10,13,
149.	Black Myzomela	<i>Myzomela nigrata steini</i>	Res bre	P, LMC prob nomadic. C. Obs at 750m Mar 2007, 4,10,13,19,27,
150.	Hill Forest Meliphaga	<i>Meliphaga orientalis facialis</i>	Res bre	P, MC >550m C at higher levels of forest., Obs at 750m Mar 4,10,19,27, 2007,
151.	Puff-backed Meliphaga	<i>Meliphaga aruensis sharpei</i>	Res bre	MC-C in Forest and tall regrowth < 1200m MC, C at 750m, 4,10,13,19,27,
152.	Mimic Meliphaga	<i>Meliphaga a. analoga</i>	Res bre	C in forest, regrowth & gardens, Obs 450m Mar 2007, M's coll 10,13,19,24, in Nov & Jan in Br Cond F not, 27,
153.	Varied Honeyeater	<i>Lichenostomus versicolor sonoroides</i>	Res bre	MC-VC.C in coastal Veg. 10,13,
154.	Spotted Honeyeater	<i>Xanthotis p. polygramma</i>	Res bre	P, Uncommon. 1 Coll. Jun 1929, C at 570m Mar 2007, 4,10,13,17,19, 27,
155.	Tawny-breasted Honeyeater	<i>Xanthotis f. flaviventer</i>	Res bre	A. & ubiquitous, Obs at 450m Mar 2007, 10,13,19,27,
156.	Helmeted Friarbird	<i>Philemon buceroides novaeguineae</i>	Res bre	C, Obs at 120, 450m heard at 570m & 750m Mar 2007, Coll, 10,13,19,24,27,
157.	Brown-backed Honeyeater	<i>Ramsayornis modestus</i>	Res bre	P, MC-C. 4,10,
158.	Singing Starling	<i>Aplornis cantoroides</i>	Res bre	LC. 3 obs Oct 2017, 10,31,
159.	Moluccan Starling	<i>Aplornis m. mysolensis</i>	Res bre	P, A small island species of forest edge & scrub. 4,7,13,
160.	Metallic Starling	<i>Aplornis m. metallica</i>	Res bre	Flgl coll Sep, 2imm coll Aug 1948, 24,26,
161.	Yellow-faced Myna	<i>Mino d. dumontii</i>	Res bre	P, MC-C, Obs 570m Mar 2007, Coll, 4,10,13,19,24, 27,
162.	Brown Oriole	<i>Oriolus szalayi</i>	Res bre	C in mangroves, Heard at 450 & 570m Mar 2007, 13,19,27,
163.	Spangled Drongo	<i>Dicrurus bracteatus carbonarius</i>	Res bre	CU in Rain Gallery, Monsoon & Teak forests & mangroves. 10,13,17, 1-2 Coll. Jun 1929, Obs 120, 450, 570 & 750m Mar 2007, Br 19,24,27, AD coll Nov, Sub-ad coll Sept,
164.	White-breasted Woodswallow	<i>Artamus leucorhynchus</i>	Res bre	? 4 obs Oct 2017, 10,31,
165.	Hooded Butcherbird	<i>Cracticus c. cassicus</i>	Res bre	C, Obs at 120, 250m heard at 570 & 750m Mar 2007, Moulting 13,19,24,26,27, Feb, Sep & Oct & fledgl coll Jul, Sep, Oct, F coll 1948,
166.	Black Butcherbird	<i>Cracticus q. quoyi</i>	Res bre	P, UC-MC, UC, Heard at 120 & 750m Mar 07, 4,10,13,19,27,
167.	Lowland Peltops	<i>Peltops blainvillii</i>	Res bre	0-550m, UC, M coll 1948, 4,12,26,
168.	White-eared Catbird	<i>Ailuroedus buccoides oorti</i>	Res bre	0-800m, 4,13,
169.	Glossy-mantled Manucode	<i>Manucodia atra</i>	Res bre	2 obs 570m Mar 2007, 3 imm coll, 19,24,27,
170.	Wilson's Bird-of-Paradise	<i>Cicinnurus respublica</i>	Res bre	P, Hill forest > 300m, 4M6F obs 150-800+m Mar 2007, 2 M 4,10,12,13,19, coll 1948, 26,27,
171.	Red Bird-of-Paradise	<i>Paradisaea r. rubra</i>	Res bre	P, Inhabits lowland & foothill forest. Males coll. in groups of 104,10,12,13,17,

172.	Brown-headed Crow	<i>Corvus fuscicapillus megarhynchus</i>	Res bre	C. 2 Coll. Jun 1929, 30M2F obs 10-800M+ Mar 2007, 4 F coll 19,24,26,27, Sep not br or moulting, 13M3F3imm coll 1948, P, Inhabits lowland & foothill forests & mangroves. C at Low 4,10,13,19,24, & mid elevations,F coll, 27,
173.	Torresian Crow	<i>Corvus o. orru</i>	Res bre	P, Coll, 1 obs Oct 2017, 10,24,31,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **P** = present, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

- Iredale, T. 1956. **Birds of New Guinea. V. 2.** Georgian House. Melbourne.
- Mayr, E. 1941. Birds collected during the Whitney South Sea Expedition *Am. Mus. Novit.* **1133**.
- Mayr, E. 1934. Birds collected during the Whitney South Sea Expedition. 28. Notes on some birds from New Britain, Bismarck Archipelago. *Am. Mus. Novit.* **709**, 1-15.
- Beehler, B.M., T.K. Pratt & D.A. Zimmerman. 1986. **Birds of New Guinea.** Princeton University Press, Princeton.
- Mayr, E. & D. Amadon. 1941. Birds collected during the Whitney South Sea Expedition. XLVI. Geographical variation in *Demigretta sacra* (Gmelin). *Am. Mus. Novit.* **1144**, 1-11.
- Mayr, E. 1937. Birds collected during the Whitney South Sea Expedition. 36. Notes on New Guinea Birds. 3. *Am. Mus. Novit.* **947**, 1-11.
- Amadon, D. 1942a. Birds Collected during the Whitney South Sea Expedition. 49. Notes on some non-passerine genera, 1. *American Museum Novitates* 1175.
- Mayr, E. 1937. Birds collected during the Whitney South Sea Expedition. 35. Notes on New Guinea Birds. 2. *Amer. Mus. Novit.* **939**, 1-14.
- Mayr, E. 1937. Birds collected during the Whitney South Sea Expedition. 33. Notes on New Guinea Birds 1. *Am. Mus. Novit.* **915**, 1-19.
- Coates, B.J. 1990. **The Birds of Papua New Guinea Vol. 2.** Dove Pub. Aldersley, Qld.
- Coates, B.J. & W.S. Peckover. 2001. **Birds of New Guinea and the Bismarck Archipelago: A photographic guide.** Dove Pub. Alderley, Qld.
- Gould, J. & A. Rutgers. 1970. **Birds of New Guinea.** Methuen. London.
- Rand, A.L., & E.T Gilliard. 1967. **Handbook of New Guinea Birds.** Weidenfeld & Nicolson, London.
- Hoyo, J del., A. Elliott & J Sargatal. 1994. **Handbook of the Birds of the World Vol. 2.** Lynx Edicions / Birdlife International.
- Iredale, T. 1956. **Birds of New Guinea. Vol. 1.** Georgian House, Melbourne.
- Mayr, E. 1941. Birds collected during the Whitney South Sea Expedition. 45. Notes on New Guinea Birds 8. *Amer. Mus. Novit.* **1133**, 1-8.
- Mayr, E. & S. Camras. 1938. Birds of the Crane Pacific Expedition. *Publ. Field Mus. (Zool.)* **20**, 453-473.
- Davies, C. Wonggor, Z. & Mauro, I. 2007. Papua, Indonesia: Waigeo Island, March-April 2007. www.surfbirds.com/trip_report.php?id=1239
- Mayr, E. 1949. Notes on the birds of Northern Melanesia. 2. *Amer. Mus. Novitates* **1417**, 1-38.
- Gregory, P.A. 2007. Thornbills. In Hoyo, J. A. Elliott, & D Christie. 2007. Handbook of the Birds of the World Vol 12. Lynx Edicions. Barcelona.
- Boles, W.E. 2006. Fantails. In Hoyo, J. A. Elliott, & D Christie. 2007. Handbook of the Birds of the World Vol 11. Lynx Edicions. Barcelona.
- Salomonsen, F. 1983. Revision of the Melanesian Swiftlets (*Apodes, Aves*) & their Conspecific Forms in the Indo-Australian and Polynesian Region. Noona Dan Papers No. **141**.
- Ripley, S.D. 1964. A systematic and ecological study of birds of New Guinea. Peabody Mus of Nat. Hist. Yale Univ. Bull. 19, 1-87.
- Ripley, S.D. 1959. Comments on birds from the Western Papuan Islands. *Postilla* **38**, 1-17.
- Gyldenstolpe, N. 1955. Birds collected by Dr. Sten Bergman in Dutch New Guinea 1948-1949. *Arkiv för Zoologi* **8(2)**, 1-397+.
- Davies, C. 2008. Waigeo Island, March-April 2007. *Muruk* **9(1)**, 33-40.
- Rothschild, W. 1895. On *Salvadorina waigeuensis* Rothschild & Hartert. *Novitates Zoologicae* **2**, 22.

29. Rothschild, W. & Hartert, E. 1901a. Notes on Papuan Birds. *Novitates Zoologicae* **8**, 55-88.
30. Diamond, J.M. 1986. First records of the Large Grasshopper warbler *Locustella fasciolata* from islands east of New Guinea. *Emu* **86**, 249.
31. Buskirk, William. <http://ebird.org/ebird/view/checklist/S39889143> Accessed 15.10.2017.