

Amédée Islet Bird Checklist

(W of Ouen, Southern Lagoon) New Caledonia

22 28 36s 166 28 08e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[You are welcome to communicate, just re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Northern Giant Petrel	<i>Macronectes halli</i>	Vag	1 obs closeby 27 Jul 2009,	3,
	[Giant Petrel	<i>Macronectes spp</i>	Vag	Obs 2 Feb 2006,	2,]
2.	Black-winged Petrel	<i>Pterodroma nigripennis</i>	Res bre	2-10 pr bred 1993-99,	7,
3.	Tahiti Petrel	<i>Pseudobulweria rostrata</i>	Res bre	1 pr bred 1993-1999,	7,
4.	Wedge-tailed Shearwater	<i>Ardenna pacificus</i>	Res bre	5,501-12,000 br prs 1993-99,	1,
5.	White-tailed Tropicbird	<i>Phaethon lepturus</i>	Res	Obs at lighthouse June,	6,
6.	Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	Vag	1 obs 29 Jun 2008,	3,
7.	Roseate Tern	<i>Sterna dougallii bangsi</i>	Res bre	1 br record 1881.	1,
8.	Fairy Tern	<i>Sternula nereis exsul</i>	Res bre	90 imm & adults Apr 2004, 3 br pr Jul-Sep 2008, P 8.9.2004,	2,4,5,
9.	Little Tern	<i>Sternula albifrons</i>	Res,	P Apr 2004,	2,
10.	Black-naped Tern	<i>Sterna sumatrana</i>	Res	Obs 8.9.2004,	5,
11.	Silver Gull	<i>Chroicocephalus novaehollandiae</i>	Res	Obs 8.9.2004,	5,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Barré, N. & Dutson, G. 2000. Liste commentée des oiseaux de Nouvelle-Calédonie. *Alauda* 3: suppl. 1-48.
2. Barré, N. Baudat-Francheschi, J. Spaggiari, J. Chartendraul, V. Bachy, P. Desmooulins, F. Guhring, J. 2007. Second complement à la liste des oiseaux de Nouvelle-Calédonie. *Alauda* 75(2), 129-144.
3. Barré, N, Hebert, O, Aubun, R. Spaggiari J. Chartendraul V. Baillon, N, & Le Boutelier, A. 2009. Troisième Complément À la liste des oiseaux de Nouvelle-Caledonie. *Alauda* 77(4), 287-302.
4. Barré, N., Baling, M., Baillon, N., Le Bouteiller, A., Bachy, P., Chartendraul, V. & Spaggiari, J. 2012. Survey of Fairy Terns *Sterna nereis exsul* in New Caledonia. *Marine Ornithology* 40, 31-38.
5. Baling, M., Brunton, D.H., & Jeffries, D. 2008. Marine and Coastal bird survey of islands in the Southern Lagoon, New Caledonia. *Notornis* 55, 11-113.

6. Rancurel, P. 1976. Liste préliminaire des oiseaux de mer des îles et îlots voisins de la Nouvelle Calédonie. O.R.S.T.O.M., ser Océanogr., vol 14(2), 163-168.
7. Benoit, M.P., & Bretagnolle, V. 2002. Seabirds of the Southern Lagoon of New Caledonia; Distribution, Abundance and Threats. *Waterbirds* 25(2), 202-213.