

Anchorage South Island (Le Mouillage Cen Nth) Bird Checklist

Chesterfield Group, New Caledonia

19 53 20s 158 28 21e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[You are welcome to communicate, just re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Wedge-tailed Shearwater	<i>Ardenna pacificus</i>	Res bre	Burrow Dec 1990, estimate of 225 active territories 29.1.2009,	1,2,
2.	Lesser Frigatebird	<i>Fregata a. ariel</i>	Res bre	c 106 28.1.2009,	2.
3.	Great Frigatebird	<i>Fregata minor</i>	Res bre	78 birds present Dec 1990,	1,
4.	Masked Booby	<i>Sula dactylatra personata</i>	Res	11 birds present Dec 1990, 9 imm 10 ad 29.1.2009,	1,2,
5.	Red-footed Booby	<i>Sula sula rubripes</i>	Res bre	142 birds Dec 1990, 9 juv 10 imm 27 ad est 356 pr breeding,	1,2,
6.	Brown Booby	<i>Sula leucogaster plotus</i>	Res	57 birds present Dec 1990, 2 eggs 5 juv & estimated 131 pr,	1,2,
7.	Buff-banded Rail	<i>Rallus philippensis</i>	Res bre	1 obs 29.1.2009,	2,
8.	Ruddy Turnstone	<i>Arenaria interpres</i>	Sum mig	1-6 obs 29.1.2009,	2,
9.	Sooty Tern	<i>Onychoprion fuscata serrata</i>	Res bre	2 birds present Dec 1990, c 3 ad 29.1.2009,	1,2,
10.	Black-naped Tern	<i>Sterna sumatrana</i>	Res	c 4 ad 29.1.2009,	2,
11.	Crested Tern	<i>Thalasseus bergii cristatus</i>	Res bre	1 ad in br plumage 29.1.2009,	2,
12.	Brown Noddy	<i>Anous stolidus pileatus</i>	Res bre	400 birds present Dec 1990,	1,
13.	Black Noddy	<i>Anous m. minutus</i>	Res bre	250 old nests Dec 1990,	1,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in red for the Brown Booby refers to the Ref # in Red for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

- Bourne, W.R.P., Davis, A.C.F. & McAllan, I.A.W. 2005. The birds of the southern Coral Sea including observations by HMS Herald in 1858-60. Atoll Research Bull 541, 237-263.
- Borsa, P. 2009. Mission ornithologique aux îles Chesterfield à bord du patrouilleur La Moqueuse, 26 janvier – 1^{er} février 2009. Institut de recherche pour le développement, Nouméa, Nouvelle-Calédonie. Downloaded from <http://www.freefullpdf.com/> 14.9.2012