

Hunter Island Bird Checklist

New Caledonia

This island is also claimed by Vanuatu.

22 23 43s 172 05 18e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[You are welcome to communicate, just re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Herald Petrel	<i>Pterodroma heraldica</i>	Res	3-5 observed 11 Sep 2005,	8,
2.	Red-tailed Tropicbird	<i>Phaethon rubricauda</i>	Res bre	1 offshore on water 26 Jun 1974, Obs Dec <1976,	2,5,9,
3.	White-tailed Tropicbird	<i>Phaethon lepturus</i>	Res bre	br record,	7,
4.	Red-footed Booby	<i>Sula sula rubripes</i>	Res bre	2,000 present 26 June 1974, 1 br record, Roosting Dec,	1,5,7,9,
5.	Brown Booby	<i>Sula leucogaster plotus</i>	Res	Hundreds present 26 Jun 1974, Hovering over slopes Dec,	1,7,9,
6.	Masked Booby	<i>Sula dactylatra</i>	Res	Obs flying over island,	9,
7.	Lesser Frigatebird	<i>Fregata a. ariel</i>	Res	200-300 over island 25 Jun 1974,	1,3,
8.	Sooty Tern	<i>Sterna fuscata serrata</i>	Res bre	Lge colonies 10,000 on NW of island. Breeding, 20 obs 139km ENE of island 8.7.1962,	1,4,5,6,
9.	Brown Noddy	<i>Anous stolidus pileatus</i>	Res bre	P, 1 bre record, P in Dec & Jan,	2,4,7,9,
10.	White Tern	<i>Gygis a. alba</i>	Res bre	P, 1 bre record,	2,4,7,
11.	Grey Ternlet	<i>Procelsterna albivitta</i>	Res bre	UC, 1 bre rec, Pairs breeding at base of SW cliff,	2,7,9,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in red for the Brown Booby refers to the Ref # in Red for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Barritt, M.K. 1976. A visit to Matthew and Hunter Islands, two little known islands in the Hunter Island Ridge, south-east by east of the New Hebrides chain, by HMS *Hydra*, surveying ship, 26th June 1974. *Sea Swallow* 25, 13-15.
2. Hannecart, F. & Y. Letocart. 1983. **Oisaux de Nlle Caledonie et des Loyautés: New Caledonian Birds. Vol. 2.** Les Editions cardinalis, Noumea.
3. Hoyo, J del., A. Elliott & J Sargatal. 1992. **Handbook of the Birds of the World** Vol. 1. Lynx Edicions / Birdlife International.
4. Hoyo, J del., A. Elliott & J Sargatal. 1996. **Handbook of the Birds of the World** Vol. 3. Lynx Edicions / Birdlife International.
5. Bregulla, H. L. 1992. **Birds of Vanuatu.** Anthony Nelson, Oswestry, UK.
6. Norris, A.Y. 1967. Seabird observations from the south-west Pacific in the southern Winter. *Emu* 67, 33-55.

7. Barré, N. & Dutson, G. 2000. Liste commentée des oiseaux de Nouvelle-Calédonie. *Alauda* 3: suppl. 1-48.
8. Barre, N. Baudat-Francheschi, J. Spaggiari, J. Chartendrault, V. Bachy, P. Desmooulins, F. Guhring, J. 2007. Second complement à la liste des oiseaux de Nouvelle-Calédonie. *Alauda* 75(2), 129-144.
9. Rancurel, P. 1976. Liste préliminaire des oiseaux de mer des îles et îlots voisins de la Nouvelle Calédonie. O.R.S.T.O.M., ser Océanogr., vol 14(2), 163-168.