

Mato Islet Bird Checklist

(Sthn Lagoon) Off New Caledonia

22 33 02s 166 47 31e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[You are welcome to communicate, just re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Wedge-tailed Shearwater	<i>Ardenna pacificus</i>	Res bre	c 500 pr breed here, 1993-99,	3,5,
2.	Black-winged Petrel	<i>Pterodroma nigripennis</i>	Res bre	40-50 pr breed here, 1993-99,	3,5,
3.	Tahiti Petrel	<i>Pseudobulweria rostrata</i>	Res bre	largest br pop in Sthn Lagoon = 70+ birds br Sep to Apr, 93-99,	3,5,
4.	Eastern Osprey	<i>Pandion cristatus</i>	Res	3 in Chesher's photo,	4,
5.	Crested Tern	<i>Thalasseus bergii</i>	Res	1 in photo, P 18.9.2004,	1,2,
6.	Bridled Tern	<i>Onychoprion anaethetus</i>	Res	3 in photo	1,
7.	Black-naped Tern	<i>Sterna sumatrana</i>	Res	2 in photo	1,
8.	Brown Noddy	<i>Anous stolidus</i>	Res	70 in photo,	1,
9.	Black Noddy	<i>Anous minutus</i>	Res	40 in photo	1,
10.	Silver Gull	<i>Chroicocephalus novaehollandiae</i>	Res	30 in photo, P 18.9.2004,	1,2,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in red for the Brown Booby refers to the Ref # in Red for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Google Earth Photo by Richard Chesher, at site of islet accessed 13.9.2012.
2. Baling, M., Brunton, D.H., & Jeffries, D. 2008. Marine and Coastal bird survey of islands in the Southern Lagoon, New Caledonia. *Notornis* 55, 11-113.
3. Villard, P., Dano, S., & Bretagnolle, V. 2006. Morphometrics and the breeding biology of the Tahiti Petrel *Pseudobulweria rostrata*. *Ibis* 148, 285-291.
4. Chesher, Richard photo on Google earth. Downloaded 16.9.2012.
5. Benoit, M.P., & Bretagnolle, V. 2002. Seabirds of the Southern Lagoon of New Caledonia; Distribution, Abundance and Threats. *Waterbirds* 25(2), 202-213.