

# Menyuru (Menyuro) Islet Bird Checklist

## (Eastern Lagoon) New Caledonia

21 44 48s 166 30 53e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

[swiftlet@optusnet.com.au](mailto:swiftlet@optusnet.com.au)

[You are welcome to communicate, just re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Fairy Tern	<i>Sternula nereis exsul</i>	Res bre	11 pr breeding 2008,	1,

### KEY

#### **Ecological status**

**End** = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

#### **Abundance**

**R** = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

**Colour coding** applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

**Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.**

### REFERENCES

1. Barré, N., Baling, M., Baillon, N., Le Bouteiller, A., Bachy, P., Chartendrault, V. & Spaggiari, J. 2012. Survey of Fairy Terns *Sterna nereis exsul* in New Caledonia. *Marine Ornithology* 40, 31-38.