

Tareti Islet Bird Checklist

Southern Lagoon off New Caledonia

22 23 16s 166 38 02e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[You are welcome to communicate, just re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Black-naped Tern	<i>Sterna sumatrana</i>	Res	obs 18 th Sep 2008,	1,
2.	Crested Tern	<i>Thalasseus bergii</i>	Res	obs 18 th Sep 2008,	1,
3.	Silver Gull	<i>Chroicocephalus novaehollandiae</i>	Res	obs 18th Sep 2008,	1,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Baling, M., Brunton, D.H., & Jeffries, D. 2008. Marine and Coastal bird survey of islands in the Southern Lagoon, New Caledonia. *Notornis* 55, 11-113.