

Boang Island Systematic Bird Check List

PNG

03 22 39s 153 18 54e

Compiled by M.K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[To communicate please re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	Reference
1.	Matsudaira's Storm Petrel	<i>Oceanodroma matsudairae</i>	Win Vis?	1 obs 14 km SE 1.8.2007,	1,
2.	Coconut Lorikeet	<i>Trichoglossus haematodus massena</i>	Res bre	Coll.	3,
3.	Boang Barn Owl	<i>Tyto crassirostris</i>	Endemic	P,	2,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Shirihai, H. 2008. Rediscovery of Beck's Petrel *Pseudobulweria becki*, and other observations of tubenoses from the Bismarck archipelago, Papua New Guinea. *Bull B.O.C.* 128(1), 3-16.
2. Konig, C. & Weick, F. 2008. 2nd Ed. *Owls of the World*. Christopher Helm. London.
3. Cain, A.J. 1955. A Revision of *Trichoglossus haematodus* and of the Australian Platycercine Parrots. *Ibis* 97, 432-479.