

Mahur Systematic Bird Check List

Lihir Group, PNG

Compiled by M.K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Cardinal Lorikeet	<i>Charmosyna cardinalis</i>	Res bre	Br on Mahir	1,
2.	Moustached Tree-swift	<i>Hemiprocne mystacea</i>	Res bre	In Mus Coll,	3,
2.	Metallic Starling	<i>Aplornis metallica</i>	Res bre	MC-VC	1,2,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Mayr, E, & J. Diamond. 2001. **The Birds of Northern Melanesia**. Oxford, Oxford University Press.
2. Coates, B.J. 1990. **The Birds of Papua New Guinea Vol. 2. Passerines**. Dove Pub. Aldersley, Qld.
3. Salomonsen, F. 1983. Revision of the Melanesian Swiftlets (*Apodes, Aves*) & their Conspecific Forms in the Indo-Australian and Polynesian Region. Noona Dan Papers No. 141.