

New Guinea Island Systematic Bird Check List

PNG & Indonesia

5 30 00s 141 00 00e

Compiled by M.K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[To communicate please re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Australasian Grebe	<i>Tachybaptus novaehollandiae</i> (2 ssp)	Res bre	MC-C in lakes around POM and lwr & Mid Sepik, UC other.	1,10,82,83,
2.	Little Grebe	<i>Tachybaptus ruficollis tricolor</i>	Res bre	UC on lakes in north of island Sentani Lake. 7 Coll. Sepik. 7 obs Alexishafen ponds N of Madang Mar 2004, 8 on remote lake at 600m on base of Vogelkop 1989.	1,10,82,83, 101,123,124,
3.	Dwarf Cassowary	<i>Casuaris bennetti</i> (5 ssp)	End+ NG,Japen	VUC in Forest and regrowth. UC in Mtns. 1 Coll. Sepik.	1,10,81,82, 83,101,
4.	Southern Cassowary	<i>Casuaris casuaris</i> (4 ssp)	Res bre	Prev. MC, now R. 1st rec, 1606 Torres @Gadaisu. A in Mid Fly.	1,3,10,81, 82,83,
5.	Northern Cassowary	<i>Casuaris unappendiculatus</i> (3 ssp)	End to N NG	LMC in lowland rain & swamp forest. UC Mamberambo & Mid Sepik MC Ramu River, MC nr Krema & Kasiwa, W. Pap. Apr-May 2007.	1,10,82,130,
6.	[Gentoo Penguin Southern Giant Petrel	<i>Pygoscelis papua</i> <i>Macronectes giganteus</i> (0 ssp)	Error Vag	Absent 1 rec of banded bird near Kikori Jul 1973.	82, P. 16.] 1,10,12,112,
7.	Tahiti Petrel	<i>Pseudobulweria r. rostrate & becki</i>	Vag	UC off Wewak. Sight Rec. off Biak, 1 with Streaked Shearwaters off Bird's Hd Pen. 20 Dec 1999.	1,10,13,83,129,
	[Kermadec Petrel	<i>Pterodroma neglecta</i>	Vag	Possible	1,10,]
	[Gould's Petrel	<i>Pterodroma leucoptera</i>	Vag	Possible	1,10,]
8.	Herald Petrel	<i>Pterodroma heraldica</i>	Res?	3 obs Oct 1985, 1 obs Jul 1990 in Coral Sea.	127,
9.	Pycroft's Petrel	<i>Pterodroma pycrofti</i>	Vag	Rare vag. Banded bird Milne Bay May 2005,	136,
10.	Bulwer's Petrel	<i>Bulweria bulwerii</i>	Vag	1 obs 74 km SSW of Kerema 12 Jul 1990.	127,
11.	Fairy Prion	<i>Pachytila turtur</i>	Vag	Rare, 1 spec. Kiwai Is, Fly R. Jul 1876. Most Improbable. But 1 Antarctic Prion rec for Christmas Island (IO),	1,10,83,] 103,
12.	Streaked Shearwater	<i>Calonectris leucomelas</i>	Sum mig	MC. On N Coast. Japanese banded bird dead S Finschhafen Dec 1975, <255 obs in Gulf of Papua Jul 1988, 90, & 97. 16,000 obs off Bird's Head Peninsula 30 Dec 1999,	1,83,113,127, 129,
13.	Wedge-tailed Shearwater	<i>Ardenna pacificus</i> ssp ?	Res	MC, 1 rec. Flock of 15 Nov. POM, 1,000 obs 33km NE of Madang 20 Aug 1985,	1,10,72,83,127,
14.	Flesh-footed Shearwater	<i>Ardenna carneipes</i> ssp ?	Spr/Aut mig	2 rec Jan. 1 obs feeding offshore in Goshen Strait 14.1.1988,	1,10,127,
	[Sooty Shearwater	<i>Ardenna griseus</i> (0 ssp)	Spr/Aut mig	Possible	1,10,112]
15.	Short-tailed Shearwater	<i>Ardenna tenuirostris</i> (0 ssp)	Spr/Aut mig	Flock Cape Suckling May 83.	1,14,112,
	[Christmas Shearwater	<i>Ardenna nativitatis</i>	Vag	Possible	1,10,]
	[Tropical Shearwater	<i>Puffinus bailoni</i> (lherminieri)	Vag	Possible	1,10,]
16.	Heinroth's Shearwater	<i>Puffinus heinrothi</i>	Vag?	7 off Madang Sep-Oct 1989,	128,
17.	Wilson's Storm-petrel	<i>Fregatta oceanicus</i> (0 ssp)	Win Vag	Near POM Aug 1980,	1,10,82,112,

18.	[Black-bellied Storm-petrel White-bellied Storm-petrel	<i>Fregetta tropica</i> <i>Fregetta grallaria</i> ssp?	Vag Win mig	Possible 2 recs. 1 sight rec Orangeri Bay SE. 1 rec 12 Aug POM	1,] 1,10,72,83,
19.	White-faced Storm-petrel	<i>Pelagodroma marina</i>	win vag	1 obs 69 nm NE Cape Ward Hunt 21.8.1985, 1 97 nm SW & 1 140 nm SSW Pt Moresby 13.7.1990,	127,
20.	Matsudaira's Storm-Petrel	<i>Oceanodroma matsudairae</i> (no ssp)	Mig Spr/Aut	Obs off Sepik Aug 1985, 1 obs 29 km ESE Madang 23.7.1992,127, 1 obs 38 km N of Saidor 14.8.2007,	
21.	Red-tailed Tropicbird	<i>Phaethon rubricauda</i> (0 ssp)	Res	UC off POM, May Occur, "Often seen but no specs. 1 obs POM 1 dead at PAU May 1991,	1,10,72,82, 83,114,
22.	White-tailed Tropicbird	<i>Phaethon lepturus dorotheae</i> ?	Res	Rare off S & N coasts	1,10,
23.	Great Frigatebird	<i>Fregata minor</i> ssp?	Res	UC. Few scattered Recs. POM-E Cape + Louisiades. POM Aisi Aisi, & Oro Bay. 2 obs Bintuni Bay, W Papua 1989,	1,10,72,82, 83,133,
24.	Lesser Frigatebird	<i>Fregata a. ariel</i>	Res	C-A. offshore. Few Scattered recs. NW & SE Recs. Darnley, POM, Gili Gili. 5 off Alotau, 1 off Madang Mar 2004,	1,10,72,82, 83,123,
25.	Great Cormorant	<i>Phalacrocorax carbo novaehollandiae</i>	Irreg Visitor	Irregular visitor from Australia <5 birds. 1 obs Enga Aug 2011,	1,10,83,134,
26.	Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	Res bre	LA on lakes and streams of lowlands. Absent in Fly A in Sepik.	1,10,82,83, 101,
27.	Pied Cormorant	<i>Phalacrocorax varius</i> (0 ssp)	Vag	1 Waigani SP Jul 87,	11,112,
28.	Little Pied Cormorant	<i>Phalacrocorax m. melanoleucos</i>	Res bre?	Widespread & LC in lowlands & some highlands. C, except on Sepik. 2 obs POM -1 marine, -1 fw.	1,10,72,82, 83,
29.	Australian Darter	<i>Anhinga melanogaster papua</i>	Res bre	LC Trans Fly, POM, Mid. Sepik. Gen UC. 1 Coll. Sepik 1929. Obs Bintuni Bay W. Papua 1989,	1,10,82,83, 101,133,
30.	Masked Booby	<i>Sula dactylatra personata</i>	Res?	Rare Recs Torres Str & E. Cape.	1,10,82,
31.	Red-footed Booby	<i>Sula sula rubripes</i>	Res	LC off POM Rec N & S coast.	1,10,82,83,
32.	Brown Booby	<i>Sula leucogaster plotus</i>	Res	C. MC in SE, Esp Aug-Dec POM 3 obs Bintuni Bay W. Papua Mar 1989, 1 off Sorong Oct 2012,	1,10,72,83,133, 142,
33.	Australian Pelican	<i>Pelecanus conspicillatus</i>	RV.DM	Regular visitor to Bensbach. Elsewhere when drought in Australia. V to Sth. 1 obs POM 28Oct 1943. Holnicote Bay NP	1,10,72,82, 83,11,
34.	Pacific Heron	<i>Ardea pacifica</i> (0 ssp)	Vagrant	Uncommon Rec in S.	1,82,112,
35.	Great-billed Heron	<i>Ardea sumatrana</i> (0 ssp)	Res bre?	UC solitary resident of coastal streams & mangroves. On Idenburg Ra. 1 obs Baracoo Pt POM 1943.	1,10,72,82,112, 83,
	[Grey Heron	<i>Ardea cinerea</i>	Vag	Prob a mis-identification of Great Billed Heron	83,]
36.	Great Egret	<i>Ardea modesta</i>	Res bre	C in lowland swamps & Reefs, UC or LC < 2255m.	1,10,82,83,
37.	Pied Heron	<i>Ardea picata</i> (0 ssp)	Res bre	LC-A particularly in Trans-Fly, POM & Mid Sepik. Seasonal F, S & Idenburg. 9M Coll. Sepik 1929.	1,10,82,83,101, 112,
38.	Intermediate Egret	<i>Egretta intermedia plumifera</i>	Res	LA throughout year at swamps & wet grasslands.	1,10,83,
39.	Cattle Egret	<i>Egretta ibis coromandus</i>	Res bre	Colonised NG in the 1960's Now flocks at PAU. 2 recs.	1,10,15,82, 83,
40.	White-faced Heron	<i>Egretta n. novaehollandiae</i>	Reg Visitor	Regular Visitor to Trans-Fly R elsewhere. Few Widely Scattered Recs, 1 rec PAU Jun 2004,	1,10,82,83,114,
41.	Little Egret	<i>Egretta garzetta nigripes</i>	Res	LA throughout year < 1200m	1,10,83,
42.	Eastern Reef Egret	<i>Egretta s. sacra</i>	Res bre	C on reefs and rocky shores, 5 freshwater recs PAU,	1,10,72,83,114,
43.	Striated Heron	<i>Butorides striata</i> (3 ssp)	Res bre	MC on south coast, LU on north coast.	1,10,82,83,
44.	Rufous Night-heron	<i>Nycticorax caledonicus hilli</i>	Res bre	LC in Mangroves, streams & swamps with trees.	1,10,82,83,
45.	Forest Bittern	<i>Zonerodius heliosylus</i> (0 ssp)	End + Aru&Sala	VU & L. in streams pools & pools in forests < 1430m	1,10,82,83,112,
46.	Little Bittern	<i>Ixobrychus minutus dubius</i>	Res bre?	MC in Fly R. & Waigani Swamp, elsewhere ?	1,10,82,83.
47.	Yellow Bittern	<i>Ixobrychus sinensis</i> (0 ssp)	Sum mig	UC & scattered in lowland swamps.	1,10,83,112,

48.	Black Bittern	<i>Ixobrychus flavicollis gouldi</i>	Res bre	LC in marine and fw pools and stream edges < 2160m. LMC	1,10,82,83,
49.	Black-necked Stork	<i>Ephippiorhynchus asiaticus australis</i>	Res bre	MC in lower trans Fly region.	1,10,82,83,
50.	Glossy Ibis	<i>Plegadis f. falcinellus</i>	Res/Vis?	C along Sth coast in Summer in shallow pools. Few recs.	1,10,82,83,
51.	Australian White Ibis	<i>Threskiornis m. molucca & striatipennis</i>	Res/vis	A in Bensbach-Fly during Wet season. VU POM, 61 recs PAU	1,10,82,83,114,
52.	Straw-necked Ibis	<i>Threskiornis spinicollis (0 ssp)</i>	Res/Vis	A in Bensbach/SE W. Papua seasonally.	1,10,82,112,
53.	Royal Spoonbill	<i>Platalea regia (0 ssp)</i>	Res/Vis	A Fly R. to Geelvink Bay. SMC at POM.	1,10,82,83,112,
54.	Yellow-billed Spoonbill	<i>Platalea flavipes (0 ssp)</i>	Vag?	2 obs Aug 1991, 6 Aug 92, 1 Jun 93. Bensbach	6,7,112,
55.	Eastern Osprey	<i>Pandion cristatus cristatus</i>	Res bre	UC-LMC along whole coast. UC, <170 km up Idenburg R.	1,10,72,82,83,
56.	White-bellied Sea-eagle	<i>Haliaeetus leucogaster (0 ssp)</i>	Res bre	LC along the whole coast and inland along rivers. Occ Savanna	1,10,72,82,83,112,
57.	New Guinea Harpy-eagle	<i>Harpyopsis novaeguineae (0 ssp)</i>	End	R-UC in All forests < 2900m Nest in MTn Forest.	1,10,81,82,83,112,
58.	Gurney's Eagle	<i>Aquila gurneyi (0 ssp)</i>	End + W&E Pap Is	UC in and near forests < 1300m	1,10,82,83,112,
59.	Wedge-tailed Eagle	<i>Aquila a. audax</i>	Res	LMC Kurik W Papua to Oriomo R W. Prov. 1 rec POM 1 rec PAU,	1,10,82,83,111,112,115,
60.	Pygmy Eagle	<i>Hieraaetus (Aquila) weiskii</i>	Res bre	UC over all NG except W and N? R,	1,10,82,83,
61.	Pacific Baza	<i>Aviceda subcristata stenoazona & megalala</i>	Res bre	MC in lowlands & hills <1300m. UC in variety of habitats. 2 obs Oro Bay & Porlock Hbr.	1,10,72,82,83,
62.	Long-tailed Buzzard [Grey-faced Buzzard	<i>Henicopernis l. longicauda</i> <i>Butastur indicus</i>	End + Aru,W.Pap	MC <2500m.	1,10,83,133,
63.	Bat Hawk	<i>Macheiramphus alcinus papuanus</i>	Vag	Br W Papuan islands so likely to turn up on NG	1,]
64.	Black-winged Kite	<i>Elanus caeruleus wahgiensis</i>	Res bre	UC on forest edges in SE. UC-R.	1,10,82,
65.	Black Kite	<i>Milvus migrans affinis</i>	Res bre	VUC centred on mid mtns of PNG. 1 spec, 1 rec, Wahgi Valley.	1,10,82,
66.	Whistling Kite	<i>Haliastur sphenurus (0 ssp)</i>	Res bre	MC along N coast and Mtn valleys & SE. UC-R. VC Milne Bay	1,10,72,82,
67.	Brahminy Kite	<i>Haliastur indus girrenera</i>	Res bre	C along coast & hills, excepting the SE tip. C-A Savanna. Not common anywhere on coast.	1,10,72,82,112,
68.	Spotted Marsh Harrier	<i>Circus spilonotus spilothorax</i>	Res bre	MC everywhere except >2300m Avoids habitation.	1,10,72,82,83,
69.	Swamp Harrier	<i>Circus approximans gouldi</i>	Res?	LMC in many areas. MC, Specs. at Trans-Fly & Kurik, W. Papua. UC over Savanna, Grassy flats.	1,10,23,16,82,83,
70.	Chinese Goshawk	<i>Accipiter soloensis (0 ssp)</i>	Win Vag	Uncommon	1,83,112,
71.	Brown Goshawk	<i>Accipiter fasciatus (2 ssp)</i>	Res bre	UC in S & E of NW < 1950m. UC. 1 Waigani.	1,10,72,82,83,
72.	Variable Goshawk	<i>Accipiter hiogaster leucosmus</i>	Res bre	MC in lowlands & hills < 1500m	1,10,82,83,
73.	Black-mantled Goshawk	<i>Accipiter melanochlamys schistacinus</i>	End	UC in forests of all Mtms. UC-R, Daily Mar 2004 at Satop,	1,10,81,82,83,111,
74.	Grey-headed Goshawk	<i>Accipiter poliocephalus (0 ssp)</i>	End + Wpap isles	UC-MC in forests & regrowth < 1500m. MC, 1 obs Makbon Rd, Sorong Oct 2012,	1,10,82,83,112,142,
75.	Collared Sparrowhawk	<i>Accipiter cirrhocephalus papuanus</i>	Res bre	MC in lowlands & hills < 2500m, MC, P in POM.	1,10,72,82,83,
76.	Meyer's Goshawk	<i>Accipiter meyerianus (0 ssp)</i>	Res bre	Rare in hills & Mtms. Kratke Mtms. 1 Ambua Mar 04, Tabubil Rd, Tari Gap, & Ambua Oct 05,	1,10,82,83,111,112,
77.	Chestnut-shouldered Goshawk	<i>Accipiter buergesi (0 ssp)</i>	End	Rare in hills and Mtms of E. NG. R, Also Gauttier Mts W Pap.	1,10,82,83,11,112,
78.	Doria's Goshawk	<i>Megatriorchis doriae (0 ssp)</i>	End	UC < 1070m inside forests. R,	1,10,81,82,83,

79.	Brown Falcon	<i>Falco berigora novaeguineae</i>	Mig/Res bre	R-UC in Lowlands LC in Mtn valleys < 2800m in Central & E. C in se.	112, 1,10,25,82, 83,
80.	Australian Kestrel	<i>Falco cenchroides baru</i>	Mig/Res bre	Annual variations R-LC in grasslands, Savanna and airfields.	1,10,24,82, 83,
81.	Oriental Hobby	<i>Falco severus papuanus</i>	Mig/ bre	UC but Widespread in lowlands < 1800m, Obs Kiunga May 1998, 1 obs Varirata Aug 2011.	1,10,26,82, 83,111,134,
82.	Australian Hobby	<i>Falco longipennis longipennis</i>	Win Mig	UC on Sth Coast between Merauke & POM, R elsewhere.	1,10,82,83,
83.	Grey Falcon	<i>Falco hypoleucas (0 ssp)</i>	Poss Vag	2 Unconfirmed recs Nov 1980 Bensbach, 1 Nov 1980 CP.	1,10,27,28,112,
84.	Peregrine Falcon	<i>Falco peregrinus ernesti & macropus</i>	Res bre	R & elusive 0-3475m.	1,10,82,83
85.	Magpie Goose	<i>Anseranas semipalmata (0 ssp)</i>	Bre res/Vis	LC-A Fly R west to Frederik Hendrik Is. Br on S Coast,	1,10,82,87,112,
86.	Spotted Whistling Duck	<i>Dendrocygna guttata (0 ssp)</i>	Res bre	C in lowland swamps & pools. C at PAU, Commonest Duck in NG. A & 2 Juv Alexishafen Ponds Mar 2004, 100 c Yng at remote lake in W. Papua at 600m,	1,10,15,82,83, 112,123,124,
87.	Plumed Whistling Duck	<i>Dendrocygna eytoni (0 ssp)</i>	Res/Vic?	UC in S lowland swamps. 6 obs at PAU 21 Jun. - 16 Jul. 2005, 2 rec near Merauke Sep 59, May 61, Few at Balimo Oct 65, Pr @ Waigani Sep 68, 6 at PAU Jun/Jul 2005,	1,10,15,16,17, 18,82,83,112, 114,
88.	Wandering Whistling Duck	<i>Dendrocygna arcuata australis</i>	Res bre	LC in lowland pools & swamps, VC at PAU, Lake in Waigani C Mid Fly. 50 at remote lake at 600m in W Papua 1989.	1,10,15,72,82 83,124,
89.	Black Swan	<i>Cygnus atratus (0 ssp)</i>	Vag	1 rec Merauke 1980,	1,112.
90.	White-headed Shelduck	<i>Tadornah r. radjah</i>	Res bre?	LC in Sth coast and Sepik fw and marine waters. Oro Bay 2 at remote lake on "stem" of Vogelkop 1989.	1,10,72,82,124,
91.	Green Pygmy-goose	<i>Nettapus pulchellus (0 ssp)</i>	Res bre	LA Southern NG, POM to Vogelkop.	1,10,82,83,112,
92.	Cotton Pygmy-goose	<i>Nettapus c. coromandelianus</i>	Res bre	LC Lwr/Mid Sepik, Ramu, & Kandep Lakes (Enga) 2255m.	1,10,82,83,
93.	Australian Wood Duck	<i>Chenonetta jubata</i>	Vag	Obs PAU Feb 1994,	114,
94.	Salvadori's Teal	<i>Anas waigiensis (0 ssp)</i>	End	UC-LMC in mtn streams & ponds 500-3700m. Alpine Grasld.	1,10,82,83,112,
95.	Eurasian Wigeon	<i>Anas Penelope (0 ssp)</i>	Vag	F coll. Sorong WP Jan 1949, M obs. Bereina Nov 1977.	1,10,21,22,83, 112,
96.	Grey Teal	<i>Anas gibberifrons gracilis</i>	Res bre	UC-MC nomadic fw < 300m occasionally marine. 2 L. Habbema, Snow Mtns at 3000m, Freq visitor at PAU when Aust in drought,	1,10,19,20, 82,114,
97.	Pacific Black Duck	<i>Anas superciliosa (2 ssp)</i>	Res bre	LMC-C <3660m mostly fw but occ. mangrove mudflats	1,10,72,82,
98.	Northern Pintail	<i>Anas a. acuta</i>	Vag	Pr Waigani Sewage Nov 1978.	1,10,
99.	Garganey	<i>Anas querquedula (0 ssp)</i>	Mig/vag	MC to Vogelkop & Sth WPapua. UC to WProv. 24 Opp Daru. 1st rec Kapare R (SW), 2nd Opp Daru.	1,10,82,83,112,
100.	Hardhead	<i>Aythya a. australis</i>	Irrup bre	Rec 1978-82 POM, Bensbach, Mid Sepik. Hundreds L. Habbema Snow Mtns, Also Balim V. Early skin from Arfak,	1,10,82,83,122,
101.	Bare-eyed Rail	<i>Eulabeornis p. plumbeiventris & hoeveni</i>	Res bre	LUC in lowland and Monsoon forests according to season. MC but shy, 1 calling Ekame Lodge Jul 06,	1,10,81,82, 83,111,
102.	Buff-banded Rail	<i>Rallus philippensis (5 ssp)</i>	Res bre	LC in all types of grasslands and gardens < 3350m LC-A in Wet grass. 1 ea at Pom. & Milne Bay	1,10,72,82, 83,
103.	Barred Rail	<i>Rallus torquatus limarus</i>	Res bre	Vogelkop,	1,
104.	Lewin's Rail	<i>Lewinia pectoralis (5 ssp)</i>	Res bre	LC in Mid Mtn grasslands 1040-2600m MC.	1,10,82,83,
105.	Chestnut Forest-rail	<i>Rallina rubra (4 ssp)</i>	End	Mtn forests of W. Papua (1500-3050m) and Telefomin area. A. Sev with Yng obs Kumul Lodge Sep 2005,	1,10,29,82, 83,111,
106.	White-striped Forest-rail	<i>Rallina leucospila</i>	Res bre	Vogelkop, Shy & secretive.	1,82,83,

107.	Forbes' Forest-rail	<i>Rallina forbesi</i> (3 ssp)	End	R in W Central range MC in E Central range. C.	1,10,81,82,83,
108.	Mayr's Forest-rail	<i>Rallina mayri</i>	End	Forest floor of Torricelli Mtns (N PNG) & Cyclops Mtns (WPapua)	1,10,30,31,82,83,
109.	Red-necked Rail	<i>Rallina t. tricolor</i>	Res bre	LC in a range of lowland forests < 1200m Shy.	1,10,82,83,
110.	White-browed Crake	<i>Porzana cinerea</i>	Res bre	MC in swampy and grassland locations throughout NG Few Recs.	1,10,82,
111.	Spotless Crake	<i>Porzana tabuensis</i> (3 ssp)	Res bre	LMC in some highland valleys, LUC Vogelkop to POM. LC.	1,10,82,83,
112.	Baillon's Crake	<i>Porzana pusilla mayri/ palustris?</i>	Res bre	R & L. Wissel Lakes, Weyland Mtns, Tari, Mt Giluwe, SHP, POM. R & L Wissel Lakes.	1,10,82,83,
113.	Bush-hen	<i>Amaurornis olivaceus</i> (2ssp)	Res bre	LC in grasslands and thickets <1500m. Rarely seen often heard	1,10,82,83,
114.	New Guinea Flightless Rail	<i>Megacrex inepta</i> (2ssp)	End	Idenburg R, Humboldt Bay, Sepik R, in North; Setekwa, Noord, Digul & Fly R. in Sth. 1 obs Kiunga 17 Aug 2010,	1,10,82,83,126,
115.	Orange-footed Scrubfowl	<i>Megapodius r. reinwardt & macgillivray</i>	Res bre	Widespd in W, S, & E. lowlands < 1800m MC, Hula & POM	1,10,72,82,84,
116.	New Guinea Scrubfowl	<i>Megapodius affinis</i>	Res bre	A mound builder on N lowlands.	10,84,
117.	Red-billed Brush-turkey	<i>Talegalla cuvieri</i>	Res bre	Vogelkop E to Geelvink Bay & S to Mimika. MC. In decline.	1,10,82,84,
118.	Black-billed Brush-turkey	<i>Talegalla f. fuscirostris & occidentis</i>	Res bre	MC in southern watershed, Etna Bay (W Papua) to Rigo <800 m, C. MC.	1,10,82,84,
119.	Brown-collared Brush-turkey	<i>Talegalla j. jobiensis & longicaudus</i>	End	Nth lowlands Geelvink Bay to Milne Bay & LC in SE. MC where only megapode. Declining	1,10,82,84,
120.	Wattled Brush-turkey	<i>Aepyodius arfakianus arfakianus</i>	End + Misol	UC in Mtns 750-2700m MC	1,10,82,83,84,
121.	Bruijn's Brush-turkey	<i>Aepyodius bruijnii</i>	End + Waigeo	Rare	83,84,
122.	Snow Mountain Quail	<i>Anurophasis monorhonyx</i>	End	UC 3200-3800m Snow, Carstensz & Wilhelmina Mtns. MC > timber line C.	1,82,83,
123.	Brown Quail	<i>Coturnix australis</i> (6 ssp)	Res bre	LMC-A in lowland Mid Mtn & Alpine grasslands. UC-A.	1,10,82,83,
124.	King Quail	<i>Coturnix chinensis papuensis & novaeguineae</i>	Res bre	R-LMC esp in mid-Mtns. MC.	1,10,82,83,
125.	Red-backed Button-quail	<i>Turnix maculosa</i> (3 ssp)	Res bre	UC in South and East lowlands. Few records. M dull & incubates, 5 recs PAU,	1,10,82,83,114,
126.	Dusky Moorhen	<i>Gallinula tenebrosa</i> (2ssp)	Res bre	LC in lowland ponds and swamps irrupting into Mtns areas. MC.	1,10,32,82,83,
127.	Purple Swampphen	<i>Porphyrio porphyrio</i> (2ssp)	Res bre	LC mostly in lowland swamps and gardens but < 1800m MA.	1,10,82,83,
128.	Australian Coot	<i>Fulica atra</i> (2ssp?) australis, novaeguineae	Res bre	VL only on Mtn Lakes. Except >1978 at Aroa Lagoon POM.	1,10,82,83,
129.	Brolga	<i>Grus rubicunda</i>	Res bre	LC in Sthn. Trans-Fly & Morehead regions. Occ in N.	1,10,82,83,
130.	Australian Bustard	<i>Ardeotis australis</i>	Res	LC Wuroi & Kurik (W Papua) & Bensbach (Trans Fly). Obs Jan Tarara	1,10,82,83,
131.	Comb-crested Jacana	<i>Irediparra gallinacea</i> (2ssp)	Res bre	LC-A on ponds and swamps in lowlands. LMC	1,10,82,83,
132.	Pied Oystercatcher	<i>Haematopus longirostris</i>	Vag	R: SW Vogelkop, Utanata R., Far SW WP, & Orangerie Bay	1,10,82,83,
133.	Black-winged Stilt	<i>Himantopus himantopus leucocephalus</i>	Res	LC at many lowland swamps and ponds. Also Ok Tedi & Tari <100 at Vogelkop. No br rec. 2 Hula 1 Sep '43.	1,10,33,34,72,82,83,
134.	Bush Stone-curlew	<i>Burhinus grallarius</i>	Res bre	VL in Bensbach savanna. 1 rec Moitaka.	1,10,35,91,
135.	Beach Stone-curlew	<i>Esacus magnirostris</i>	Res bre	UC but widespread on sandy beaches, mudflats, mangroves. 1 rec nr POM. 1 rec POM	1,10,72,82,83,86,
136.	Oriental Pratincole	<i>Glareola maldivarum</i>	Sum mig	R but regular visitor to lowland areas of short grass. 1 rec.	1,10,82,83,
137.	Australian Pratincole	<i>Glareola isabella</i>	Win mig	A in Bensbach, LC at other grass areas 0-1740m. Young Coll	1,10,82,83,

138.	Masked Lapwing	<i>Vanellus miles miles</i>	Res bre	in Sth, 1 Tari Airport Jul 05, C in Sth, NE & SE. UC Oro Bay Apr & May & Hula Oct & Dec.	111, 1,10,72,82, 99,
139.	Grey Plover	<i>Pluvialis squatarola</i>	Sum mig	UC on beaches, mud flats, estuaries. 40+ Pariama Pt, POM '43.	1,10,72,82,
140.	Pacific Golden Plover	<i>Pluvialis fulva</i>	Sum mig	C on grass fields < 1700m and sandy or muddy beaches.	1,10,72,82,
141.	Red-kneed Dotterel	<i>Erythrogonys cinctus</i>	Spr mig/vag	An Australian visitor with most records from Bensbach.	1,10,82,
142.	Little Ringed Plover	<i>Charadrius dubius papuanus & curonicus</i>	Res & Sum mig	UC-LMC on gravel river-bars, bare ground and playing fields. 10 spec. examined, 4 recs PAU,	1,10,82,99, 114,
	[Red-capped Plover	<i>Charadrius alexandrinus ruficapillus</i>	Vag	Old rec from S coast. Rejected	82,83,]
143.	Lesser Sand Plover	<i>Charadrius m. mongolus</i>	Sum mig	C on coastal beaches and mudflats & estuaries. LC <400 Daru.	1,10,82,83,
144.	Large Sand-plover	<i>Charadrius leschenaultii</i>	Sum mig	C on coastal mud and sand flats, a few overwinter. <400 Daru.	1,10,82,83,
145.	Oriental Plover	<i>Charadrius veredus vereda</i>	Sum mig	R-UC on short grass areas and occasionally coastal mudflats.	R. 1,10,82,83,
146.	Ruddy Turnstone	<i>Arenaria interpres interpres</i>	Sum mig	LMC on rocky beaches, a few overwintering. 8,12, Samurái. All round coasts 16 at Parimana Pt, 1 at Hula 1943.	1,10,72,82, 83,
147.	Eastern Curlew	<i>Numenius madagascariensis</i>	Sum mig	UC mainly on mudflats and Sth coast beaches. Few Recs S coast. Small flocks Hula Oct. 1942. 1 nr Sorong harbour Oct 2012,	1,10,72,82, 83,142,
148.	Whimbrel	<i>Numenius phaeopus variegatus</i>	Sum mig	C on exposed reef flats, mangrove mudflats, beaches, & grass. MC. C POM Oct-Dec. 1 bird Oro Bay 11 May '43.	1,10,72,82, 83,
149.	Little Curlew	<i>Numenius minutus</i>	Sum mig	MC-LC on short grass areas, tens of thousands Bensbach Oct 1980. UC. 2 POM sep 1943, 6 PAU Nov 2005,	1,10,36,72, 82,83,114,
150.	Wood Sandpiper	<i>Tringa glareola</i>	Spr/Aut mig	Usually UC occasionally A in POM area using FW swamps. Few Recs 1 st = 1 Ihu, Gulf Prov.	1,10,82,92,
151.	Grey-tailed Tattler	<i>Tringa brevipes</i>	Sum mig	C on tidal mudflats and rocky reefs & beaches. < 1100m Wau. Many recs	1,10,38,72, 82,83,
152.	Wandering Tattler	<i>Tringa incana</i>	Sum mig	UC & mostly on exposed reefs & rocky beaches. Many recs	1,10,82,83,
153.	Common Greenshank	<i>Tringa nebularia</i>	Spr/Aut mig	MC on Southern mudflats, swamps & ricefields. Overwinters.	1,10,10,16, 82, 83,
154.	Common Redshank	<i>Tringa totanus</i>	Sum vag	1 rec. Waigani Sewage, POM Oct 1972. 1 st rec Ihu Gulf Prov.	1,10,37,91,
155.	Marsh Sandpiper	<i>Tringa stagnatilis</i>	Sum mig	MC in S & E. FW & brackish swamps, lagoons and ricefields. 1 st rec Moitaka Sewage 19 Dec 1965.	1,10,82,91,
156.	Green Sandpiper	<i>Tringa ochropus</i>	Sum vag	1 rec Vogelkop.	1,10,
157.	Common Sandpiper	<i>Actitis hypoleucos</i>	Sum mig	C & widespread in FW and marine marshes, mud and beaches. MC C,	1,10,72,82, 83,
158.	Terek Sandpiper	<i>Xenus cinereus</i>	Sum mig	MC-C on mudflats & beaches or grassed areas at high tide. Few recs.	1,10,82,83,
159.	Latham's Snipe (Australian)	<i>Gallinago hardwickii</i>	Sum mig	UC in moist areas with grass patches or grass 5-20cm high. <3550m. 1 Snow Mtns, 2 spec. Wahgi. 1 rec 12,000' Mt Wilhelmina	1,10,82,83,
160.	Swinhoe's Snipe (Chinese)	<i>Gallinago megala</i>	Sum mig	LMC-C < 3720m in boggy areas, and burned savanna ridges. UC	1,10,82,83,
161.	New Guinea Woodcock	<i>Scolopax rosenbergii</i>	Sum mig	UC in muddy montane forests 1500-3800m Grass/forest interface wide- spread >5000 feet, Kumul Lodge Jul 04-06,	1,10,82,83, 111,136,
162.	Pin-tailed Snipe	<i>Gallinago stenura</i>	Sum mig	UC in POM area esp. Waigani Sewage.	10,
163.	Asian Dowitcher	<i>Limnodromus semipalmatus</i>	Sum vag	1 rec Bereina mudflats Oct 1976, & Waigani Sewage Nov 1981.	1,10,39,

164.	Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>	Sum vag	1 st rec Aroa Lag. Dec 1984.	9,11,
165.	Black-tailed Godwit	<i>Limosa limosa melanuroides</i>	Sum mig	LA on beaches Bian-Marou R's W.Papua, LC on POM beaches. 1 rec. 30 Moitaka 19Dec 1965.	1,10,82,91,
166.	Bar-tailed Godwit	<i>Limosa lapponicabaueri</i>	Sum mig	UC. On mudflats, beaches & estuaries. Few overwintering 1 rec 1 bird Parimana Pt 29Oct '43.	1,10,72,82, 83,
167.	Red Knot	<i>Calidris canutus rogersi?</i>	Sum mig	Regular only at Kumbi-Bian R's (W Papua) 3 recs PNG. 0 recs.	1,10,16,22, 40,41,82,
168.	Great Knot	<i>Calidris tenuirostris</i>	Sum mig	LA between Bian & Marou R's (W Papua) UC on PNG S Coast Sev recs Reecs NE & SE.	1,10,82,83,
169.	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	Sum mig	C on edges of FW swamps, sewage and rice ponds of coast & highlands. UC on marine mudflats & beaches. Few recs.	1,10,82,83,
170.	Pectoral Sandpiper	<i>Calidris melanotos</i>	Sum mig	VUC recs at POM, Bereina, CP, & Higaturu of < 4 birds. FW.	1,10,
171.	Red-necked Stint	<i>Calidris ruficollis</i>	Sum mig	LC esp S coast also Inland (during mig) & N coast mudflats. Few recs 9 Hula 2 Dec '43.	1,10,72,82, 83,
172.	Little Stint	<i>Calidris minuta</i>	Sum mig	2 recs at Aroa R (CP) Dec 79, Mar 83.	1,10,42,43,
173.	Long-toed Stint	<i>Calidris subminuta</i>	Sum mig	R-UC. On soft mud edges of FW lakes, swamps, sewage pond.	1,10,
174.	Curlew Sandpiper	<i>Calidris ferruginea</i>	Sum mig	UC at Bensbach and SE Swamps, sewage & rice ponds. 0 recs Sev. Parimana Pt. Oct 1943.	1,10,72,82,
175.	Baird's Sandpiper	<i>Calidris bairdii</i>	Sum vag	1 st rec Kanosia Lag. Nov 1985	8,11,
176.	Sanderling	<i>Calidris alba</i>	Sum mig	UC Sandy beaches, Merauke (W.Papua), Bereina-POM, CP, Lae. 0 recs	1,10,82,
177.	Buff-breasted Sandpiper	<i>Tryngites subruficollis</i>	Sum vag	1 rec on effluent pond Higaturu, Sangara (NP)	1,10,44,
178.	Broad-billed Sandpiper	<i>Limicola falcinellus siberica</i>	Sum mig	N on passage at Angabunga R. R along south coast & Lae.	1,10,22,82,
179.	Ruff	<i>Philomachus pugnax</i>	Sum mig	1 rec. R on passage Waigani Sewage, Hisiu Beach, & LeaLea fw Lake,	1,10,
180.	Red-necked Phalarope	<i>Phalaropus lobatus</i>	Sum mig	C-A off W & N coasts. 1 rec on rice paddy Kurik (se W.Papua) 1 rec at sea off Round Hill (CP), sev. recs highlands & Snow Mtns.	1,10,16,45, 82,
181.	Arctic Skua	<i>Stercorarius parasiticus</i>	Trans mig	R. 5 off Madang Oct 1974, 1 off Madang Oct. 1981, 1 off E Cape Mar 04, Obs Jan & Jul Bismarck Sea,	1,10,46,47,111, 137,
182.	Pomarine Skua	<i>Stercorarius pomarinus</i>	Sum mig	LMC – UC Geelvink Bay, North coast, Milne Bay, POM 2 with Streaked Shearwaters off Bird's Hd Pen. 20 Dec 1999. Obs Coral, Solomon, Bismarck, Equatorial seas, most of year,	1,10,82,129, 137,
183.	Long-tailed Skua	<i>Stercorarius longicaudus</i>	Win Vag	1 obs 150 km NNE of Karkar Nov, 1 obs 4 nm S of Busiga 4 nm Sth Busiga,	11,137,
184.	South Polar Skua	<i>Stercorarius maccormicki</i>	Vag	1 possible 20 nm S Orangerie Bay 6.2.2000, 1 obs 4.3.2002 Huon Gulf,	137,
185.	Silver Gull	<i>Larus novaehollandiae forsteri</i>	Vag	1 rec POM Oct 1978. Only rec Torres Str. See Daru, Obs Merauke 4 Aug 1991.	1,10,48,82,132,
186.	Common Black-headed Gull	<i>Larus ridibundus</i>	Vag	2 recs Biak Harb. 2 recs POM, 20 over-winter Sorong Hbr Jan & Feb 1986, 1 obs 7Apr 1989 Bintuni Bay, W. Papua.	1,10,49,50,51, 121,133,
187.	Whiskered Tern	<i>Chlidonias hybridus fluviatilis</i>	Mig/vag	FW rivers and ponds Ramu, Sepik, L. Sentani, Trans Fly-POM Sev. Dyke Acland Bay 16May '43.	1,10,72,82, 83,
188.	White-winged Black Tern	<i>Chlidonias leucopterus</i>	Spr/Aut mig	UC at Marine & FW habitats scattered over coastal NG 1 winter rec Waigani SP Jul 1975, 21 Apr 1936 many near Daru. 2 Nomad River May 1967,	1,10,82,94,

189.	Black Tern	<i>Chlidonias niger</i>	Vag	1 Moitaka SP 18 th May 1985.	104.
190.	Gull-billed Tern	<i>Gelochelidon nilotica macrotarsus & affinis</i>	Yr round Vis	LC South coast Merauke (W Papua) to POM. 1 Parimana Pt Oct.	1,10,72,82,83,
191.	Caspian Tern	<i>Hydroprogne caspia strenua</i>	Yr round Vis	LUC South coast Bian R. (W Papua) to POM. +Lake Murray	1,10,52,82,
192.	Common Tern	<i>Sterna hirundo longipennis</i>	Sum mig	C along much of the coast and offshore areas. C Dyke Acland Bay.	1,10,72,82,83,
193.	Roseate Tern	<i>Sterna dougallii bangsi</i>	Res bre/Sum mig	UC near Bavo Is (POM) R elsewhere. N & S coasts	1,10,82,83,
194.	Black-naped Tern	<i>Sterna s. sumatrana</i>	Res bre	LC near small breeding islands close to the coast. Offshore in SE,	1,10,72,82,83,
195.	Sooty Tern	<i>Onychoprion fuscata serrata</i>	Res bre	LC-LA Offshore of reefs and islets. Blown Inland by winds. C Dyke Acland Bay, 1 POM.	1,10,72,94,
196.	Bridled Tern	<i>Onychoprion a. anaethetus</i>	Res bre	LC-VC near inshore islets and coastal reefs. Dyke Acland Bay	1,10,72,82,
197.	Little Tern	<i>Sternula albifrons sinensis</i>	Res bre/Sum mig	C around coast include 1 Japan banded bird. MC Parimana Pt & Marshall Lagoon.	1,10,72,81,82,
198.	Crested Tern	<i>Thalasseus bergii cristatus</i>	Res bre	C around whole coast. More common offshore on debris.	1,10,72,82,83,
199.	Lesser Crested Tern	<i>Thalasseus bengalensis torresii</i>	Win Vis	A few spend summer in NG. MC near reefs and small islets. Sth Coast	1,10,82,83,
200.	Brown Noddy	<i>Anous stolidus pileatus</i>	Res bre	LC offshore near reefs & islets. UC onshore. MC, N&S coasts	1,10,82,83,
201.	Black Noddy	<i>Anous minutus minutus</i>	Res	LC offshore near reefs & islets. UC onshore. 1 rec PAU,	1,10,82,114,
202.	White Tern	<i>Gygis alba candida</i>	Vag	R. 1 rec POM 3 Aug 1969. 1 rec. PNG waters	53,83,
203.	Rock Pigeon	<i>Columba livia</i>	Intro	Resident in main cities, Numbers Increasing 9 Mile-POM,	1,15,
204.	White-throated Pigeon	<i>Columba vitiensishalmaheira</i>	Res bre	UC in most forest types < 2750m, not Fly and Sepik lowlands. Obs on Rd to Varirata Mar 04, Obs rd to Varirata 21 & 22 Mar 2004	1,10,81,111,123,
205.	Slender-billed Cuckoo-dove	<i>Macropygia amboinensis goldiei, doreya, kerstingi, balim, cinereiceps,</i>	Res bre	MC-C in forest edges and clumps of forest & scrub < 2100m MC on forest edge Oro Bay. 1 obs Oct 2012 Makbon Rd Sorong,	1,10,72,83,142,
206.	Black-billed Cuckoo-dove	<i>Macropygia n. nigrirostris</i>	Res bre	MC in hills & Mtns UC elsewhere. 2 obs Arfak Oct 2012,	82,83,143,
207.	Mackinlay's Cuckoo-dove	<i>Macropygia mackinlayi krakari</i>	Vag	Rare 1 rec Bogia Jun 1973.	110,54,82,
208.	Great Cuckoo-dove	<i>Reinwardtoena reinwardtii griseotincta</i>	Res bre	UC in forests & regrowth < 3800m. Occasionally over savanna Near tall forest Oro Bay.	1,10,72,82,83,
209.	Pacific Emerald Dove	<i>Chalcophaps longirostris</i>	Res bre	MC in small forest patches teak & rubber forests of Bensbach SE and NE coastal strip. MC,	1,10,82,83,
210.	Stephan's Dove	<i>Chalcophaps stephani stephani</i>	Res bre	UC-LC in forests < 700m into open areas if <i>C. indica</i> absent	1,10,82,83,
211.	New Guinea Bronzewing	<i>Hemiphysalis albifrons albifrons</i>	Res bre	UC-LC Rain, Monsoon & Teak Forests < 2150m. C in Rain-forest.	1,10,82,83,
212.	Peaceful Dove	<i>Geopelia striata papua</i>	Res bre	MC in coastal trans-Fly, POM Savanna and Markham Valley. C-A, UC in POM except American Ration Store '43.	1,10,72,82,83,
213.	Bar-shouldered Dove	<i>Geopelia humeralis gregalis</i>	Res bre	LMC in Sth Princess Marianne Strait - Kemp Welch R. + CP. Flock of 5 POM.	1,10,72,82,83,
214.	Nicobar Pigeon	<i>Caloenas n. nicobarica</i>	Vag	LC on small offshore islands, visits mainland.	1,10,
215.	Cinnamon Ground-dove	<i>Gallicolumba rufigula (4 ssp)</i>	End +Aru,W.Pap.Is.	MC in lowland and hill forests throughout island,	1,10,82,83,
216.	Bronze Ground-dove	<i>Gallicolumba beccarii johannae</i>	Res bre	UC-LC in mtn forests 1200–2700m.	1,10,82,83,
217.	White-bibbed Ground-dove	<i>Gallicolumba jobensis jobiensis</i>	Res bre	UC-LC < 2300m except Vogelkop and S Trans-Fly.	1,10,81,82,83,

218.	Thick-billed Ground-pigeon	<i>Trugon terrestris</i> (3ssp)	End + Salawati	UC-LC in rain & monsoon forests < 640m.	1,10,81,82,83,
219.	Pheasant Pigeon	<i>Otidiphaps nobilis cervicalis</i>	Res bre	UC-LMC in primary rainforests less in foothill monsoon forest	1,10,81,83,
220.	Western Crowned Pigeon	<i>Goura cristata cristata</i>	Res bre	Western regions C to 100m.	1,82,
221.	Southern Crowned Pigeon	<i>Goura scheepmakeri</i> (2ssp)	End	MC once but UC now. In S NG, Mimika- Orangerie Bay. Extinct near villages and towns.	1,10,82,
222.	Victoria Crowned Pigeon	<i>Goura victoria beccarii</i>	End	MC-C once but UC now. In N NG Geelvink – Collingwood. MC nr Krema & Kasiwa, W Papua Apr 2007,	1,10,82,130,
223.	Wompoo Fruit-dove	<i>Ptilinopus magnificus puella, poliura</i>	Res bre	MC-C in most forest types 0-1200m	1,10,82,83,
224.	Pink-spotted Fruit-dove	<i>Ptilinopus perlatius</i> (3 ssp) zonurus, plumbeicollis,	End +AruWPapua	MC-LA in rainforest, monsoon & gallery forest < 1220m	1,10,82,83,
225.	Ornate Fruit-dove	<i>Ptilinopus o. ornatus, gestroi, kaporensis</i>	End	C-LA in rainforest and part cleared rainforest 200-1350m. VC.	1,10,82,83,
226.	Orange-fronted Fruit-dove	<i>Ptilinopus aurantiiifrons</i>	End + Aru W.P.	MC-LA in mangroves Regrowth & Forest edges <300m	1,10,82,83,
227.	Wallace's Fruit-dove	<i>Ptilinopus wallacii</i>	Res bre	Lower SW coast, & rivers.	1,81,82,83,
228.	Superb Fruit-Dove	<i>Ptilinopus s. superbus</i>	Res bre	LC in fruiting trees, <2800m.	1,10,82,
229.	Rose-crowned Fruit-Dove	<i>Ptilinopus r. regina</i>	Vag	Strays to offshore Isles in S.	1,
230.	Coroneted Fruit-Dove	<i>Ptilinopus coronulatus</i> (5ssp)	End + Satellites	C in forests & regrowth < 1200m MC POM.	1,10,72,82,83,
231.	Beautiful Fruit-Dove	<i>Ptilinopus p. pulchellus & decorus</i>	End + W Pap Is	LC in primary forest & regrowth < 1370m	1,10,82,83,
232.	White-breasted Fruit-Dove	<i>Ptilinopus rivoli bellus</i>	Res bre	MC-C in Mtns mostly 1000-3260m (300m= extreme)	1,10,82,
233.	Claret-breasted Fruit-Dove	<i>Ptilinopus viridis pectoralis,</i>	Res bre	W. W. Papua N Coastal Ra to Coastal Madang Prov.<100m	1,10,82,83,
234.	Orange-bellied Fruit-Dove	<i>Ptilinopus iozonus</i> (3 ssp)	Res bre	Widespread & common 0-800m, obs Nimbokrang Oct 2012,	1,142,
235.	Dwarf Fruit-Dove	<i>Ptilinopus nanus nanus</i>	End + W Papua Is.	LUC in W, South and SE. Forest & nearby trees <1100m. R.	1,10,82,83,
236.	Pacific Imperial Pigeon	<i>Ducula pacifica tarrali</i>	Vag	Res bre on some small inshore islands along the N coast.	1,10,82,
237.	Purple-tailed Imperial Pigeon	<i>Ducula rufigaster</i> (3 ssp)	Res bre	MC in lowland & hill forests up to 1200m. MC.	1,10,82,
238.	Rufescent Imperial Pigeon	<i>Ducula c. chalconota, smaragdina</i>	End	UC-R in Mtns from Vogelkop to Owen Stanley's. MC. Satop Mar 04, Ilaru Sep 2000 & Kumul Lodge Sep 05 & Jul 06,	1,10,82,83,111,
239.	Island Imperial Pigeon	<i>Ducula pistrinaria van-wyckii,</i>	Vag	Res bre on some small islands along the N coast.	1,10,83,
240.	Pinon Imperial Pigeon	<i>Ducula pinon jobiensis, rubiensis</i>	Res bre	MC-LA in forests < 900m Small scattered flocks Oro I's POM	1,10,72,82,83,
241.	Collared Imperial Pigeon	<i>Ducula müellerii</i> (2 ssp)	End-Boigu,Daru	C in lowland forest near water Geelvink – Astrolab Bay in Nth & Mimika R - Brown R. in Sth.	1,10,82,
242.	Zoe Imperial Pigeon	<i>Ducula zoeae pos. orientalis,</i>	Res bre	MC-C in Rain & Monsoon forests. C Waigani Valley, I Oro. Nesting bird Bintuni Bay W Papua 21 Mar 1989,	1,10,72,82,83,133,
243.	Pied Imperial Pigeon	<i>Ducula bicolour melvillensis, spilorrhoea subflavescens, tarara,</i>	Res bre	LC along S coast and inland in Fly & Sepik. Flocks 5-25 in SE	1,10,72,83,
244.	Foya Imperial Pigeon	<i>Ducula sp. nov.</i>	Red Bre	Discovered 2008. Photo Nat Geog.	
245.	Papuan Mountain Pigeon	<i>Gymnophaps a. albertisii</i>	Res bre	MC along central ranges and nearby lowlands. Obs Arfak Oct 2012,	1,10,82,83,143,
246.	Black Lory	<i>Chalcopsitta a. atra & insignis</i>	Res bre	Vogelkop, Onin & Bomerai, In large flocks.	1,82,83,
247.	Brown Lory	<i>Chalcopsitta d. duivenbodei, syringanuchalis</i>	End	UC on N coast Geelvink Bay-Astrolabe Bay. MC. 4 obs Oct 2012 at Nimbokrang,	1,10,82,83,142,
248.	Greater Streaked Lory	<i>Chalcopsitta s. scintillata chloroptera</i>	End + Aru	LC-MC Sth coast Triton Bay (W Papua)- Kemp Welsh R. In coconuts near Hula.	1,10,72,81,82,83,
249.	Dusky Lory	<i>Pseudeos f. fuscata incondida</i>	Res bre	LC-A. & nomadic in Forests, tall regrowth, less in savanna < 2400 but appears to avoid S Trans-Fly. S Snow Mtns 1000's 82,	1,10,81,83,

250.	Rainbow Lorikeet	<i>Trichoglossus h. haematodus caeruleiceps intermedius, chlorogenys, micropteryx.</i>	Res bre	roost 1606 Torres @Basilisk (Sideia) Is. A. wherever trees are flowering <1980. MC < 2440m Commonest Lory C in SE.	1,3,10,72,82,83,
251.	Goldie's Lorikeet	<i>Trichoglossus goldiei</i>	End	UC-LC in central ranges (Weyland Mtns- Milne Bay)+ Huon UC-R	1,10,81,82,83,
252.	Eastern Black-capped Lory	<i>Lorius hypoinochrous devittatus, guilielmi,</i>	Res bre	C-A in forests & coconut plantations on coasts of SE Pen.	1,10,83,
253.	Western Black-capped Lory	<i>Lorius lory lory, salvadorii, major, rubiensis erythrothoax,</i>	Res bre	MC-C in lowland & hills in Primary Forest – not gallery, Monsoon forests or coconut plantations, <1550m. VC SE coast	83,
254.	Streaked Lorikeet	<i>Charmosyna multistriata</i>	End	L. Sthn Snow Mts to Upper Fly. R. 1 obs Tabubil Aug 2011,	1,10,82,83,134,
255.	Pygmy Lorikeet	<i>Charmosyna wilhelminae</i>	End	UC-LC flowering Mtn trees Owen Stanley-Arfak & Huon Mtns, UC	1,10,82,83,
256.	Red-fronted Lorikeet	<i>Charmosyna r. rubronotata</i>	End+ Salawati,	Biak. UC-LC in N NG, Vogelkop E, - Ramu River. MC	1,10,82,83,
257.	Red-flanked Lorikeet	<i>Charmosyna placentis (3ssp)</i>	Res bre	MC-LA in forests and coconut plantations < 1400m UC,	1,10,82,83,
258.	Little Red Lorikeet	<i>Charmosyna p.pulchella, bella, rothschildi,</i>	End	UC-MC 750-2300m Central Mtns Vogelkop-Owen Stanley. R. C @ Idenburg R. 7 obs above Satop, Huon Pen, Mar 2004,	1,10,81,82,111,
259.	Josephine's Lorikeet	<i>Charmosyna josefinae (3ssp) sepikiana, cyclopus, wahnesei, goliathina.</i>	End	L & UC Arfak & Sth Sepik Mtns. C on N Snow Mtns 850-1200m. MC.	1,10,82,83,
260.	Papuan Lorikeet	<i>Charmosyna papou (4ssp)</i>	End	MC-C 1500-2800m in montane forest <3350 in Snow Mtns	1,10,55,81,82,83,
261.	Plum-faced Lorikeet	<i>Oreopsittacus arfaki (4ssp)</i>	End	MC-C Central Ra. Vogelkop to SE & Huon Pen. C,	1,10,81,82,83,
262.	Yellow-billed Lorikeet	<i>Neopsittacus musschenbroekii(3ssp)</i>	End	C in forests & disturbed areas of central ranges Vogelkop-SE. C,	1,10,81,82,83,
263.	Orange-billed Lorikeet	<i>Neopsittacus pullicauda (3 ssp)</i>	End	C in mossy forests Snow Mtns-SE + Huon 2300-3660m C,	1,10,82,
264.	Palm Cockatoo	<i>Probosciger aterrimus goliath, salvadorii (= oorti) & stenolophus.</i>	Res bre	Rare-UC Lowland forests < 1350m. Originally right around Isl. 1 bird sev. x, Oro Bay. UC. P 1989 Bintuni Bay Mangroves - dry forest, 1 obs Oct 2012 nr Sorong,	1,10,72,82,83,133,142,
265.	Suphur-crested Cockatoo	<i>Cacatua galerita triton</i>	Res bre	1st descr. 1606 Torres @Basilisk (Sideia) Is. Originally MC-C now R-Ab. Forests, savanna, mangroves & rice fields. Steep, forested slopes POM & Oro. P 1989 Bintuni Bay W Papua,	1,3,10,72,81,82,83,133,
266.	Little Corella	<i>Cacatua pastinator</i>	Res bre?	Kurik (W.Papua)- Bensbach in Forests Ricefields, riparian forest. 1 rec Merauke 1958.	1,10, 82,
267.	Buff-faced Pygmy-Parrot	<i>Micropsitta p. pusio & beccarii</i>	Res bre	LC-A. in forest, regrowth, thick savanna & coconuts N & SE.	1,10,82,83,
268.	Yellow-capped Pygmy-Parrot	<i>Micropsitta keiensis viridipectus & ?</i>	Res bre	Lowland forests of Vogelkop, Onin Pen. Sth, Mimika-Fly R. 2 obs Dablin Crk, Tabubil in Highlands Oct 2005,	1,10,81,82,83,111,
269.	Red-breasted Pygmy-Parrot	<i>Micropsitta bruijnii bruijnii</i>	Res bre	LUC. Mtn forests & coffee plantations 500-2300m Central Ra.	1,10,81,82,
270.	Orange-breasted Fig-Parrot	<i>Cyclopsitta guliemiterti (6ssp) suavissimus melanogenia, fuscifrons, nigrifrons, amabilis.</i>	Res bre	R in Nth, LC-A in South. Forests & heavy savanna. Obs 1x Nr Pitohui Camp W. Papua, 2007,	1,10,81,82,83,130,
271.	Double-eyed Fig-Parrot	<i>Cyclopsitta d. diophthalma coccineifrons & festetichi.</i>	Res bre	LC along Nth NG in forests, regrowth & bush patches<1530m Pr at Oro Bay. R.	1,10,72,81,82,83,
272.	Large Fig-Parrot	<i>Psittaculirostris desmarestii (4ssp)</i>	End + W Pap Is	L. Vogelkop to SE 0-1650m in fruiting trees of forest UC or L. 1 Waigani.	1,10,72,81,82,
273.	Edward's Fig-Parrot	<i>Psittaculirostris edwardsii</i>	End	LC-VC. NE NG, Humboldt Bay – Vanimo-Huon Gulf. Fruit. UC. 20 obs Bewani Rd nr Vanimo Sep 2000,	1,10,82,83,111,
274.	Salvadori's Fig-Parrot	<i>Psittaculirostris salvadorii</i>	Res bre	Cyclops Mtns- Geelvink Bay R. LC nr Krema, W Papua 2007,	1,82,83,130,

275.	Brehm's Tiger-Parrot	<i>Psittacella b. brehmii</i> , <i>intermixta</i> , <i>Bügersi harterti</i> , <i>ornata</i> , <i>pallida</i> , <i>lorentzi</i> ?	End	UC in forest substage Vogelkop-SE & Huon 1600-2800m Desc 1877 ,	1,10,81,82, 83,
276.	Painted Tiger-Parrot	<i>Psittacella picta</i> (3ssp)	End	UC-LMC in forest substage Snow Mtns-Owen Stanley Ra, 2450-3680m MC .	1,10,82,
277.	Modest Tiger-Parrot	<i>Psittacella modesta</i>	End	UC-MC Cen Ranges Vogelkop-Mt Hagen, Mt Giluwe 1770- 2800m	1,10,
278.	Madarasz's Tiger-Parrot	<i>Psittacella madaraszii</i> (4ssp)	End	UC Cen. Range, Weyland Mtns-SE + Huon Mtns 1150-2500m	1,10,82,
279.	Red-cheeked Parrot	<i>Geoffroyus geoffroyi aruensis</i> <i>orientalis pucherani</i> , <i>minor</i> .	Res bre	C-A. < 820m L < 1100m forests, thick savanna & gardens. "one of the quietest parrots" – not often true at PAU.	1,10,72,82, 83,
280.	Blue-collared Parrot	<i>Geoffroyus simplex bürgersi</i> (2ssp)	End	LMC-UC in MTn forests 600-2000m. 1 st desc 1874, MC	1,10,81,82, 83,
281.	Great-billed Parrot	<i>Tanygnathus megalorhynchus</i>	Vag?	Sighting S of Sorong = escapee?	1,83,
282.	Eclectus Parrot	<i>Eclectus roratus pectoralis</i>	Res bre	C-A. < 1000m in most forests, thick savanna and some Coconuts. Meyer was not believed in Europe when he stated the M & F (given ca 18 assigned names) were the same species	1,10,72,82, 83,
283.	Pesquet's Parrot	<i>Psittrichas fulgidus</i>	End	Once MC now Absent from many areas. Hills forests 600- 1200m. 10 obs at pass above Satop, Huon 1900m Mar 2004,	1,10,81,82, 83,111,
284.	Papuan King-Parrot	<i>Alisterus c. chloropterus</i> , <i>callopterus wilhelminae</i> , <i>moszkowskii</i> , <i>wiedenfeldi</i> & <i>stresemanni</i> .	End	UC-LMC in rainforest or thick monsoon forest <2300m. Not NW. UC .	1,10,81,82, 83,
285.	Moluccan King-Parrot	<i>Alisterus amboinensis dorsalis</i>	Res bre	NW of NG. UC .	1,10,82,83,
286.	Red-winged Parrot	<i>Aprosmictus erythropterus papua</i>	Res bre	LMC Sth subcoast Princess Marianne Straits-Oriomo R. (WP). MC .	1,10,82,83,
287.	Orange-fronted Hanging Parrot	<i>Loriculus aurantiifrons batavorum</i> ,	Res bre	R-UC in rainforest < 1200m R<1600m. All NG except Central S. R. Obs Baiyer R, Aug 1999, 1 obs Tabubil Aug 2011,	1,10,82,83, 111,134,
288.	Oriental Cuckoo	<i>Cuculus saturatus</i> (2ssp)	Sum mig	In forests, savanna, gardens & teak forests < 1600m. UC .	1,10,82,
289.	Pallid Cuckoo	<i>Cuculus p. pallidus</i>	Win Vag	1 rec Momi , Geelvink Bay Jun 1928. 1 pos. rec Bensbach .	1,10,56,82,
290.	Brush Cuckoo	<i>Cacomantis v. variolosus</i> (4 ssp)	Res bre/Win mig	C in forests, bush, savanna, mangroves & gardens < 1800m obs at Nimbokrang 17th & 18.10.2012,	1,10,82,142,
291.	Chestnut-breasted Cuckoo	<i>Cacomantis castaneiventris weiskei</i> , <i>bihagi</i>	Res bre	MC-C in forests in Hills & Mtns < 1800m.	1,10,83,
292.	Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i> (2ssp)	Res bre/Win mig	UC-MC in Mtn forests 1500-2900m L<3700m. MC ,	1,10,82,83,
293.	Long-billed Cuckoo	<i>Rhamphomantis m. megarhynchus</i>	Res bre	VUC-R in rain and monsoon forests & regrowth L at Vogelkop, Mamberambo R., Humboldt Bay, (all W.Papua), Sepik R., Kumusi R., & POM, Obs regularly Km 17 Kiunga 2000,	1,10,82,111,
294.	Horsefield's Bronze-Cuckoo	<i>Chalcites b. basalis</i>	Win mig	Prob visits Bensbach. 1 substantiated rec. Bereina (CP) .	1,10,57,82, 83,
295.	Shining Bronze-Cuckoo	<i>Chrysococcyx lucidus plagosus</i>	Win mig	UC-LMC <1920m forest edges, regrowth, savanna, gardens, mangroves. Obs Kimbe May 1998, Kulu R Rd Aug 05,	1,10,111,
296.	Little Bronze-Cuckoo	<i>Chrysococcyx minutillus</i> (2ssp)	Res bre/Win mig	MC<500m UC<1400m in forests, forest edges and gardens.	1,10,82,
297.	Rufous-throated Bronze-Cuckoo	<i>Chrysococcyx ruficollis</i> (0 ssp)	End	L all main Mtn Ra except Huon. UC-R in forest & thickets. 1130-3230m	1,10,82,83,
298.	White-eared Bronze-Cuckoo	<i>Chrysococcyx meyeri</i> (0 ssp)	End	MC in forests & gardens <1500m R,2000m.	1,10,82,
299.	White-crowned Koel	<i>Caliechthrus leucolophus</i>	End + Salawati	LMC in canopy & mid-story of forests and tree patches.	1,10,81,82, 83,
300.	Dwarf Koel	<i>Microdynamis p. parva</i> & <i>poecilocercus</i>	End.	LMC-C Rain, monsoon & gallery forests <1400m	1,10,82,83,
301.	Eastern Koel	<i>Eudynamis orientalis rufiventer</i> & <i>minima</i>	Res bre	LC-MC forest, gallery woodland, regrowth, savanna & gardens	1,10,82,112,

302.	Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	Win mig	<1500m R, Obs 18.10.2012, Heard Arfak Mtns Oct 2012, UC-LMC transiting in Sth most wintering in Nth < 650m UC. 3-10 birds Oro Bay, Hood & Marshall Lagoons.	142,143, 1,10,72,82, 83,
303.	Greater Black Coucal	<i>Centropus menbeki menbeki</i>	Res bre	UC in lowland, gallery & monsoon forests < 1300m C.	1,10,82,
304.	Pheasant Coucal	<i>Centropus phasianinus (4ssp)</i>	Res bre	C E NG lowlands W to Humboldt Bay in N & Merauke in S. C POM savanna.	1,10,72,82,
305.	Lesser Black Coucal	<i>Centropus bernsteini bernsteini</i>	End + Vulcan	MC but secretive in tall grasses < 460m in W & N NG.	1,10,82,
306.	Eastern Barn Owl	<i>Tyto cristatus meeki</i>	Res bre	LMC POM, Baiyer R Mid Sepik, UC NE & SE coast.	1,10,82,83,
307.	Grass Owl	<i>Tyto capensis papuensis</i>	Res bre	In mid-mtn. Grasslands and Pitpit, Balien Valley to Huon & SE, UC,	1,10,82,83,
308.	Australian Masked Owl	<i>Tyto novaehollandiae calabi</i>	Res bre	Restricted to Southern Trans-Fly region, Merauke & Tarara. UC	1,10,82,83,112,
309.	Sooty Owl	<i>Tyto tenebricosa arfaki, & perconfusa</i>	Res bre	In lowlands & Mtns <3660m, except Trans-Fly, coastal Gulf and Fly.	1,10,82,83,
310.	Papuan Hawk-Owl	<i>Uroglaux dimorpha (0 ssp)</i>	End + Japen	VUC-R Vogelkop, Geelvink Bay, Weyland Mtns, & SE include POM R, Seen or heard 2002 – 2006 at Karawari & Ekame lodges, 1 obs Ekame, Kiunga Aug 2011,	1,10,81,82, 83,110,134,
311.	Rufous Owl	<i>Ninox rufa humeralis & undulata</i>	Res bre	VUC-R in rain, monsoon & gallery forests & woodland < 1800m.	1,10,82,83,
312.	Barking Owl	<i>Ninox connivens assimilis</i>	Res bre	LMC in savanna, woodlands, plantations & gardens of lowlands of East. LMC 7 spec	1,10,82,83,
313.	Southern Boobook	<i>Ninox novaeseelandiae pusilla</i>	Res bre	MC in S Trans-Fly woodlands & savanna, Balimo-Bensbach. MC.	1,10,82,83,
314.	Jungle Boobook	<i>Ninox t. theomacha, terricolor</i>	Res bre	MC where Sthn Boobook is not < 2500m	1,10,82,83,
315.	Marbled Frogmouth	<i>Podargus o. ocellatus</i>	Res bre	MC in forests < 1500m over whole island. UC, 3 Ekame Lodge Jul 2006,	1,10,82,83, 111,
316.	Papuan Frogmouth	<i>Podargus papuensis (0 ssp)</i>	Res bre	MC in Forest edges & savanna <2200m over whole island. MC.	1,10,82,83,
317.	Feline Owlet-nightjar	<i>Aegotheles insignis?</i>	End	MC in forests, & riparian woodland. 1150-2800m >80m in Upper Fly, 1 photog 15.10.2012 Arfak,	1,10,58,82, 83,143,
318.	Spangled (Starry) Owlet-nightjar.	<i>Aegotheles tatei</i>	End	Isolated lowland populations at Upper Fly R. & Amazon Bay, 1 obs Aug 2011, Kwatu, Kiunga.	135,134,
319.	Australan Owlet-nightjar	<i>Aegotheles cristatus affinis & major</i>	Res bre	LMC in woodlands of S Trans-Fly. 1 rec POM.	1,10,59,60, 82,83,
320.	Barred Owlet-nightjar	<i>Aegotheles b. bennettii & wiedenfeldi</i>	End + D'Entrecas	Probably MC in Rain & Monsoon forests of N & E to Oriomo R. in S, 1 off Boundary Tk Varirata Jun-Jul 06,	1,10,82,83, 111,
321.	Wallace's Owlet-nightjar	<i>Aegotheles w. wallacii & gigas</i>	End	Prob. a hill forest species in scattered localities in W & Cen NG. A lowland bird with isolated Mtn Pop Weyland Mtns. 1 roosting just above water Elevara R, Ekame Lodge Jul 05,	1,10,81,82, 83,111,
322.	Mountain Owlet-nightjar	<i>Aegotheles albertisi (4ssp)</i>	End	MC in Mtns 800-2900m Main ranges except Weyland - PNG Highlands. 1 obs Kumul Lodge Jul 06, 1 photog 15.10.2012 Arfak,	1,10,82,83, 111,143,
323.	Archbold's Owlet-nightjar	<i>Aegotheles archboldi (0 ssp)</i>	End	Forest & thickets 1460-3600m Wissel Lakes-Mt Wilhelmina (W. Papua) & Victor Emanuel Mtns (PNG).	1,10,

324.	[Spotted Nightjar White-throated Nightjar	<i>Eurostopodus argus</i> <i>Eurostopodus m. mystacalis</i>	Win mig	Doubtfully from Aru UC (C in Lwr Fly) in Forest/savanna margins, grasslands & regrowth of Cen NG.	83] 1,10,61,82, 83,
325.	Papuan Nightjar	<i>Eurostopodus p. papuensis</i> , <i>astrolabe</i>	End + Salawati	UC in forest clearings of NG lowlands, 1 obs Kiunga Oct 05,	1,10,82,83,111,
326.	Mountain Nightjar	<i>Eurostopodus archboldi</i> (0 ssp)	End	R in montane forests of central & E NG 2250-3200m.	1,10,83,
327.	Grey Nightjar	<i>Caprimulgus indicus jotaka</i>	Vag	1 rec Vogelkop	1,10,82,83,
328.	Large-tailed Nightjar	<i>Caprimulgus macrurus yorki</i>	Res bre	C-VC in forests and forest remnants throughout NG < 2000m	1,10,72,82, 83,
329.	Moustached Tree-swift	<i>Hemiprocne mystacea mystacea</i>	Res bre	MC-C over lowlands & hills < 1500m. Obs Arfak Oct 2012,	1,10,82,134,
330.	Uniform Swiftlet	<i>Aerodramus vanikornesis granti</i>	Res bre	LC-LA throughout NG <1400m. VC Waigani Valley 1943.	1,10,72,82,
331.	Mountain Swiftlet	<i>Aerodramus h. hirundinacea</i> & <i>excelsa</i>	End	MC-A over hills & Mtns < 4000m UC to the coast near hills. Av Wg increases from 118mm at 1,600m to 132mm at 3,800m	1,10,118,
332.	Bare-legged Swiftlet	<i>Aerodramus nuditarus</i> (0 ssp)	End	R Mt Goliath (W. Papua) to PNG Mtns to POM. Mostly 1600-2300m.	1,10,
333.	Three-toed Swiftlet	<i>Aerodramus papuensis</i> (0 ssp)	End	Rec Idenburg R, Snow Mtns, Jayapura. Crater Mtn Reserve. MC Idenburg.	1,10,24,62, 82,
334.	Glossy Swiftlet	<i>Collocalia e. esculenta</i> & <i>erwini</i>	Res bre	LC-LA everywhere except dry places such as the Trans-Fly. 2 Oro Bay.	1,10,72,82,
335.	Papuan Needletail	<i>Mearnsia n. novaeguineae</i> & <i>Bürgersi</i>	End	R-LC widespread < 550m.	1,10,82,
336.	White-throated Needletail	<i>Hirundapus caudacutus</i> ssp?	Sum mig	MC over all habitats < 1500m mostly as a passage mig Oct & Mar/Apr. Small Parties heading SE POM, Oro Bay.	1,10,72,83,
337.	Fork-tailed Swift	<i>Apus p. pacificus</i> ssp?	Sum mig	LC in parts of drier Trans-Fly, UC in other dry areas. 1 Dec3 with <i>caudacutus</i> Hula.	1,10,72,82, 83,
338.	Common Paradise-Kingfisher	<i>Tanysiptera galatea</i> (3ssp)	Res bre	C in forests & remnant forests < 300m UC<600m Except Sth Trans-Fly. C. 1 rec Oro Bay.	1,10,72,82, 83,
339.	Little Paradise-Kingfisher	<i>Tanysiptera hydrocharis</i> (0 ssp)	End + Aru	MC in Sthn Trans-Fly. 1 Ekame Jan 98, Kiunga Aug 99,	1,10,82,83,111,
340.	Buff-breasted Paradise-Kingfisher	<i>Tanysiptera s. sylvia</i> & <i>Salvadoriana</i>	Res bre/Win mig	Migs use central N coast and breeders use Trans-Fly & SE. UC-MC R.	1,10,82,83,
341.	Red-breasted Paradise-Kingfisher	<i>Tanysiptera nympha</i> (0 ssp)	End	LMC Vogelkop-Geelvink & Etna Bays & Adelbert Mtns & edges Huon. R.	1,10,81,82, 83,
342.	Brown-headed Paradise-Kingfisher	<i>Tanysiptera danae</i> (0 ssp)	End	UC-LMC in hills <800m and nearby lowlands of SE Peninsr.	1,10,82,83,
343.	Hook-billed Kingfisher	<i>Melidora m. macrorrhina</i> & <i>jobiensis</i>	End + satellites	MC-C in forest and remnants on lowlands & < 1280m. MC.	1,10,81,82,
344.	Shovel-billed Kingfisher	<i>Clytoceyx r. rex</i> <i>imperator</i> , <i>septentrionalis</i>	End	UC in forest on or near steep hills < 2400m, Diet,	1,10,81,82, 83,
345.	Rufous-bellied Kookaburra	<i>Dacelo gaudichaud</i> (0 ssp)	End + satellites	C in rain, monsoon, & mangrove forests < 1100m. VC.	1,10,72,81, 82,83,
346.	Spangled Kookaburra	<i>Dacelo tyro archboldi</i>	End + Aru	MC-C in savanna of Sth Trans-Fly.	1,10,82,83, 85,
347.	Blue-winged Kookaburra	<i>Dacelo leachii intermedia</i> & <i>superflua</i>	Res bre	MC-C in savanna woodland Mimika R. (W. Papua)– Amazon Bay (CP) MC POM P at Hula	1,10,72,82, 83,
348.	Blue-black Kingfisher	<i>Todirhamphus n. nigrocyanea</i> (3 ssp) <i>stictolaema</i> <i>quadricolor</i> ,	End + satellites	R-VUC along N & S NG no records for hills or mtns.	1,10,82,83,
349.	Forest Kingfisher	<i>Todirhamphus m. macleayi</i> & <i>elisabeth</i>	Res bre/Win mig	MC-C in Southern, Central and Eastern NG.	1,10,72,82,
350.	Collared Kingfisher	<i>Todirhamphus c. chloris</i> & <i>sordida</i>	Res bre	UC Never far from mangroves of S coast W Vogelkop to Milne Bay.	1,10,82,83,

351.	Sacred Kingfisher	<i>Todirhamphus s. sancta</i>	Win mig	C-VC in many habitats < 1700m, UC < 2300m C.	1,10,82,
352.	Beach Kingfisher	<i>Todirhamphus s. saurophaga</i>	Res bre	UC along beaches of N NG.	1,10,82,83,
353.	Mountain Kingfisher	<i>Todirhamphus megarhyncha (3 ssp)</i>	End	LMC-UC in mtns from Weyland Mtns-Owen Stanley Ra. 760-2200m, 1 obs Satop Huon Mar 04,	1,10,82,111,
354.	Yellow-billed Kingfisher	<i>Syma torotoro pseustes, meeki, brevirostris, connectens, sellamontis</i>	Res bre	MC-C in lowlands < 500m UC < 1100m in forests & regrowth. C. 1 rec Waigani V.	1,10,72,82,83,
355.	Variable Dwarf Kingfisher	<i>Ceyx lepidus solitarius</i>	Res bre	MC in forests near water & UC away from water <1300m throughout. 19 spec.	1,10,82,83,85,
356.	Little Kingfisher	<i>Alcedo p. pusilla & laetior</i>	Res bre	MC-C at creeks and pools in or near forests < 540m. MC.	1,10,72,82,83,85,
357.	Azure Kingfisher	<i>Alcedo azurea lessoni & Ochrogaster</i>	Res bre	UC along rivers, creeks and some ponds or swamps <1520m. Along creeks & mangroves POM and Oro Bay.	1,10,72,82,83,85,
358.	Common Kingfisher	<i>Alcedo atthis hispidoides</i>	Res bre	LMC along E coast between Sepik & Aroa R in Sth.	1,10,82,83,85,
359.	Blue-tailed Bee-eater	<i>Merops philippinus salvadorii</i>	Res bre	LA Humboldt Bay-Collingwood Bay in Nth, FrederickHendrik Is –Bensbach in Sth. LUC. 4 obs Nadzab Mar 04,	1,10,82,83,111,
360.	Rainbow Bee-eater	<i>Merops ornatus (0 ssp)</i>	Res bre/Win mig	C throughout NG except Mar-Oct when breeding only in POM savanna. 3 Aug 200 birds POM	1,10,72,82,83,
361.	Dollarbird	<i>Eurystomus orientalis waigiouensis</i>	Res bre/Win mig	C in Win UC in Sum. Frequents clearings, gardens and forest edges. MC.	1,10,72,82,83,
362.	Blyth's Hornbill	<i>Aceros plicatus (2ssp)</i>	Res bre	Once MC-C now R-UC over forests <1200m. Few with regular times and routes to roost at Dobodura. Arfak Mtns 2012,	1,10,72,82,134,
363.	Blue-breasted Pitta	<i>Pitta erythrogaster (4ssp)</i>	Res bre	MC Rain, monsoon and remnant forests <1250m MC. Descr.	1,11,82,92.
364.	Hooded Pitta	<i>Pitta sordida novaeguineae</i>	Res bre	LMC-C in rain, monsoon, & remnant forest <1200m. Absent from S.Fly.	1,11,81,82,
365.	Noisy Pitta	<i>Pitta versicolor simillima</i>	Win mig/Res bre?	Found in Monsoon, Gallery, & mangrove forests of S Trans-Fly.	1,11,82,
366.	Singing Bushlark	<i>Mirafra javanica aliena & sepikana</i>	Res bre	LMC-VC in tussock Grasslands of S & E NG. L,	1,11,82,
367.	Sand Martin	<i>Riparia riparia ssp?</i>	Vag	2/3 birds Wahgi Valley Jan 1979, Prob 2 birds Huon Pen, Feb 1977.	1,11,63,64,
368.	Barn Swallow	<i>Hirundo rustica gutturalis</i>	Sum mig	Recorded at scattered locations from Vogelkop-POM. UC in West, MC Bintuni Bay W Papua Mar-Apr 1989,	1,11,82,133,
369.	Pacific Swallow	<i>Hirundo tahitica frontalis</i>	Res bre	UC in most areas but LA near FW <2200m. C. Rarely far from human habitation, partial migration? MC Bintuni Bay, 1 rec Aroa Lagoon POM Nov 1980. 2 rec Hisiu Nov/Dec 1984.	1,11,72,82,133,1,11,65,66,
370.	Welcome Swallow	<i>Hirundo neoxena</i>	Vag	Unrecorded < Sep 1974. Now almost regular visitor to many sites in PNG. 3 obs Manokwari W Papua 10 Jan 1994,	1,11,67,131,
371.	Red-rumped Swallow	<i>Hirundo daurica japonica?</i>	Sum mig	LC-A in some years at Trans-Fly, POM, Popondetta, Markham & Sepik. Oro Apr-Jun, POM Apr, Jun Aug,	1,11,72,82,
372.	Tree Martin	<i>Petrochelidon n. nigricans</i>	Win mig	6 records in PNG side of NG 1967-1986.	1,11,
373.	Fairy Martin	<i>Petrochelidon ariel (0 ssp)</i>	Win mig/vag	Numerous locations between Vogelkop to POM often near water. 2 recs. 2 at remote lake on Base of Vogelkop 1989,	1,11,82,124,
374.	Yellow Wagtail	<i>Motacilla flava simillima</i>	Sum mig/vag	UC & widespread along streams, at ponds & lakes 600-2800m <15 each evening mig 15-17 Oct Warili Lodge,	1,11,82,111,
375.	Grey Wagtail	<i>Motacilla cinerea melanops</i>	Sum mig	LC in short grass on Mid mtns of PNG. LC.	1,11,82,
376.	Australasian Pipit	<i>Anthus australis (exiguus in Highlands)</i>	Res bre	MC-C in short grass areas 2550-4600m. C.	1,11,82,
377.	Alpine Pipit	<i>Anthus gutturalis (3 ssp)</i>	End	UC-LMC in Mtn forests mostly 2100-2800m. in Central & E.	1,11,82,
378.	Hooded Cuckoo-shrike	<i>Coracina l. longicauda & grisea</i>	End		

379.	White-bellied Cuckoo-shrike	<i>Coracina p. papuensis oriomomedia angustifrons</i>	Res bre	NG. C-VC in savanna, forest edges, woodlands, mangroves <1450m pr feeding young late Jan POM,	1,11,72,112,
380.	Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae (3 ssp)</i>	Res bre/Win mig	LC in S. UC in N. Widespread in open country and savanna.	1,11,72,82,
381.	Stout-billed Cuckoo-shrike	<i>Coracina caeruleogrisea (3 ssp)</i>	End + satellites	UC-LMC forests, regrowth & disturbed bush mainly 600-1700m. MC.	1,11,82,
382.	Barred Cuckoo-shrike	<i>Coracina l. lineata & axillaris</i>	Res bre	LMC 600-1450m in peripheral N ranges Vogelkop to SE. LC.	1,11,82,100,
383.	Boyer's Cuckoo-shrike	<i>Coracina b. boyeri & subaxillaris</i>	End + satellites	C in forests, regrowth & some mangroves < 1300m	1,11,82,
384.	Slender-billed Cicadabird	<i>Coracina tenuirostris (2ssp)</i>	Res bre/Win mig	UC in forest edges & regrowth over much of the island. MC Trans-Fly.	1,11,82,
385.	Black-shouldered Cuckoo-shrike	<i>Coracina incerta</i>	Res bre	LUC-LMC in hill & Lwr Montane forests throughout NG.	1,11,
386.	Grey-headed Cuckoo-shrike	<i>Coracina schisticeps (3ssp)</i>	End + satellites	LC in forests, their edges & regrowth most of NG except Nth watershed. F & M obs Oct 2012 at Nimbokrang,	1,11,82,142,
387.	Black Cuckoo-shrike	<i>Coracina melas (melaena)</i>	End + satellites	C in lowland rain, monsoon, gallery & mangrove forests. UC < 1250m, Pr obs nr Sorong Oct 2012,	1,11,82,142,
388.	Black-bellied Cuckoo-shrike	<i>Coracina m. montana</i>	End	MC in Mtns of Vogelkop, Central Ranges, N Coast, Huon, & SE. MC.	1,11,81,82,
389.	Golden Cuckoo-shrike	<i>Campochaera s. sloetii & flaviceps</i>	End	UC-LC in West & Central NG to Wewak and Owen Stanley Ra in E.	1,11,82,
390.	White-winged Triller	<i>Lalage sueurii tricolor</i>	Res bre/Vag?	UC in open country with trees, Bensbach, POM, Bartle Bay, Safia, Musa Valley (OroP), Markham V., & Chambri Lakes (E Sepik). POM Apr-Aug & Jan.	1,11,72,82,100,
391.	Black-browed Triller	<i>Lalage atrovirens atrovirens</i>	End	MC in forests, their edges & regrowth of Nth & NW NG < 1400m, obs near Sorong Oct 2012,	1,11,82,142,
392.	Varied Triller	<i>Lalage leucomela polygrammica</i>	Res bre	MC in rain, monsoon, gallery, & mangrove forests<1800m in Sthn half NG.	1,11, 82,
393.	Brown Shrike	<i>Lanius cristatus ssp?</i>	Vag	1 rec Manokwari, Vogelkop, Feb 1963.	1,11,82,96,
394.	Long-tailed Shrike	<i>Lanius schach stresemanni</i>	Res bre	MC-C in E NG in open grasslands & gardens 1100-2650m. 1 obs 111,82,	1,11,82,
395.	Siberian Rubythroat	<i>Erithacus calliope (0 ssp)</i>	Vag	1 rec Mt Kaindi, Wau, Apr 1983.	1,11,68,
396.	Pied Chat	<i>Saxicola caprata (3 ssp)</i>	Res bre	MC-C in mid-mtns. Snow Mtns to SE., the Huon, and some lowlands such as mid Sepik, Markham Valley, Popondetta, & POM.	1,11,82,
397.	Scaly Thrush	<i>Zoothera dauma papuensis</i>	Res bre	R in Primary Hill forest 490-1700m Utakwa R, (W Papua) S. Highlands, Baiyer R. Adelbert Mtns. Huon Mtns. E. Highlands, Morobe P. & Sogeri.	1,11,82,
398.	Island Thrush	<i>Turdus poliocephalus (3 ssp)</i>	Res bre	LMC-C in forests, forest edges 2300-4120m on Snow Mtns – Cen. & E.	1,11,82,
399.	Blue Rock Thrush	<i>Monticola solitarius ssp?</i>	Vag	1 rec Paga Hill POM, 7-19 Jan 1986, 1 obs Jan 1994 Manokwari,	1,11,69,120,
400.	Grey-streaked Flycatcher	<i>Muscicapa griseisticta (0 ssp)</i>	Sum mig	UC in clearings of NW mainland. Several recs. N NG, east to Vanimo.	1,11,
401.	Papuan Logrunner	<i>Orthonyx novaeguineae (3 ssp)</i>	Res bre	R-UC in scattered Montane forests 1980-2840m – Vogelkop, Central ranges, SHP, & Mtns of SE. 3 obs Tari Gap Mar 2004,	1,11,81,82,123,
402.	Papuan Whipbird	<i>Andropobus viridis (0 ssp)</i>	End	R Weyland Mtns – Mt Goliath (W. Papua) 1400-2800m R.	1,11,82,111,
403.	Painted Quail-thrush	<i>Cinlosoma ajax (4 ssp)</i>	End	UC Geelvink Bay to Weyland Mtns W.Papua, Nomad R. to Mt Boavi (WP), Sth Trans-fly & Sthn. SE – Halls Sound-Milne	1,11,82,

404.	Spotted Jewel-babbler	<i>Ptilorrhhoa leucostica</i> (6 ssp)	End	Bay. MC in Montane forest 1200–1450m Vogelkop, Cyclops, Bewani, Huon.	1,11,82,
405.	Blue Jewel-babbler	<i>Ptilorrhhoa caerulescens</i> (3 ssp)	End + satellites	MC-C lowland forests <300m over most Mainland, < 1220m in NE	1,11,82,
406.	Brown-capped Jewel-babbler	<i>Ptilorrhhoa geislerorum</i>	End	NE NG,	136,
407.	Chestnut-backed Jewel Babbler	<i>Ptilorrhhoa castanotus</i> (6 ssp)	End + satellites	MC-C in forests 300-1450m throughout NG.	1,11,81,82,
408.	Blue-capped Ifrita	<i>Ifrita k. kowaldi</i> & <i>brunnea</i>	End	MC central ranges of eastern & central NG W to Weyland Mts, + Huon.	1,11,82,
409.	New Guinea Babbler	<i>Pomatostomus i. isidorei</i> & <i>calidus</i>	End + Satellites	MC-C Forests < 300m except Sthn Trans-Fly & Huon Pen?	1,11,82,
410.	Grey-crowned Babbler	<i>Pomatostomus temporalis strepitans</i>	Res bre	LC in savanna & woodland of Sthn Trans-Fly.	1,11,82,
411.	Grey's Grasshopper-warbler	<i>Locustella fasciolata fasciolata</i>	Sum mig	Rec in regrowth, and rank grassland Vogelkop to Wissel Lakes (W.Papua) R in PNG, Rec Vanimo, Kiunga, & Waigani Swamp (POM). R. 1 netted Nabire Jan 1963,	1,11,82,108,
412.	Clamorous Reed-warbler	<i>Acrocephalus stentoreus sumbae</i>	Res bre	LC-LA in reed beds and stands of grass from Vogelkop-Orangerie Bay.	1,11,108,
413.	Great Reed-warbler	<i>Acrocephalus arundinaceus</i>	Vag/Sum mig?	R cane grass & reeds. Coll. Vogelkop, Bensbach?, Waigani Swamp, Aroa Lag. C on Fly R.	1,11,72,82,
414.	Tawny Grassbird	<i>Megalurus timorensis muscalis</i>	Res bre	MC-C in tall dense grass of mtns < 3850m. UC in lowlands. I rec Dobodura.	1,11,72,82,108,
415.	Fly River Grassbird	<i>Megalurus albolimbatus</i>	End	VLC in Reeds and sedges at L. Daviumbu & Bensbach R., S. Trans-Fly. C. Obs 3 km downstream of bensbach Lodge 26 Aug 2010	1,11,82,126,
416.	Papuan Grassbird	<i>Megalurus macrurus</i> 6 ssp.	Res bre	C grasslands of central cordillera, trans Fly, NE, & SE coast,	107,
417.	Little Grassbird	<i>Megalurus gramineus papuensis</i>	End	Restricted to Wissel Lakes 1650-1740m, 1 Rec.Paniai, Wissel L.	1,11,82,108,
418.	Golden-headed Cisticola	<i>Cisticola exilis diminuta</i>	Res bre	C grasslands & savanna < 1250m in SE, <2000m Wau, <2225 m Mt Giluwe. C. Obs Lake Senteni, SW of Jayapura,	1,11,72,82,143,
419.	Zitting Cisticola	<i>Cisticola juncidis</i> ssp?	Res bre?	LC in grasslands of Moorhead & Bensbach.	1,11,
420.	Island Leaf-Warbler	<i>Phylloscopus poliocephalus</i> (5 ssp)	Res bre	MC-C in forests & regrowth in NG Mtms mostly 1200-1800m.	1,11,82,
421.	Wallace's Fairy-wren	<i>Sipodotus wallacii</i> ssp?	End + satellites	MC 100-800m rain & monsoon forest, Central NG, part of Fly & SE. Patchy and transient in distrib.	1,11,81,82,89,
422.	Broad-billed Fairy-wren	<i>Malurus g. greyi</i> & <i>pileatus</i>	End + satellites	LC Mid Sepik, UC elsewhere. Openings in forest of W & Central N NG. R.	1,11,70,81,82,112,
423.	Campbell's Fairywren	<i>Malurus campbelli</i>	End	SC & SE NG, Kiunga?	136,IOC3.1,
424.	Emperor Fairy-wren	<i>Malurus cyanocephalus</i> (3 ssp)	End + satellites	LMC in thickets <760m in Most of NG except Mtms & NE.	1,11,81,
425.	White-shouldered Fairy-wren	<i>Malurus alboscapulatus</i> (10 ssp)	End + Fergusson	C except far W where UC. In open country & patches in forests <2150m. Dry Forest of Bintuni Bay 1989, 2 M 2012 at Nimbokrang,	1,11,72,82,133,142,
426.	Orange-crowned Fairy-wren	<i>Clytomyias i. insignis</i> & <i>oorti</i>	End	UC in dense regrowth & thickets 1700-2800m on Cen Ranges, Vogelkop & Huon Pen. UC.	1,11,82,
427.	Rusty Mouse-warbler	<i>Crateroscelis m. murina pallida</i>	End + satellites	C-VC in forests < 1700m. Absent from Sth Trans-Fly. MC.	1,11,82,
428.	Bicoloured Mouse-warbler	<i>Crateroscelis n. nigrorufa blissi</i>	End	R-LMC in narrow (50-370m) band in Mtms Weyland to SE & Huon.	1,11,82,
429.	Mountain Mouse-warbler	<i>Crateroscelis robusta</i> (5 ssp)	End	Mostly C 1250-3680m in most Mtn Ranges Vogelkop To SE & Huon.	1,11,82,

430.	Pale-billed Scrub-wren	<i>Sericornis spilodera</i> (4 ssp)	End + satellites	MC 200-1200m and in part of the Trans-Fly and N. lowlands.	1,11,82,
431.	Beccari's Scrub-wren	<i>Sericornis beccarii</i> (5 ssp)	Res bre	MC-C in lowlands of S Trans-Fly and hills of W & Central NG.	1,11,82,
432.	Perplexing Scrub-wren	<i>Sericornis virgatus</i> (4 ssp)	Res bre	Hills in N, W and Central 600-1500m.	1,82,
433.	Large Scrub-wren	<i>Sericornis nouhuysi</i> (4 ssp)	End	C in Mtn Forest & regrowth 1400-3500m Vogelkop, Central & Huon Ra. C. Obs Vogelkop Oct 2012,	1,11,82,143,
434.	Buff-faced Scrub-wren	<i>Sericornis perspicillatus</i> (0 ssp)	End	C in Central Ra, Weyland, Gauttier, Bewani, Adelbert, Huon & Mt Bosavi. C.	1,11,82,
435.	Vogelkop Scrub-wren	<i>Sericornis rufescens</i> (0 ssp)	End	Mtn forest Vogelkop & Kumawa Mtns, Bomberai Peninsula 1000-2000m. Obs Vogelkop Oct 2012,	1,11,82,143,
436.	Papuan Scrub-wren	<i>Sericornis p. papuensis bürgersi & meeki</i>	End	MC-UC in Central Ra Weyland – SE, & Gauttier Mtns 2000-3500m C. MC Tari Gap Mar 2004,	1,11,82,123,
437.	Grey-green Scrub-wren	<i>Sericornis a. arfakianus olivaceous</i>	End	LMC 1200-1400m in Central Ra, Vogelkop, Cyclops, Cen. N. Coast Ra. Adelbert & Huon Mtns. MC.	1,11,82,
	[Black & Green Sericornis	<i>Sericornis nigroviridis</i> (0 ssp)	End	1 spec 1962 near Wau, Shown to be melanistic indiv. of <i>S. perspicillatus</i> ,	82,116,11,117]
438.	Papuan Thornbill	<i>Acanthiza murina</i> (0 ssp)	End	UC <2200 C 3000-3700m in forests of Central Ra, Snow Mtns-SE. C.	1,11,82,
439.	Grey Gerygone	<i>Gerygone cinerea</i> (0 ssp)	End	UC 1600-2000m C <2800m along Central Ra & Vogelkop & N Coast. C.	1,11,82,
440.	Yellow-bellied Gerygone	<i>Gerygone chrysogaster</i> (4 ssp)	End + satellites	MC-VC in lowland Rain, monsoon & gallery forests <700m. MC,	1,11,81,82,
441.	Green-backed Gerygone	<i>Gerygone chloronotus cinereiceps</i>	Res bre	UC-LMC in forest edges and disturbed vegetation/regrowth <1460m not in much of the Sepik or N coast of SE. UC.	1,11,82,
442.	Fairy Gerygone	<i>Gerygone palpebrosa</i> (3 ssp)	Res bre	C in hills <1300m, UC-MC elsewhere in Rain & monsoon forest.	1,11,82,
443.	Large-billed Gerygone	<i>Gerygone magnirostris</i> (3 ssp)	Res bre	LC-VC in mangroves, scrub and bamboo < 1200m. Not all Huon coast LC-VC.	1,11,82,
444.	Western Gerygone	<i>Gerygone fusca pallida</i>	Res bre?	R. 3 spec: Triton Bay, Mimika, Daru.	82,
445.	Mangrove Gerygone	<i>Gerygone levigaster mastersi</i> ?	Res bre	LMC in low mangroves, Triton Bay, Mimika R, (W. Papua), Lese Oalai- Rigo, on Sth Coast. 1989 Bintuni Bay,	1,11,133,
446.	Brown-breasted Gerygone	<i>Gerygone r. ruficollis insperata</i>	End	MC in forest & regrowth, LC in casuarinas on Central ranges, Arfak, Vogelkop & Huon Mtns. 1400-2450m, lower at Efogi, higher Snow Mts. VC Mid Mtn levels.	1,11,82,
447.	White-throated Gerygone	<i>Gerygone olivacea cinerascens</i>	Res bre	LMC in Savanna < 650m SE coast Tapala-Malalaua to Rigo.	1,11,82,
448.	Grey-streaked Flycatcher	<i>Musicapa griseisticta</i> (0 ssp)	Sum mig	Mainly on N of West NG,	1,
449.	Sooty Thicket-fantail	<i>Rhipidura t. threnothorax</i>	End + satellites	C-VC Rain, Monsoon & Gallery forest of lowlands <1100m except S Fly. UC.	1,11,82,
450.	Black Thicket-fantail	<i>Rhipidura maculipectus mimika</i>	End + satellites	UC-MC in swamp & mangrove forests from Vogelkop to Laloki R. very shy.	1,11,82,
451.	White-bellied Thicket-fantail	<i>Rhipidura l. leucothorax & episcopalis</i>	End + satellites	UC-LVC in dense scrub, regrowth and disturbed bush in lowlands but not in Trans-Fly. LMC.	1,11,81,82,
452.	Rufous Fantail	<i>Rhipidura r. rufifrons & streptophora</i>	Res bre/Win mig	Winter range of R.r.rufifrons is restricted to Fly & Gulf.	1,11,71,81,82,
453.	Arafura Fantail	<i>Rhipidura dryas</i>	Res bre/Win mig	Local birds restricted to mangroves, migrants to forests of S Trans-Fly Local birds Mimika along S coast to Hisiu & Orangerie Bay,	1,11,71,81,82,

454.	Rufous-backed Fantail	<i>Rhipidura rufidorsa</i> 5 ssp	End + satellites	MC-VC in lowland & hill forests <700m except much Mid & S Trans-Fly.	1,11,112,
455.	Dimorphic Fantail	<i>Rhipidura b. brachyrhyncha & devisi</i>	End	MC-C 2000-3700m in Central Ranges, Arfak, Gauttier & Huon Mtns. C. Obs Vogelkop Oct 2012,	1,11,82,143,
456.	Mangrove Fantail	<i>Rhipidura phasiana</i> (0 ssp)	Res bre	LC in Coastal strip between Lese Oalai (GP) & Lea Lea (CP). Obs Merauke, W Papua 4 Aug 1991,	1,11,132,
457.	Black Fantail	<i>Rhipidura atra atra & vulpes</i>	End + Waigeu	MC-C in forest and dense regrowth 1000-2150m on main mtn range, & Vogelkop, Cyclops, Cen N coast, Adelbert & Huon Mtns. Most common 2000m. Obs Vogelkop Oct 2012,	1,11,82,143,
458.	Chestnut-bellied Fantail	<i>Rhipidura hyperythra mullerii & castaneothorax</i>	End + satellites	MC-C in forest of hills < 1370 or 1750m. MC.	1,11,82,
459.	Friendly Fantail	<i>Rhipidura a. albolimbata lorentzi</i>	End	MC-C in Forests 1370-3600m on central ranges, Vogelkop, Cyclops Torricelli, Adelbert & Huon Mtns. C. Obs Vogelkop Oct 2012,	1,11,82,143,
460.	Grey Fantail	<i>Rhipidura fuliginosa harterti?</i>	Mig?	Only recs Hall Sound, Sth PNG.	82,
461.	Northern Fantail	<i>Rhipidura rufiventris gularis</i>	Res bre	MC-C Forests & regrowth in lowlands & hills <1580m. C.	1,11,82,
462.	Willie Wagtail	<i>Rhipidura leucophrys melaleuca & picata</i>	Res bre	C-VC in savannah & open country <850m & mid-Mtn grasslands <1980m. except in se Mtns & Woitape. C. Nest c 2 yg May Oro Bay.	1,11,72,82,
463.	Black Monarch	<i>Monarcha axillaris axillaris & fallax</i>	End + Goodenough.	UC-LC in Cen. Mtns 800-2350m + Vogelkop, Torricelli, Adelbert & Huon Mtns. UC.	1,11,82,
464.	Rufous Monarch	<i>Monarcha r. rubiensis & rufum</i>	End	UC in rain & swamp forest of W Papua E to Ramu-Golgol in N & Nomad R. in Sth. Inhabits foothills & lowlands.	1,11,82,
465.	Island Monarch	<i>Monarcha cinerascens inornatus & nigrirostris</i>	Vag	No records given "Rarely N coast Vogelkop to Lae,	1,11,82,
466.	Black-faced Monarch	<i>Monarcha m. melanopsis</i>	Win mig	MC in S & SE NG. Forests, scrub, mangroves of lowlands occ. <800m.	1,11,82,
467.	Black-winged Monarch	<i>Monarcha frater</i> (3 ssp)	Res bre	UC-MC in Mtn forests & regrowth throughout NG 550-1550m. VC.	1,11,81,82,
468.	Spot-winged Monarch	<i>Monarcha guttulus</i> (0 ssp)	End + satellites	C almost everywhere there are forests <1200m.	1,11,72,82,
469.	Spectacled Monarch	<i>Monarcha trivirgatus</i> ssp?	Win mig	UC in Savanna of Sthn Trans-Fly.	1,11,82,
470.	Hooded Monarch	<i>Monarcha manadensis</i> (0 ssp)	End	LUC mainly hill forests <1200m and N lowlands but not Sthn. I Kiunga May 98, 1 Elevara R Jul 05, 2 Ekame Oct 05,	1,11,82,111,
471.	Golden Monarch	<i>Monarcha chrysomela</i> (4 ssp)	Res bre	MC-C in lowland & hill forests < 1260m locally.	1,11,82,
472.	Frisled Monarch	<i>Arses telescopthalmus</i> (5 ssp)	End + satellites	C in Lowland & hill forests < 1500m locally except N Geelvink-Astrolab.	1,11,72,82,
473.	Rufous-collared Monarch	<i>Arses insularis</i> ssp?	End + Japen	MC-C in lowlands Geelvink Bay – N Huon Peninsula. I Keki, C at Kasiwa study site, W. Papua 2007,	1,11,111,130,
474.	Leaden Flycatcher	<i>Myiagra r. rubecula & papuana</i>	Res bre/Win mig	LC in savanna, woodlands, mangroves & sago swamps S Fly & POM C.	1,11,72,82,
475.	Broad-billed Flycatcher	<i>Myiagra ruficollis mimikae</i>	Res bre	UC in mangroves Mimika R – POM.	1,11,82,
476.	Satin Flycatcher	<i>Myiagra cyanoleuca</i> ssp?	Win mig	UC in E NG, E of Noord R in S, & Jayapura in Nth.	1,11,82,
477.	Shining Flycatcher	<i>Myiagra alecto chalybeocephalus & nitidus</i>	Res bre	UC-MC-C lowlands <150m & locally < 1280m In Mangroves M&F too variable in each Pop to split from Chalyb.....	1,11,72,82,98,
478.	Restless Flycatcher	<i>Myiagra inquieta nana</i>	Res bre	LMC Merauke (W Papua) – Bensbach R. (S Fly).	1,11,82,
479.	Yellow-breasted Boatbill	<i>Machaerirhynchus flaviventer</i> (3 ssp)	Res bre	MC in forests & regrowth of lowlands and some hills < 1300m. UC.	1,11,81,82,
480.	Black-breasted Boatbill	<i>Machaerirhynchus nigripectus</i> (3 ssp)	End	MC in Central, Vogelkop, Adelbert & Huon Mtns mostly 1130-	1,11,82,

481.	Torrent Robin	<i>Monachella muelleriana mülleriana</i>	Res bre	2750m. LMC. UC-LC along fast flowing streams with boulders <1800m throughout. "Disc" 1828 Desc 1871. In Astrolabe Mtns, Goldie 133, R. Sogeri, Ei Crk & mt Kaindi. 4 obs Manimeri R, W. Papua,	1,11,81,82,90,
482.	Grey-streaked Flycatcher	<i>Muscicapa griseisticta (0 ssp)</i>	Sum Mig	Mainly in Vogelkop but as far East as Victor Emanuel Mtns	82,
483.	Jacky Winter	<i>Microeca fascians zimmeri</i>	Res bre	Formerly C now UC along coast Bereina to POM.	1,11,72,82,
484.	Lemon-bellied Flyrobin	<i>Microeca flavigaster (3 ssp)</i>	Res bre	MC-C in savanna, woodlands & mangroves Mimika R – SE. Patches in N. C in SE savanna. In Bintuni Bay W. Papua 1989,	1,11,72,82,133,
485.	Yellow-legged Flyrobin	<i>Microeca griseiceps (3 ssp)</i>	Res bre	UC in forests & partly cleared areas 550-1400m in Cyclops, Torricelli Adelbert and patches of Central PNG Mtns. Also E. Trans-Fly. UC.	1,11,82,
486.	Olive Flyrobin	<i>Microeca f. flavovirescens & cuicui.</i>	End + Satellites	MC-VC in forests & plantations < 1200 or 1500m. throughout.	1,11,82,
487.	Canary Flyrobin	<i>Microeca p. papuana & punctata</i>	End	UC-MC in Mtn Forests 1800-2500m of Cen. Ra., Torriceli, Huon Mtns. & Mt Bosavi.	1,11,112,
488.	White-faced Robin	<i>Tregellasia leucops (9 ssp)</i>	Res bre	UC-C in forest substage 300-2200m in most mtns.	1,11,81,82,
489.	Garnet Robin	<i>Eugerygone r. rubra & saturator</i>	End	R-UC in Mtn Forests 1400-3680m of Cen. Ra. Vogelkop, Fakfak, Gaultier and Huon Mtns. R-UC.	1,11,82,
490.	Alpine Robin	<i>Petroica bivittata bivittata & caudata</i>	End	UC in High Mtn forest & subalpine shrubland 2750-3700m on Snow, Mt Hagen, Mt Giluwe, Lamende Ra., Mt Albert Edward, Mt Scratchley, Mt Knutsford, Mt Victoria, Mt Thumb. Poss. Capella & Star. Not Wilhelm. UC.	1,11,82,
491.	Snow Mountain Robin	<i>Petroica archboldi (0 ssp)</i>	Res bre	On bare rocks of Mt Wilhelmina and Mt Carstensz above timberline. C on Wilhelmina.	1,11,82,
492.	Mangrove Robin	<i>Eopsaltria pulverulenta pulverulenta</i>	Res bre	Coastal, more widespread & C in South. LC in mangroves	1,11,82,
493.	Ashy Robin	<i>Heteromyias albispecularis (5 ssp)</i>	End?	UC-LMC 1400-2600m Cen. Ra., Vogelkop, Kumawa, Gaultier, Adelbert, Huon.	1,11,82,
494.	Black-chinned Robin	<i>Poecilodryas b. brachyura & dumasi</i>	End + Japen	LMC lowland & foothill forest < 650m NW & N NG. Vogelkop–Ramu.	1,11,82,
495.	Black-sided Robin	<i>Poecilodryas h. hypoleuca & hermani</i>	End + satellites	MC-C in lowland and open forests <750-1200m except S Trans-Fly & SE. MC.	111,82,
496.	Black-throated Robin	<i>Poecilodryas albonotata (3 ssp)</i>	End	In Mtn forest & regrowth 1800-2750m Cen Ra, Vogelkop & Huon.	1,11,82,
497.	Olive Yellow Robin	<i>Poecilodryas p. placens</i>	End + Batanta	LMC-C in forests 100-1400m on Wandammen, Bomberai Pen, Weyland, Keku, Mtns., Lake Kutubu, Mt Bosavi, Chimbu, & Goldie R. R in forest undergrowth. No diff. Clara/placens.	1,11,82,98,
498.	Northern Scrub-robin	<i>Drymodes superciliaris (3ssp)</i>	Res bre	UC-LMC <1450m except Huon & most Popondetta coast.	1,11,82,
499.	Greater Ground-robin	<i>Amalocichla sclateriana & occidentalis</i>	End	LMC in Snow Mtns & SE Mtns. 2800-3720m. LC.	1,11,82,
500.	Lesser Ground-robin	<i>Amalocichla incerta (3ssp)</i>	End	R-UC montane forest 1200-2750m Cen. Ra, Vogelkop, Torricelli, Huon. Common in Snow mtns.	1,11,82,
501.	White-winged Robin	<i>Peneothello sigillatus (4 ssp)</i>	Res bre	C in forests 2400-3900m on Central ranges Snow Mtns to SE & Huon. C.	1,11,82,
502.	White-rumped Robin	<i>Peneothello b. bimaculatus & vicarius</i>	End + Japen Is	UC-LC in forest substage 300-1700m Patchy dist. On central Mtns Vogelkop, Van Rees, Gaultier, Adelbert & Huon Mtns.	1,11,81,82,
503.	Smoky Robin	<i>Peneothello c. cryptoleucus & albidior</i>	Res bre	Mts of far west 1400-1400m	1,11,82,
504.	Blue-grey Robin	<i>Peneothello c. cyanus atricapilla & subcyaneus</i>	End	LMC-C in forests at 900-2750m on Central ranges, Arfak, Gaultier, Cyclops, Torricelli, Adelbert & Huon Mtns, + Mt	1,11,82,

505.	Green-backed Robin	<i>Pachycephalopsis hattamensis</i> (3ssp)	End + Japen	Bosavi. 760-2000m in Central Ra (Weyland, Nassau, Oranje), Vogelkop 1,11,82, Wandammen, & Gauttier Ranges (W. Papua) & Mt Sisa (SHP). R in low forest undergrowth.
506.	White-eyed Robin	<i>Pachycephalopsis poliosoma</i> 7 ssp)	End	LC-A in hill & lwr montane forests of Cen Mtns, Weyland-SE, 1,11,82, Torricelli, Adelbert, & Huon Mtns, + Mt Bosavi. On forest floor
507.	Dwarf Whistler	<i>Pachycare flavogrisea</i> (4 ssp)	End	C 1000-1850m UC 400-100m on almost all mtns. Nest unique,1,11,81,82,105,
508.	Mottled Whistler	<i>Rhagologus leucostigma</i> (3 ssp)	End	UC in montane forest of central ranges, Vogelkop and Huon. 1,11,82,111, A fruit-eater prefers undergrowth, Pr Huon Mar 04, F Dablin Crk Rd Jul 06,
509.	Golden Whistler	<i>Pachycephala pectoralis balim & spinicauda</i>	Res bre	Verified 1370-2350m in regrowth of Baliem & Bele Valleys 1,11,82, N Slopes Mt Wilhelmina, Snow Mtns. Poss. Rec. Golgol R, Madang Prov.
510.	Mangrove Golden Whistler	<i>Pachycephala melanura balim & dahli</i>	Res bre	LC in mangroves & adjacent woodlands S Coast Merauke-Milne 1,11,112, Bay.
511.	Slater's Whistler	<i>Pachycephala s. soror, klossi & bartoni</i>	End + Goodeno.	UC 350-1000m MC1000-2450m in forests of most mountains. 1,11,82,
512.	Regent Whistler	<i>Pachycephala schlegelii</i> (4 ssp)	End	UC 1300-1800m C-A 1850-3650m on most mtns. C. Obs 1,11,81,82,143, Vogelkop Oct 2012,
513.	Golden-backed Whistler	<i>Pachycephala aurea</i> (0 ssp)	End	LMC-LVC Weyland, S Snow, Kiunga, Ok Tedi,, Telefomin, 1,11,82,111, Nomad R. Mid Sepik, Upper Ramu, L. Kopiago, Nembu V. & 112, Garaina & Naoro (SE). R. 2 Obs Km 120 Kiunga Aug 99,
514.	Lorentz's Whistler	<i>Pachycephala lorentzi</i> (0 ssp)	End	MC mossy beech forests Snow – Hindenburg & Victor Emanuel 1,11,82,112, Mtns.
515.	Vogelkop Whistler	<i>Pachycephala meyeri</i> (0 ssp)	Res bre	Mtns of Vogelkop 970 – 1450m R. 1,11,82,112,
516.	Grey Whistler	<i>Pachycephala simplex</i> (3 ssp as <i>griseoiceps</i>)	Res bre	C 0m<1000 UC< 1400m in forests & regrowth throughout NG.1,11,82,
517.	Rusty Whistler	<i>Pachycephala hyperthyra</i> (4 ssp)	End	UC-LMC on central ranges, Vogelkop, Bomberai, Torricelli, &1,11,82, Huon Mtns, + Mt Bosavi. MC.
518.	Brown-backed Whistler	<i>Pachycephala modesta</i> (3 ssp)	End	UC-LMC in forests & disturbed areas Victor Emanuel & Hind-1,11,82, enburg to SE, as well as Huon Pen. Mtns. VC.
519.	Black-headed Whistler	<i>Pachycephala monacha dorsalis</i>	End + Aru	UC-LC in disturbed areas & forest edges 550-1750m in C & 1,11,82, E. NG. R.
520.	White-bellied Whistler	<i>Pachycephala leucogastra</i>	Res bre	UC S Coast (Bereina-Rigo & inland to Sogeri), & Purari R 1, mouth. Split from the following subspecies, 2 obs between Hisiul 06,134, & Brown R. Aug 2011,
521.	[Rufous Whistler Rufous-naped Whistler	<i>Aleadryas rufinucha leucogaster</i> <i>Pachycephala rufinucha</i> (5 ssp)	Res bre End	Moresby and Ramu areas < 600m 1,11,] MC 1200-3600m Central ranges, Vogelkop, Torricelli, Adelbert, 1,11,143, Huon Mtns & Mt Bosavi, Obs Vogelkop Oct 2012,
522.	Sooty Whistler	<i>Pachycephala tenebrosa tenebrosa & atra</i>	End	R in Weyland-Hindenburg & E. Schrader Mtns 1400-2000m R.1,11,82,
523.	Little Shrike-thrush	<i>Colluricincla megarhyncha</i> (12 ssp)	Res bre	C-A in forests & disturbed lowland areas <1850m & 2300 on 1,11,72,82, Mt Giluwe.
524.	Grey Shrike-thrush	<i>Colluricincla harmonica tachycrypta</i>	Res bre	UC-MC in savanna, mangroves coastal scrub <1700m C. 1,11,72,82,
525.	Variable Pitohui	<i>Pitohui kirhocephalus</i> (15 ssp)	End + satellites	R-VC in forests < 1100m. Absent Huon Pen.–Collinwood Bay, 1,11,72,82, Parts of POM, & Trans-Fly. UC-C.
526.	Hooded Pitohui	<i>Pitohui dichrous dichrous & monticola</i>	End + Japen	LMC-C 350-1700m – less common where Variable resides. 1,11,82,
527.	White-bellied Pitohui	<i>Pitohui incertus</i> (0 ssp)	End	LMC-C near Bivak Isl on Noord R (W. Papua) & Kiunga- 1,11,82,112,

528.	Rusty Pitohui	<i>Pitohui f. ferrugineus, holerythrus & clarus</i>	End + satellites	Palmer Junc. R. MC-C in lowland forests <800 or rarely 1100m over whole island.	1,11,82,
529.	Crested Pitohui	<i>Pitohui c. cristatus, arthuri & kodonophonos</i>	End	UC-LMC in foothill forests < 1300m. Not in NE or most S Trans-Fly.	1,11,82,
530.	Black Pitohui	<i>Pitohui nigrescens (6 ssp)</i>	End	UC in central ranges, Vogelkop and Huon Mtns 1600-2000m	R1,11,82,
531.	Wattled Ploughbill	<i>Eulacestoma n. nigropectus & clara</i>	End	LMC in MTns of SE. R-UC in Central Mtns. 1950-2850m.	C. 1,11,82,
532.	Papuan Treecreeper	<i>Cormobates placens (4 ssp)</i>	End	UC-LMC 1250-2600m on Vogelkop, Weyland-Tari Gap, & SE Mtns.	1,11,82,
533.	Varied Sittella	<i>Daphoenositta papuensis (6 ssp)</i>	Res bre	UC-LMC in montane forest 1075-2650m in Cen Mtns. Vogelkop, Adelbert & Huon Mtns. UC.	1,11,82,
534.	Black Sittella	<i>Daphoenositta miranda (3 ssp)</i>	End	R 2000-3700m on Snow, Central, & SE Mtns. LMC on Mt Tafa (SE). LMC.	1,11,82,
535.	Obscure Berrypecker	<i>Melanocharis arfakiana (0 ssp)</i>	End	2 spec. Arfak Mtns 1867, Angabunga R. CP 1933. Spp?hybrid? xantho.? 1 obs Keki Lodge Mar 04, 2 pr Tabubil Jul 06	1,11,82,111, 112,
536.	Black Berrypecker	<i>Melanocharis n. nigra, chloroptera, unicolor</i>	End + satellites	C-A in lowlands & hills <1200 or 1450m. Not in S Trans-Fly. Obs at Keki Mar 04,	1,11,82,111,
537.	Mid-mountain Berrypecker	<i>Melanocharis longicauda (5 ssp)</i>	End	UC-LC 700-1900m on central ranges: Weyland-SE, Vogelkop, Wandammen, Torricelli & Huon Mtns, >Satop Mar 04& Tari 06.	1,11,82,111,
538.	Fan-tailed Berrypecker	<i>Melanocharis versteri (4 ssp)</i>	End	C 2300-2600m UC-MC >1250m, &<3680m. in central ranges, Vogelkop, Cyclops, Torricelli & Huon Mtns + Mt Bosavi. M obs above Satop (Huon) and Ambua Mar 04,	111,
539.	Streaked Berrypecker	<i>Melanocharis striativentris (4 ssp)</i>	End	LC-A 1150-2300m R >550m & <2600m Central & Huon Mtns. R-LC, 1 Kumul Lodge Jul 06,	1,11,82,111,
540.	Spotted Berrypecker	<i>Melanocharis crassirostris (3 ssp)</i>	End	LMC where trees fruiting 850-2700m Central ranges, Vogelkop, Gauttier (=Foya), Huon Mtns. VR, pr obs Kumul Lodge Jul 06, 111,	1,11,82,
541.	Papuan Flowerpecker	<i>Dicaeum p. pectorale</i>	End + satellites	MC-C Lowlands & Mtns <1700m or 2350m into some moss forests.	1,11,
542.	Mistletoebird	<i>Dicaeum hirundinaceum</i>	Vag?	1 rec collected in Gulf not now traceable in Aus Mus.	1,11,75,76,
543.	Red-capped Flowerpecker	<i>Dicaeum geelvinkianum (7 ssp)</i>	Res bre	MC. 1 obs Oro Bay.	72,82,
544.	Tit Berrypecker	<i>Oreocharis arfakibloodi</i>	End	C-VC 2200-2700m UC >1400m & <3600m in Central Ra., Vogelkop, Wandammen, Gauttier, Torricelli, & Huon Mtns.	1,11,82,
545.	Crested Berrypecker	<i>Paramythia montium (3 ssp)</i>	End	C 2150-2450m A <3800m. Central range (Weyland-SE) and Huon Mtns.	1,11,82,
546.	Black Sunbird	<i>Nectarinia aspasia (8 ssp)</i>	Res bre	MC-C in lowland forests <600m, 1100m Karimui, 1200m Baiyer R.	1,11,82,
547.	Yellow-bellied Sunbird	<i>Nectarinia jugularis frenata & idenburgi</i>	Res bre	MC-C in lowland forests <600m sometime higher in valleys.	C 1,11,72,82,
548.	Black-crowned White-eye	<i>Zosterops atrifrons (6 ssp)</i>	Res bre	MC-A in hill forests 150-1460m	82,
549.	Capped White-eye	<i>Zosterops f. fuscicapillus</i>	End + Goodenou	UC-C in forests, scrub & gardens on Mtns of W NG, E to Tari Gap, C, Obs Vogelkop Oct 2012,	1,11,82,112, 143,
550.	New Guinea White-eye	<i>Zosterops novaeguineae (6 ssp)</i>	End + Aru	LC in forests, savanna, groves & gardens of E central Ra. & Huon Mtns. As well as Sthn. Trans-Fly, MC Huon Mar 04,	1,11,82,111,
551.	Olive Straightbill	<i>Timeliopsis fulvigula (4 ssp)</i>	End	R-UC in forests 1100-2450m central ranges, Vogelkop Cen N Coast Ra., Huon Mtns & Mt Bosavi.	1,11,82,
552.	Tawny Straightbill	<i>Timeliopsis g. griseigula & fulviventris</i>	End	UC-LC in lowland forests <800m NW, Vogelkop-Humboldt Bay, SE to Kumusi R. in N. & to E GP in Sth. Patch? Golgol,	

553.	Long-billed Honeyeater	<i>Melilestes megarhynchus (3 ssp)</i>	End + satellites	Watut. C in rainforest <1500m throughout except S Trans-Fly.	1,11,81,82, 1,11,82,
554.	Yellow-bellied Longbill	<i>Toxorhamphus n. novaeguineae & flaviventris</i>	End + satellites	MC-C in lowlands of W & N – Ramu R. In S reaches edge of CP but skirts the N of the Trans-Fly region.	1,11,82, 1,11,82,111,
555.	Grey-winged Longbill	<i>Toxorhamphus poliopterus (3 ssp)</i>	End	UC-MC in Mtns of central (not Vogelkop) & E NG + Mt Bosavi. MC on forest edge, 1 obs Huon Mar 04,	1,11,82, 1,11,82,134,
556.	Plumed Longbill	<i>Oedistoma iliolophus (3 ssp)</i>	End + satellites	LA in lowlands & hills <1200 or 1750m.	1,11,82,
557.	Pygmy Longbill	<i>Oedistoma pygmaeum pygmaeum</i>	End + satellites	MC-C lowland & hill forests < 800 or 1370m. Arfak Oct 2012,	1,11,82,134,
558.	Green-backed Honeyeater	<i>Glycichaera fallax (3 ssp)</i>	Res bre	UC-LMC in forests 850-1200m. UC.	1,11,82,
559.	Brown Honeyeater	<i>Lichmera indistincta ocularis</i>	Res bre	UC-LC in Banksia savanna of S Trans-Fly. LVC, 21M/IF collected.	1,11,82,
560.	Silver-eared Honeyeater	<i>Lichmera a. alboauricularis & olivacea</i>	End	LC-A in Idenburg R, L. Sentani, Mid & Lwr Sepik & Ramu and Milne Bay to Popondetta (N) & Bereina (S).	1,11,82,
561.	White-chinned Myzomela	<i>Myzomela a. albigula (W) & pallidior (E)</i>	Res bre	LMC in mangroves of far W, & SE & woodlands-Trans-Fly	1,11,112,
562.	Red-throated Myzomela	<i>Myzomela e. eques, nymanni & primitiva</i>	End + satellites	UC-MC lowlands & hills <600m except S Trans-Fly. LC.	1,11,82,
563.	Dusky Myzomela	<i>Myzomela obscura fumata</i>	Res bre	South coast & Popondetta area. MC.	1,82,
564.	Red Myzomela	<i>Myzomela cruentata cruentata</i>	Res bre	UC-MC in hills 750-1450m among flowering trees R & LC	1,11,81,82,
565.	Papuan Black Myzomela	<i>Myzomela n. nigrita & meyeri</i>	End + satellites	LMC in flowering trees 500-1000m.	1,11,82,
566.	Red-headed Myzomela	<i>Myzomela e. erythrocephala & infuscata</i>	Res bre	R-LMC along S coast Triton Bay (W.Papua) – Domara (SE) Found only in mangroves.	1,11,82,
567.	Mountain Red-headed Myzomela	<i>Myzomela adolphinae adolphinae</i>	End	LMC-C in Mtns 1150-1950m Vogelkop, & Eastern-SE Mtns. UC. 1,11,82,134, 1 obs Arfak Mtns Oct 2012,	1,11,81,82,
568.	Red-collared Myzomela	<i>Myzomela r. rosenbergii & wahgiensis</i>	End + Goodenough	MC-C 1200-3700m Vogelkop, Central Ra., Bewani, Adelbert & Huon mtns. Desc 1871,	1,11,82,
569.	Mottle-breasted Meliphaga	<i>Meliphaga mimikae (2 or 3 ssp)</i>	End	C-A on Sthn slopes of central ranges & N of SE range UC.	1,11,82,
570.	Forest Meliphaga	<i>Meliphaga montana (8 ssp)</i>	End + satellites	Secretive in hill & lwr montane forests 500-1500m on N side.	1,11,82,
571.	Hill-forest Meliphaga	<i>Meliphaga orientalis (3 ssp)</i>	End + Waigeu	UC in forests of all ranges <1000m C<1750m.	1,11,82,
572.	Scrub White-eared Meliphaga	<i>Meliphaga albonotata albonotata</i>	End	UC in lowlands, LMC in hills <2000m. Poss 2900m Laiagam.	1,11,82,
573.	Puff-backed Meliphaga	<i>Meliphaga a. aruensis & sharpei</i>	End + satellites	MC-C in lowland & hill forests <1200m. MC.	1,11,82,
574.	Mimic Meliphaga	<i>Meliphaga a. analoga, flavida & citreola</i>	End + satellites	C (VC) in lowlands & hills <600-1250m except Wau district.	1,11,82,
575.	Graceful Meliphaga	<i>Meliphaga g. gracilis, cinereifrons, stevensi</i>	End + Sariba	MC-C Triton Bay (W.Papua) to S Trans-Fly & Purari	1,11,82,
576.	Elegant Meliphaga	<i>Meliphaga cinereifrons,</i>	End + Sariba	MC-C in SE NG,	1,11,82,136,
577.	Yellow-gaped Meliphaga	<i>Meliphaga f. flavirictus & crockettorum</i>	Res bre	Sea level – 1500m Rarer at higher end of range. 5 spec.	1,82,
578.	Varied Honeyeater	<i>Lichenostomus v. versicolor & sonoroides</i>	Res bre	MC-VC in coastal scrub & mangroves, LA in Jayapura, Vanimo, Wewak, & Madang.	1,11,72,82,
579.	Yellow-tinted Honeyeater	<i>Lichenostomus flavescens germana</i>	Res bre	LC in Eucalyptus savanna around POM. Aroa R-Sogeri-sePOM. Commonest Hon in POM 1943.	1,11,72,82,
580.	Black-throated Honeyeater	<i>Lichenostomus subfrenatus (3 ssp)</i>	End	C in upper montane forest 2000-3600m. UC <1350m	1,11,82,
581.	Obscure Honeyeater	<i>Lichenostomus o. obscurus & viridifrons</i>	End	UC-LC in forest & regrowth 200-1100m except NE.	1,11,82,112,
582.	Orange-checked Honeyeater	<i>Lichenostomus c. chryso-genys</i>	End	Snow Mtns 3250-4000m MC.	1,82,
583.	Spotted Honeyeater	<i>Xanthotis polygramma (4 ssp)</i>	End + satellites	UC in forests & thick scrub <1400m except central Trans-Fly	1,11,82,
584.	Tawny-breasted Honeyeater	<i>Xanthotis flaviventer (8 ssp)</i>	Res bre	Sea level – 1500m, Obs nr Sorong Oct 2012,	1,81,82,142,
585.	White-throated Honeyeater	<i>Melithreptus albogularis albogularis</i>	Res bre	LMC-LC in savanna of S Trans-Fly, POM, Upper Musa V. & Pongani-Oro Bay (NP). 3 birds Waigani.	1,11,72,73,82,
586.	Blue-faced Honeyeater	<i>Entomyzon cyanotis harterti</i>	Res bre	LMC-LC in S Trans-Fly, Merauke-Wassi Kussa R. MC.	1,11,82,
587.	Plain Honeyeater	<i>Pycnopygius ixoides (4 ssp)</i>	End	MC-C in forests <1200m except trans-Fly LMC.	1,11,82,

588.	Marbled Honeyeater	<i>Pycnopygius cinereus</i> (3 ssp)	End	LMC in regrowth 1000-2000m. UC. 1 obs Arfak Mtns Oct 2012,	1,11,82,134,
589.	Streak-headed Honeyeater	<i>Pycnopygius stictocephalus</i>	End + satellites	UC-LMC in disturbed & open lowland habitat <500m. R.	1,11,82,
590.	Meyer's Friarbird	<i>Philemon meyeri</i> (0 ssp)	End	UC-MC < 1200m throughout NG except Vogelkop. C.	1,11,82,112,
591.	Brass's Friarbird	<i>Philemon brassi</i> (0 ssp)	End	1 rec Lwr Idenburg @ 50m LC in Lwr Idenburg.	1,82,112,
592.	Little Friarbird	<i>Philemon citreogularis papuensis</i>	Res bre	LA at Bensbach, MC along S coast Merauke (W.Papua) – Oriomo MC.	1,11,82,
593.	New Guinea Friarbird	<i>Philemon novaeguineae</i> (5 ssp)	Res bre	C-A in lowlands <1000 & 1800m in favoured sites at forest edges. Commonest Friarbird in SE.	1,11,72,82,136,
594.	Noisy Friarbird	<i>Philemon corniculatus ellioti</i>	Res bre	MC-VC in savanna between Morehead & Oriomo Rivers.	1,11,82,
595.	Leaden Honeyeater	<i>Ptiloprora p. plumbea granti</i>	End	LMC-C 1100-1900m in Utakwa R (sw W Papua) & most central divide ranges in PNG. L & R.	1,11,82,
596.	Olive-streaked Honeyeater	<i>Ptiloprora m. meekiana & occidentalis</i>	End	MC N Snow Mtns, R Tari Gap, Baiyer R, - SE Mtns.	1,11,82,
597.	Rufous-sided Honeyeater	<i>Ptiloprora e. erythropleura & dammermani</i>	Res bre	W Mtns: Vogelkop, Fakfak, Kumawa, Snow. Little known.	1,82,
598.	Mayr's Honeyeater	<i>Ptiloprora mayri</i>	End	A in mossy forests of Gauttier, Cyclops, Bewani, & Mt Menawa	1,11,
599.	Rufous-backed Honeyeater	<i>Ptiloprora g. guisei, umbrosa, mayri.</i>	End	C-A in moss forests 1340-2900m Tari & Laiagam – SE, Huon, & Mt Bosavi. C.	1,11,82,
600.	Grey-streaked Honeyeater	<i>Ptiloprora perstriata</i> , (4 ssp)	End	MC-C Central ranges from Weyland to SE Mtns + Wandammen.	1,11,82,
601.	Sooty Melidectes	<i>Melidectes fuscus</i> (3 ssp)	End	UC-LC-A in Mossy montane forest & shrubs 2200-3700m Central & E. Mtns. MC.	1,11,82,
602.	Long-bearded Melidectes	<i>Melidectes princeps</i> (0 ssp)	End	MC 3000-3800m on Mt's Giluwe, Hagen, Kubor, Wilhelm & Michael. MC just below treeline	1,11,82,112,
603.	Short-bearded Melidectes	<i>Melidectes nouhuysi</i> (0 ssp)	End	Snow Mtns: 3300 – 4500m VC at and above treeline.	1,82,112,
604.	Cinnamon-browed Melidectes	<i>Melidectes ochromelas</i> (3 ssp)	End	UC-LC 1100-2000m in Vogelkop, Wandammen, Weyland, Nassau, (not in central ranges) & SE Mtns.	1,11,81,82,
605.	Vogelkop Melidectes	<i>Melidectes leucostephes</i> (0 ssp)	End	Vogelkop & Kumawa Mtns. On forest edge of mid mtns	1,82,112,
606.	Belford's Melidectes	<i>Melidectes belfordi</i> (6 ssp)	End	C 1600-3500m central ranges, Weyland Range-SE Ra. C.	1,11,82,
607.	Yellow-browed Melidectes	<i>Melidectes r. rufocrissalis</i>	End	MC-C 1400-2400m central ranges, Star Mtns-EHP.	1,11,82,
608.	Huon Melidectes	<i>Melidectes f. forsteri</i>	End	C 1600-3400m Huon Mtns.	1,11,82,
609.	Ornate Melidectes	<i>Melidectes torquatus</i> (6 ssp)	End	LMC-C 900-1800m central, Vogelkop, Adelbert & Huon mtns. C.	1,11,82,
610.	Western Smoky Honeyeater	<i>Melipotes gymnops gymnops</i>	End	N Vogelkop: Tamrau, Arfak & Wandammen Mtns.	1,81,82,
611.	Smoky Honeyeater	<i>Melipotes f. fumigatus & goliathi</i>	End	C in Mtn forests 1100-2800m central & eastern ranges.	1,11,82,
612.	Wattled Smoky Honeyeater	<i>Melipotes carolae</i>	End	Discov W. Papua, 2007. Local in Foya Mtns, Irian Jaya.	102,139,
613.	Spangled Honeyeater	<i>Melipotes ater ater</i>	End	C 1200-3300m in mtns of Huon Peninsula.	1,11,82,
614.	Brown-backed Honeyeater	<i>Ramsayornis modestus</i> (0 ssp)	Res bre	MC-C in scrub & woodland in Far W, S, & SE, Milne Bay-Mambare R. Nth: Mamberambo R, & Wewak. MC.	1,11,72,82,112,
615.	Rufous-banded Honeyeater	<i>Conopophila albogularis mimikae</i>	Res bre	LC-VC in small areas Sth Coast: Triton Bay, S Coast, Fly R. POM, Milne Bay. Nth: Lwr Sepik, Markham, & Upper Musa V.	1,11,82,
616.	Blue-faced Parrot-finch	<i>Erythrura trichroa sigillifera</i>	Res bre	UC-C nomadic 1000-3000m wherever forest bamboo is flowering. Has occurred in low country.	1,11,82,93,
617.	Papuan Parrot-finch	<i>Erythrura papuana</i> (0 ssp)	End	UC 1200-2600m similar range to <i>E. trichroa</i> but scarcer, 1 obs Warili Mar 04, <4 obs Ambua Oct 05,	1,11,82,111,112,
618.	White-spotted Mannikin	<i>Lonchura leucosticta</i> (0 ssp)	Res bre	SW & Trans Fly. Feeds on half-submerges grass mats & bamboo, 40 obs Kiunga May 05,	1,82,111,112,
619.	Streak-headed Mannikin	<i>Lonchura tristissima</i> (3 ssp)	End + satellites	UC along grassy streams & clearings in forests L<1600m. Not	1,11,82,133,

620.	Grey-banded Mannikin	<i>Lonchura vana (0 ssp)</i>	End	in Gulf or distal half of SE peninsula. UC. 1989 Bituni Bay, 141, Obs at Sorong 15.7.2011,
621.	Grey-headed Mannikin	<i>Lonchura c. caniceps, scratchleyana kumusii</i>	End	Anggi Lakes, Arfak & Tamrau Mtns 1900m 1,82,112, MC-C #'s fluctuate & is nomadic POM Savanna & Popondetta 1,11,72,82, Dist. C. 2 feeding flocks POM. <1400m.
622.	Grey-crowned Mannikin	<i>Lonchura nevermanni (0 ssp)</i>	End	LMC-C in tall grass Lwr Fly R. W to Kurik. 1,11,112,
623.	Grand Mannikin	<i>Lonchura grandis (4 ssp)</i>	End	LMC-C in grasslands of N NG from Mamberambo R to coastal CP <1280m. C in small flocks. 1 rec Oro Bay. 1,11,72,82,
624.	Black Mannikin	<i>Lonchura stygia (0 ssp)</i>	End	LC in reeds & rice grass of W Trans-fly, Kurik & Mandum to L. 1,11,82,111, Daviumbu. LVC. 2+ obs Kiunga May 05, 112,
625.	Hooded Mannikin	<i>Lonchura spectabilis mayri, wahgiensis</i>	Res bre	LC in Jayapura, Sepik, Huon Mtns, L. Kopiago, Koroba, Tari to 1,11,82,111, Aseki & Wau & N to Baiyer, Jimi & Simbai Valleys. Mid mtns <2450m. C in Wahgi V. Obs Ambua Mar 04, 1 obs Mendi,
626.	Chestnut-breasted Mannikin	<i>Lonchura castaneothorax (4 ssp)</i>	Res bre	UC-LMC #'s fluctuate & nomadic. Nth & SE NG from 1,11,72,81, Geelvink Bay- Bereina. MC POM 1943. 82,
627.	Black-breasted Mannikin	<i>Lonchura t. teerinki</i>	End	Central Snow Mtns. Favours old garden sites 1,82,
628.	Western Alpine Mannikin	<i>Lonchura montana (0 ssp)</i>	End	C 3200-2800m Snow Mtns E to Star Mtns. (W. Papua) & Mt 1,11,77,82,112, Capella
629.	Eastern Alpine Mannikin	<i>Lonchura monticola (0 ssp)</i>	End	C 2750-3900m Wharton & Owen Stanley Ra- Myola grasslands. 1,11,82,112, C in alpine grasslands.
630.	House Sparrow	<i>Passer d. domesticus</i>	Introd	1 st rec. Dec 1976. Small numbers in Port Moresby, 6 Mendi Mar 2,4,5,11,111, 2004, F Lae 1998, <17 at PAU 2001, 2F obs Sorong 4Jan 1994, 112, 114, 119,
631.	Tree Sparrow	<i>Passer montanus</i>	Introd	2 obs 12-13 Feb 1997 Amamapare near Timika, 4 obs Ela Beach 119, 125, 141, 4/2009, obs Sorong 15.7.2011, C Sorong & Harb, + Nimbokrang 142, Oct 2012,
632.	Mountain Firetail	<i>Oreostruthus fuliginosus (3 or 4 ssp)</i>	End	UC & patchy. Snow Mtns, Hindenburg Mtns, Porgera, Tari Gap, Mt Hagen, Mt Giluwe, & Wharton Ra to Myola. 1,11,82,
633.	Crimson Finch	<i>Neochmia phaeton evangelinae</i>	Res bre	LMC-C in S Trans-Fly tall grass, reeds gardens & rice fields. 1,11,82,
634.	Singing Starling	<i>Aplornis cantoroides (0 ssp)</i>	Res bre	MC-C forest edges, savanna & gardens of lowlands <1740m. 1,11,82,112, Not Trans-Fly UC. VC at Wahgi R. @ 1300m
635.	Metallic Starling	<i>Aplornis metallica metallica</i>	Res bre	MC-VC in forests, gardens & clearings < 1100m including 1,11,72,82, Trans-Fly.
636.	Yellow-eyed Starling	<i>Aplornis mystacea (0 ssp)</i>	End	Lowland forest from Upper Fly R. to Mimika R then N to 1,11,82,112, Geelvink Bay, Poss LC. Nest colony Elevala Flocks Fly Jul 06,
637.	Common Starling	<i>Sturnus vulgaris ssp?</i>	Vag	1 Waigani Sewage Oct 1970. 3 Waigani Sewage Oct 1970. 1,11,78,79, 1 PAU 18-28 Nov 2002.
638.	Golden Myna	<i>Mino a. anais, orientalis & robertsoni</i>	End + Salawati	MC-C in lowlands with tall trees < 100-570m. Not in Trans-Fly or SE. 1,11,81,82,
639.	Yellow-faced Myna	<i>Mino dumontii dumontii</i>	Res bre	MC-C in lowland forest remnant patches & clearings < 800m 1,11,72,82,
640.	Hill Myna	<i>Mino religiosa</i>	?	1 st record Cowa Bush Camp, WP, 07 49 20s 142 52 60e 25m 79, alt. Black bird all over except for white wing patch. Legs bright orange, larger and more dumpy than Yellow-faced Myna. Perched sideways on palm trunk then fed on palm fruit. Soft cheep whistle when flying - no "wind noise" from wings as in 2 local mynas. Having no head wattles, thought to be juv Hill

641.	Brown Oriole	<i>Oriolus szalayi</i> (0 ssp)	End + satellites	Myna. C in disturbed lowlands and forest < 1200m except Sthn Trans-Fly. UC inland. C in mangroves	1,11,72,82,
642.	Olive-backed Oriole	<i>Oriolus sagittatus magnirostris</i>	Res bre?	LC in Sthn. Trans-Fly. MC in savanna	1,11,82,
643.	Green Oriole	<i>Oriolus flavocinctus mülleri</i>	Res bre?	C in Sthn. Trans-Fly–Bensbach area.	1,11,82,
644.	Figbird	<i>Sphecotheres viridis salvadorii</i>	Res bre	LC in savanna gardens, mangroves, coconuts. POM Distr. Milne Bay. Only 1 flock sighted <50/flock POM.	1,11,72,82,
645.	Mountain Drongo	<i>Chaetorhynchus papuensis</i> (0 ssp)	End	UC-MC in hill forests 200-1600m on all ranges.	1,11,81,82,112,
646.	Spangled Drongo	<i>Dicrurus hottentottus carbonarius & bracteatus</i>	Res bre	C in natural and planted lowland forests <600/1450m. C in jungle edge.	1,11,72,82,
647.	Magpie-lark	<i>Grallina cyanoleuca</i> (0 ssp)	Res bre	A in restricted range in Bensbach area.	1,11,112,
648.	Torrent-lark	<i>Grallina bruijnii</i> (0 ssp)	End	UC in small rocky swift flowing streams 450-2300m 2 Ei Crk	1,11,82,90,109,112,
649.	White-breasted Wood-swallow	<i>Artamus leucorhynchus</i> (2 ssp)	Res bre	MC-LC in lowlands <650m Sogeri, <1100m Wau, <1680m Ukarumpa.	1,11,72,82,
650.	Great Wood-swallow	<i>Artamus maximus</i> (0 ssp)	End	UC-MC in clearings and gardens >600 <2600m.	1,11,81,82,112,
651.	Black-faced Wood-swallow	<i>Artamus cinereus venustus</i>	Res?Vag?	R in S Trans-Fly. 5+ records Mar-Nov. 1 rec.	1,11,82,
652.	Hooded Butcherbird	<i>Cracticus c. cassicus</i>	End + satellites	MC-C in clearings, open forests, remnant forests or patches of woodland. Lowlands < 650m or locally <1450m. Small territory.	1,11,72,82,
653.	Black-backed Butcherbird	<i>Cracticus m. mentalis</i>	Res bre	MC-C in S Trans-Fly and POM district <600m at Sogeri.	1,11,72,82,
654.	Black Butcherbird	<i>Cracticus q. quoyi</i>	Res bre	UC in forests and mangroves <1300m V Patchy in Trans-Fly	1,11,82,
655.	Australian Magpie	<i>Gymnorhina tibicen papuana</i>	Res bre	UC-LMC in S. Trans-Fly. MC.	1,11,82,
656.	Lowland Peltops	<i>Peltops blainvillii</i> (0 ssp)	End + satellites	LMC in forests & clearings with emergent trees < 600m Not S Trans-Fly. UC, 2 obs Oct 2012 Nimbokrang,	1,11,81,112,142,
657.	Mountain Peltops	<i>Peltops montanus</i> (0 ssp)	End	LMC-C in forest clearings 600-2400m all Mtns but not all suitable habitat.	1,11,112,
658.	White-eared Catbird	<i>Ailuroedus buccoides</i> (4 ssp)	End + satellites	UC in lowlands < 800m but not in much of the Trans-Fly. MC. Heard 2 days Keki Mar 04,	1,11,82,111,
659.	Spotted Catbird	<i>Ailuroedus melanotis</i> (8 ssp)	Res bre	UC-MC in forests on hills & low Mtns 600m-1700m.+ on S Trans-Fly, Heard 2 days Keki Mar 04,	1,11,82,111,
660.	Archbold's Bowerbird	<i>Archboldia p. papuensis & sanfordi</i>	End	R-LMC in Wissel Lakes, Ilaga V., Nassau Ra. 2850-3660m), Bele R., L.Habbema & N slopes Oranje Mtns (2150-2800m), {All W. Papua} Tari Gap, Ambua Ra., SHP (2600-2800m), N-SW slopes Mt Giluwe,(1800-2750m), SW Mt Hagen (2590-2750m), 3 Kumul Lodge Jun 05,	1,11,111,
661.	Vogelkop Bowerbird	<i>Amblyornis i. inornatus</i>	End	Vogelkop 1000-2000m, 1 st Desc 1871, 3 obs+3 bowers 2012,	1,81,82,143,
662.	Macgregor's Bowerbird	<i>Amblyornis macgregoriae</i> (3 ssp)	End	MC in Mtn Forest 1050-2800m mainly 1600-2300m Weyland Mtns to E, + Huon Mtns & Mt Bosavi. C but shy.	1,11,82,
663.	Streaked Bowerbird	<i>Amblyornis s. subalaris</i>	End	LMC in Mtns far SE: Mt Simpson-Mt Moiba area & W to Mt Suckling	1,11,81,82,
664.	Golden-fronted Bowerbird	<i>Amblyornis flavifrons</i> (0 ssp)	End	Foya Mtns 1000 – 2000m 4 sp origin?	1,82,112,
665.	Black-faced (Masked) Bowerbird	<i>Sericulus aureus</i>	End	UC at 850-1400 in central mtns & N coast range.	1,11,81,82,95,
666.	Flame Bowerbird	<i>Sericulus ardens</i>	End	UC in forest and forest patches in savanna lowlands <760m 2 obs Arfak Mtns Oct 2012,	1,11,81,82,95,134,

667.	Fire-maned Bowerbird	<i>Sericulus bakeri</i> (0 ssp)	End	R-UC in Adelbert Mtns 900-1450m in forest & fruiting trees in regrowth. 3 M Coll. 1928.	1,11,95,97,112,
668.	Yellow-breasted Bowerbird	<i>Chlamydera l. laughterbachi & uniformis</i>	End	LMC in lowlands & mid Mtns Siriwo R to Okapa area EHP. + Kamura R. Wahgi, Baiyer, Tsau, Asaro (highlands) Ramu R., Mid & Lwr Sepik. LA. <12 a day Baiyer R Aug 1999,	1,11,82,111,
669.	Fawn-breasted Bowerbird	<i>Ptilonorhynchus cerviniventris</i> (0 ssp)	Res bre	LMC-C on coast of E NG, to Humboldt Bay in Nth. & Sthn Trans-Fly. C.	1,11,82,112,
670.	Lesser Melampitta	<i>Melampitta lugubris</i> (3ssp)	End	LMC-C in Mtn forest 1150-3500m on central Mtns, Vogelkop & Huon. C Wharton Ra..	1,11,81,82,
671.	Greater Melampitta	<i>Melampitta gigantea</i> (0 ssp)	End	R & V local: Arfak, Vogelkop, Fakfak, Kumawa, Bomberai, Mtns, Utakwa & Setkwa R., Snow, Torricelli, MTns, Mt Mura. 126,	1,11,82,112,
672.	Crested Bird of Paradise	<i>Cnemophilus macgregorii</i> (3 ssp)	End	Mostly Karst. Obs Tabubil 15 Aug 2010, MC 2300-3650m Star Mtns (W. Papua), Tari gap, Mt Giluwe, Mt Hagen, Kubor Ra., Bismarck Ra., E. Highlands, Ekuti Divide, Wharton, Owen Stanley Ra. as far as Mt Knutsford.	1,11,82,
673.	Loria's Bird of Paradise	<i>Cnemophilus loriae</i> (2 or 3 ssp)	End	UC-MC central ranges Weyland to far SE. 1200-2800m.	1,11,82,
674.	Yellow-breasted Bird of Paradise	<i>Loboparadisea sericea sericea & aurora</i>	End	R-LC central ranges: Weyland Mtns – Kuper Ra. 625-200m.	1,11,82,
675.	Macgregor's Bird of Paradise	<i>Macgregoria pulchra pulchra & caroliniae</i>	End	MC 3200-3700m Snow, Star, Wharton, & Owen Stanley Ra.	1,11,82,
676.	Glossy-mantled Manucode	<i>Manucodia a. atra & subalter</i>	End + satellites	MC lowlands < 900m in remnant forests, forest edges, thick savanna. C.	1,11,72,82,
677.	Crinkle-collared Manucode	<i>Manucodia chalybata</i> (0 ssp)	End + Misool	UC or Absent in lowlands, MC in hills <1500m. Not in NE of Trans-Fly.	1,11,82,112,
678.	Jobi Manucode	<i>Manucodia jobiensis rubiensis</i>	End + Japen	LC in lowland & hill forests < 760m. Geelvink Bay-Astrolab Bay, & Ramu. C.	1,11,82,
679.	Trumpet Manucode	<i>Manucodia keraudrenii</i> (6 ssp)	Res bre	MC-C in lowlands <2000m but not in Lowlands in Nth. or S Trans-Fly. C.	1,11,72,81,82,98,
680.	Long-tailed Paradigalla	<i>Paradigalla c. carunculata & intermedia</i>	End	Arfak & W Snow Mtns 1400 – 2200m. UC,	1,81,82,112,
681.	Short-tailed Paradigalla	<i>Paradigalla brevicauda</i> (0 ssp)	End	UC-LMC in Mtns of Cen NG. Weyland & Snow-Bismarck Ra & Mt Karimui. UC,	1,11,82,112,
682.	Magnificent Riflebird	<i>Ptiloris m. magnificus & intercedens</i>	Res bre	MC-C in lowlands < 600-1740m. Not in Sthn Trans-Fly. MC.	1,11,81,82,
683.	Twelve-wired Bird of Paradise	<i>Seleucidis m. melanoleuca & auripennis</i>	End + Salawati	MC in Swamp forest in N from Mamberambo R.-Ramu & Astrolabe Bay. In Sth W Vogelkop to Milne Bay and N to almost Goodenough Bay. LC.	1,11,82,
684.	Buff-tailed Sicklebill	<i>Epimachus albertisi</i> (4 ssp)	End	UC 600-2250m Vogelkop, Kumawa, Wandammen & Gauttier & Huon Mtns & central range to SE. MC	1,11,81,82,
685.	Pale-billed Sicklebill	<i>Epimachus bruijnii</i> (0 ssp)	End	LMC but Disc 1983. Lowlands <180m W. Sepik - E side Geelvink Bay. Much feeding on ground. 2M V animo Sep 00, MC at Noau & Kasiwa, W. Papua 2007.	1,11,80,81,112,130,
686.	Black Sicklebill	<i>Epimachus fastuosus</i> (3 ssp)	End	R-UC in Mid montane forests of central Ra. of W. & Cen. NG to Bismarck Ra. & Mt. Karimui, + Vogelkop, Wandammen, Bewani, & Mt Bosavi. Hybrid, MC. Obs Vogelkop Oct 2012,	1,11,81,82,143,
687.	Brown Sicklebill	<i>Epimachus meyeri</i> (4 ssp)	End	UC-C in central ranges Weyland Ra. to SE. 1525-3200m or <2100m where <i>E. fastuosus</i> occurs. C.	1,11,82,
688.	Arfak Astrapia	<i>Astrapia nigra</i> (0 ssp)	End	Arfak Mtns 1700 – 2250m 1 sight rec Tamrau Mtns MC.	1,81,82,112,
689.	Splendid Astrapia	<i>Astrapia s. splendidissima eliottsmithi helios</i>	End	MC 1700m to limit of trees, From Victor Emanuel, Hindenburg & Star Mtns W to Snow, Nassau & Weyland Mtns.	1,11,112,

690.	Ribbon-tailed Astrapia	<i>Astrapia mayeri</i> (0 ssp)	End	C from Mt Hagen & Mt Giluwe W to both sides of Strickland R. MC.	1,11,82,112,
691.	Stephanie's Astrapia	<i>Astrapia stephaniae</i> (3 ssp)	End	MC-C in central Ra of PNG from Schrader Ra to SE. 1500-2800m C.	1,11,82,
692.	Huon Astrapia	<i>Astrapia rothschildi rothschildi</i>	End	UC >1460m C 1600-3500m, on Huon Pen.	1,11,82,
693.	Superb Bird of Paradise	<i>Lophorina superba</i> (8 ssp)	End	C on central Mtns, Vogelkop, Wandammen, Adelbert & Huon Mtns. C. Lesson procured it at Dorey Harbour.	1,11,81,82,88,
694.	Wahnes' Parotia	<i>Parotia wahnesi wahnesi</i>	End	LC in Huon & Adelbert Mtns. 1100-1700m.	1,11,82,
695.	Western Parotia	<i>Parotia sefilata</i> (0 ssp)	End	Mtns Vogelkop & Wandammen Pens. 1400 – 1800m	1,81,82,112,
696.	Carola's Parotia	<i>Parotia carolae</i> (6 ssp)	End	UC-LC Weyland Mtns to Hunstein, Schrader & Bismarck Ra's. Also Hindenburg Ra & OkTedi area. Mt Giluwe? Kubor Mtns? Ubai Gubi? LUC, berlepschi in Foya Mtns,	1,11,82,102,
697.	Lawes' Parotia	<i>Parotia l. lawesii, fuscior, & helenae</i>	End	MC-C 1200-1900m on central ranges of PNG.	1,11,81,82,
698.	King of Saxony Bird of Paradise	<i>Pteridopora alberti</i> (3 ssp)	End	VLMC central ranges from Weyland & Snow Mtns E to Kratke Ra.	1,11,82,
699.	King Bird of Paradise	<i>Cicinnurus regius</i> (4 ssp)	End + satellites	C in lowlands & foothills, UC 300-1150m except much of Trans-Fly. C, MC. Solitary.	1,11,81,82,88, 98,
700.	Magnificent Bird of Paradise	<i>Cicinnurus magnificus</i> (4 ssp)	End + satellites	MC-C in forests 400-1200m on all ranges. C.	1,11,81,82,
701.	Raggiana Bird of Paradise	<i>Paradisaea raggiana</i> (5 ssp)	End PNG	C in lowlands & hills < 1500 or 1800m. W to Huon in Nth & to Morehead, Ningerum & Ok Tedi in W. C.	1,11,81,82,
702.	Greater Bird of Paradise	<i>Paradisaea apoda novaeguineae</i>	End + Aru	MC-C From Mimika R eastwards to Upper Fly. Export to Little Tobago	1,11,82,
703.	Lesser Bird of Paradise	<i>Paradisaea m. minor & finschi</i>	End + satellites	C-VC Weyland Mtns & Etna Bay – Ramu R. Lowlands & hills <1550m. LC Manimeri R. W Papua,	1,11,81,82,133,
704.	Emperor Bird of Paradise	<i>Paradisaea guilielmi guilielmi</i>	End	C 450-1500m in forest and disturbed areas on Huon Pen. C,	1,11,82,
705.	Blue Bird of Paradise	<i>Paradisaea rudophi</i> (3 or 4 ssp)	End PNG	MC-C Primary Oak forest 1100-2000m central ranges Mt Hagen-SE. Tapuka bird shangied for \$, M at Warili Oct 05,	1,11,82,111,
706.	Brown-headed Crow	<i>Corvus fuscicapillus fuscicapillus</i>	Res bre	Lwr Amberambo R. Obs at Kasiwa & Pitohui Camps 2007,	1,82,130,
707.	Grey Crow	<i>Corvus tristis</i> (0 ssp)	End + satellites	LMC in primary rain & swamp forests <1500m. Except Sthn Trans-Fly. MC.	1,11,82,112,
708.	Torresian Crow	<i>Corvus orru orru & salvadorii</i>	Res bre	LC in savanna & open areas <650m at Sogeri. V coastal except up Sepik and Fly rivers & Bensbach region. Obs Sorong 2012,	1,11,72,142,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in red for the Brown Booby refers to the Ref # in Red for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Beehler, B.M., T.K. Pratt & D.A. Zimmerman. 1986. **Birds of New Guinea**. Princeton University Press, Princeton.

2. Ashford, R.W. 1977. First record of House Sparrow for PNG. *Emu* 78(1): 36.
3. Barwick, G.F. 1930. **New light on the discovery of Australia.** Lond. Henry Stevens & Stiles. In PNBSN
4. Eddie, B. 1990. Recent Sightings. *Papua New Guinea Bird Society Newsletter* 260: 1.
5. Hicks, R.K. 1986. Female House Sparrow *Passer domesticus* on Paga Hill, Port Moresby. A second record for PNG. *Muruk* 1: 91.
6. Gregory, P. 1994. Yellow-billed Spoonbill (*Platalea flavipes*) at Bensbach. *Muruk* 6(3), 45.
7. Bishop, K.D. 1995. Yellow-billed Spoonbill (*Platalea flavipes*): A new species for Papua New Guinea. *Muruk* 7(1), 48.
8. Finch, B.W. 1986. Baird's Sandpiper (*Calidris bairdii*) at Kanosia Lagoon – First record for the New Guinea region. *Muruk* 1(3), 86-89.
9. Finch, B.W. 1984. Long-billed Dowitcher (*Limnodromus scolopaceus*) at Aroa Lagoon, Central Province: First record for New Guinea and entire Australasian region. *Papua New Guinea Bird Society Newsletter* 212, 6-9.
10. Coates, B.J. 1985. **The Birds of Papua New Guinea, Vol 1. Non-passerines.** Dove Pub. Alderley, Qld. Australia.
11. Coates, B.J. 1990. **The Birds of Papua New Guinea, Vol 2. Passerines.** Dove Pub. Alderley, Qld. Australia.
12. Hudson, R. & Conroy, J.W.H. 1975. Southern Giant Petrel in New Guinea. *Emu* 75, 43-44.
13. Coates, B.J. & Swainson, G.W. 1978. Notes on the birds of Wuvalu Island. *Papua New Guinea Bird Society Newsletter* 145: 1-9.
14. Finch, B. W. 1983. The shearwaters of Cape Suckling and the possibility of Hutton's Shearwater soon being added to the New Guinea list. *PNG Bird Society Newsletter* 203, 5-7.
15. Tarburton, M.K. Personal Observations 1997-2005.
16. Hoogerwerf, A. 1964. On birds new for New Guinea or with a larger range than previously known. *Bull. Brit. Ornith. Club.* 84, 70-77; 94-96; 118-124; 142-148; 153-161.
17. Bell, H.L. 1967. Bird life of the Balimo Sub-district, Papua. *Emu* 67, 57-79.
18. Wolfe, T. 1968. *Dendrocygna eytoni* (at Waigani Sewage Ponds). *PNG Bird Society Newsletter* 35, 2.
19. Ripley, S.D. 1964. A systematic and ecological study of birds of New Guinea. *Bull. Peabody Mus. Nat. Hist.* 19, 1-85.
20. Seale, J. 1977. Observations and bird notes (Grey Teal). *PNG Bird Society Newsletter* 136, 4.
21. Gyldenstolpe, N 1955b. Birds collected by Dr Sten Bergman during his expedition to Dutch New Guinea 1948-1949. *Ark. Zool.* Ser 2, 8, 183-397.
22. Heron, S.J. 1978. Waders of the Bereina District, Papua New Guinea. *PNG Bird Society Newsletter* 142, 5-7.
23. Rand, A.L. 1942a. Results of the Archbold Expeditions No. 42, Birds of the 1936-1937 New Guinea Expedition. *Bull. Amer. Mus. Nat. Hist.* 79, 289-366.
24. Rand, A.L. 1942b. Results of the Archbold Expeditions No. 43, Birds of the 1936-1937 New Guinea Expedition. *Bull. Amer. Mus. Nat. Hist.* 79, 425-515.
25. Mayr, E. & Rand, A.L. 1937. Results of the Archbold Expeditions No. 14, Birds of the 1936-1937 New Guinea Expedition. *Bull. Amer. Mus. Nat. Hist.* 73, 1-248.
26. Schodde, R. & W.B. Hitchcock 1968. Contributions to Papuasian Ornithology. 1. Report on the birds of the Lake Kutubu area, Territory of Papua New Guinea. CSIRO Div. Wildl. Res. Tech. Pap. 13, 1-73.
27. Stronoch, N. 1981. Grey Falcon *Falco hypoleucos* at Bensbach, Western Province. A new species for the New Guinea Region. *PNG Bird Society Newsletter* 178, 5.
28. Finch, B.W. 1981. Sight record of a probable grey falcon *Falco hypoleucos* on the Aroa plains (Central Province). *PNG Bird Society Newsletter* 175, 11-13.
29. Gilliard, E.T. & M. Lecroy. 1961. Birds of the Victor Emmanuel and Hindenburg Mountains, New Guinea. Results of the Amer. Mus. Nat. Hist. Expedition to New Guinea in 1954. *Bull. Amer. Mus. Nat. Hist.* 123, 1-86.
30. Diamond, J.M. 1969. Preliminary results of an ornithological exploration of the North coastal Range, New Guinea. *Amer. Mus. Nat. Hist. Novitates* 2362, 1-57.
31. Mayr, E. 1941. List of New Guinea Birds. *Amer. Mus. Nat. Hist.*. New York.
32. Glydenstolpe, N. 1955a. Notes on a collection of birds made in the Western Highlands, Central New Guinea, 1951. *Ark Zool.*, ser. 2; 8, 1-181.
33. Coates, B.J. & Lindgren, E. 1978. Ok Tedi Birds. Report of a preliminary survey of the avifauna of the Ok Tedi area, Western Province, Papua New Guinea. Prepared for the *Ok Tedi Environmental Task Force*. Ok Tedi Development Co/Office of Environment and Conservation, Papua New Guinea.
34. Campbell, R.G. 1981. Observations of birds from the western side of the Southern Highlands. *PNG Bird Society Newsletter* 179, 37-40.
35. Lindgren, E. 1971. Records of new and uncommon species for the island of New Guinea. *Emu* 71, 134-136.
36. Finch, B.W. 1980a. Bensbach. *PNG Birds Society Newsletter* 171, 17-33.
37. Coates, B.J. 1972. Redshank near Port Moresby – a new bird for New Guinea. *PNG Bird Society Newsletter* 81, 3.
38. Watson, J.D., W.R. Wheeler, & E. Whitbourne. 1962. With the RAOU in Papua New Guinea, October 1960. *Emu* 62, 31-50; 67-98.
39. Heron, S.J. 1977a. First New Guinea record of the Asian Dowitcher. *PNG Bird Society Newsletter* 129, 9.
40. Heron, S.J. 1977b. The Knot – second record for the New Guinea area. *PNG Bird Society Newsletter* 131, 8.
41. Finch, B.W. 1982. Annotated list of birds in the zones Vanapa-Veimauro and Kanosia-Cape Suckling. *PNG Bird Society Newsletter* 197, 11-37.
42. Finch, B.W. 1980b. First Record of Little Stint *Calidris minuta* for Papua New Guinea. *PNG Bird Society Newsletter* 163, 10-15.
43. Finch, B.W. 1983a. Little Stint *Calidris minuta* at Aroa Lagoon C.P. Second record for the New Guinea Region. *PNG Bird Society Newsletter* 201, 3-4.

44. Mordue, T.M. 1981. Buff-breasted Sandpiper at Sangara, Oro Province. *PNG Bird Society Newsletter* 181, 34-35.
45. Cleland, E. 1968. Observers notes (*Phalaropus sp.*). *PNG Bird Society Newsletter* 29, 4.
46. Greensmith, A. 1975. Some notes on Melanesian sea birds. *Sunbird* 6, 77-89.
47. Finch, B.W. 1981. Some observations in the Madang Province. *PNG Bird Society Newsletter* 181, 7-27.
48. Finch, B.W. & Moulten, G. 1979. Observations [Silver Gull]. *PNG Bird Society Newsletter* 151, 10.
49. King, B. 1979. New distributional records and field notes for some New Guinea birds. *Emu* 79, 146-148.
50. Finch, B.W. 1979. First Papua New Guinea record of Black-headed Gull. *PNG Bird Society Newsletter* 151, 1.
51. Finch, B.W. 1981. Second Black-headed Gull *Larus ridibundus* at Moitaka Sewage Farm. *PNG Bird Society Newsletter* 175, 7.
52. De Vos, A. 1978. Observations (Caspian Tern). *PNG Bird Society Newsletter* 148, 23.
53. Anon. 1969. Results of excursion to Papa and Lea Lea 3rd August 1969. *PNG Bird Society Newsletter* 45, 4.
54. Berggy, J. 1978. Bird observations in the Madang Province. *PNG Bird Society Newsletter* 148, 9-20.
55. Ripley, S.D. 1964. A systematic and ecological study of birds of New Guinea. *Bull. Peabody Mus. Nat. Hist.* 19, 1-85.
56. Stronoch, N. 1981. Pallid Cuckoo *Cuculus pallidus*, a new species for Papua New Guinea. *PNG Bird Society Newsletter*. 181, 23.
57. Heron, M. 1977. Observations and bird notes [Red-necked Rail; Narrow-billed Bronze-Cuckoo]. *PNG Bird Society Newsletter*. 134, 3.
58. Rand, A.L. 1942. Results of the Archbold Expeditions. No 42, Birds of the 1936-1937 New Guinea Expedition. *Bull American Mus. Nat. Hist.* 79, 289-366.
59. Lindgren, E. 1975. **Papua New Guinea Birds**. Robert Brown & Associates, Port Moresby.
60. Lindgren, E. 1975. **Wildlife in Papua New Guinea**. Golden Press. Sydney.
61. Stronoch, N. 1981. Observations (White-throated Nightjar). *PNG Bird Society Newsletter* 128, 12.
62. Hamilton, S.G., J. Erico & M.K. Tarburton. 2001. Notes on the sixth specimen record of the Three-toed Swiftlet *Aerodramus papuensis* in Papua New Guinea. *Corella* 25, 12-14.
63. Thompson, H.A.F. 1979. First Australasian record of Sand Martin *Riparia riparia*. *PNG Bird Society Newsletter* 151, 6-7.
64. Bell, H.L. 1979. Possible occurrence of Sand Martin at Finschhafen. *PNG Bird Society Newsletter* 155, 12.
65. Finch, B.W. 1980. Welcome Swallow *Hirundo neoxena* at Aroa Lagoon, Central Province: a new species for the New Guinea Region. *PNG Bird Society Newsletter* 173, 4-5.
66. Finch, B.W. 1984. Welcome Swallows *Hirundo neoxena* at Hisiu Lagoon – second record for the New Guinea region. *PNG Bird Society Newsletter* 212, 4-5.
67. Filewood, L.W. 1974. A new bird for Papua New Guinea (the Red-rumped, Dauian or Mosque Swallow). *PNG Bird Society Newsletter* 104, 3-4.
68. Finch, B.W. 1983. Siberian Rubythroat *Erithacus calliope*, a new species for the Australasian region. *PNG Bird Society Newsletter* 201, 31.
69. Hicks, R.D. & B.W. Finch. 1987. Blue Rock Thrush on Paga Hill, Port Moresby. First record for the Australian Region, east of the Moluccas. *Muruk* 2, 66-67.
70. Pearson, D.L. 1975. Survey of the birds of a lowland-forest plot in the East Sepik District, Papua New Guinea. *Emu* 75, 175-177.
71. Filewood, L.W. 1969. Observations (birds at Orangerie Bay). *PNG Bird Society Newsletter* 41, 5.
72. Tubb, J.A. 1945. Field notes on some New Guinea birds. *Emu* 44, 249-273.
73. Clapp, G.E. 1979. Preliminary report on the flycatcher *Microeca flavigaster* and the honeyeater *Melithreptus albogularis* in eucalyptus trees in the northern province of Papua New Guinea. *PNG Bird Society Newsletter* 159, 6-8.
74. Clapp, G.E. 1980. Speculation on the occurrence of some birds in the Musa Valley and Oro Bay/Pongani eucalyptus and associated savannah areas of the Northern Province of Papua New Guinea: recent invaders or relict populations from the last glaciation. *PNG Bird Society Newsletter* 173, 20-32.
75. Iredale, T. 1956. *Birds of New Guinea*. 2 vols. Georgian House Melbourne.
76. Bell, H.A. 1970. Field notes on the birds of the Nomad River Sub-district, Papua. *Emu* 70, 97-104.
77. Flannery, T. 1987. Journey to the stars. *Australian Natural History* 22, 245-249.
78. Layton, A. 1971. Observations (Common Starling) *PNG Bird Society Newsletter* 61, 1.
79. Tarburton, M.K. 2002. PAU personal observations.
80. Whitney, B.M. 1987. The Pale-billed Sicklebill *Epimachus bruijnii* in Papua New Guinea. *Emu* 87, 244-246.
81. Gould, J. & A. Rutgers. 1970. **Birds of New Guinea**. Methuen. London.
82. Rand, A.L., & E.T Gilliard. 1967. **Handbook of New Guinea Birds**. Weidenfeld & Nicolson, London.
83. Iredale, T. 1956. **Birds of New Guinea. Vol. 1**. Georgian House, Melbourne.
84. Hoyo, J del., A. Elliott & J Sargatal. 1994. **Handbook of the Birds of the World** Vol. 2. Lynx Edicions / Birdlife International.
85. Hoyo, J del., A. Elliott & J Sargatal. 2001. **Handbook of the Birds of the World** Vol. 6. Lynx Edicions / Birdlife International.
86. Tubb, J.A. 1945. Field Notes on some New Guinea Birds. *Emu* 44: 249-273.
87. Rowley, I. 1974. Bird Life. P. 213. Book Club Associates/Collins. Sydney.

88. Maunder, S. 1854. **The Treasury of Natural History**. Longman, Brown, & Green. London.
89. Mack, A.L. & E. Scholes III. 2003. Nesting Activity of Wallace's Fairy Wren *Sipodotus wallacii* in Crater Mountain, Papua New Guinea. *Bull. B. O. C.* 123(3): 177-181.
90. Orenstein, R.I. 1975. Observations and comments on two stream-adapted birds of Papua New Guinea. *Bull. B.O.C.* 95(4): 161-165.
91. Bell, H.L. 1966. Some wader observations from New Guinea. *Emu* 66, 32.
92. Ramsay, E.P. 1884. Descriptions of two new species of birds from the Austro-Malayan region. *Proc. Linn. Soc. NSW.* 9, 863-864.
93. Bell, H.L. 1970. Distribution of the Blue-faced Parrot-Finch. *Emu* 70, 32.
94. Bell, H.L. 1970. Field notes on birds of the Nomad River Sub-district, Papua. *Emu* 70: 97-104.
95. Bell, H.L. 1970. The Flamed Bowerbird *Sericulus aureus*. *Emu* 70, 64-68.
96. Thompson, M.C. 1964. Two new distributional records of birds from the southwest Pacific. *Ardea* 52, 121.
97. Chapin, J.P. 1929. A new Bowerbird of the genus *Xanthomelus*. *Amer. Mus. Novit.* 367, 1-3.
98. Mayr, E. 1941. Birds collected during the Whitney South Sea Expedition. 45. Notes on New Guinea Birds 8. *Amer. Mus. Novit.* 1133, 1-8.
99. Mayr, E. 1938. Birds collected during the Whitney South Sea Expedition. 40. Notes on New Guinea birds. 5. *Amer. Mus. Novit.* 1007, 1-16.
100. Mayr, E. 1955. Notes on the birds of Northern Melanesia. 3. Passeres. *Amer. Mus. Novitates* 1707: 1-46.
101. Mayr, E. & S. Camras. 1938. Birds of the Crane Pacific Expedition. *Publ. Field Mus. (Zool.)*, 20, 453-473.
102. Beehler, B. 2006. http://www.birdlife.org/news/news/2006/02/new_guinea.html & <http://news.bbc.co.uk/2/hi/science/nature/4688000.stm>
103. Valenzuela, G. & D. James. 2006. Christmas Island Birding Guide. Islander Explorer Holidays.
104. Finch, B.W. 1986. Black Tern *Chlidonias niger* at Moitaka Settling Ponds, Central Province – First record for the New Guinea region. *Muruk* 1, 27-29.
105. Mack, A. L. & S. Oppel. 2006. Nidification of Dwarf Whistler *Pachycare flavogriseum*, a little-known New Guinea endemic. *Bull. B.O.C.* 126, 61-64.
106. Boles, W.E. 2007 *In* Hoyo, J. A. Elliott, & D Christie. 2007. Handbook of the Birds of the World Vol 12. Lynx Edicions. Barcelona.
107. Coates, B.J., G.C.L. Dutton, & C.E. Filardi. 2006. Monarch-Flycatchers. *In* Hoyo, J. A. Elliott, & D Christie. 2006. **Handbook of the Birds of the World Vol 11**. Lynx Edicions. Barcelona.
108. Bairlein, F. 2006. Old World Warblers. *In* Hoyo, J. A. Elliott, & D Christie. 2006. **Handbook of the Birds of the World Vol 11**. Lynx Edicions. Barcelona.
109. Iredale, T. 1956. Birds of New Guinea. V. 2. Georgian House. Melbourne.
110. Gregory, P. 2007. Notes on the Papuan Hawk-Owl (*Uroglaux dimorpha*). *Muruk* 8(3), 144-145.
111. Gregory, P. (Ed). 2007. Significant Sightings from Tour Reports. *Muruk* 8(3), 99-127.
112. Howard, R. & A. Moore. 1980. A complete Checklist of the Birds of the World. Oxford. Oxford Univ.
113. Purchase, D. 1976. Banding News. *PNGBS Newsletter* 121, 3.
114. Tolhurst & Tarburton Bird Checklist of Pacific Adventist University. WWW.Birdsofmelanesia.net
115. Tarburton, M. First Wedge-tailed Eagle seen in Port Moresby District. *Australian Birding* 5(4), 28.
116. Miller, A.H. 1964. A new species of warbler from New Guinea. *Auk* 81, 1-4.
117. Beehler, B.M. 1978. The status of *Sericornis nigroviridis*. *Condor* 8, 115-116.
118. Salomonsen, F. 1983. Revision of the Melanesian Swiftlets (*Apodes, Aves*) & their Conspecific Forms in the Indo-Australian and Polynesian Region. *Noona Dan Papers* No. 141.
119. Holmes, D.A. & P. Gregory. 1997. Records of House Sparrows in Irian Jaya. *Kukila* 9, 182-183.
120. Gregory, P, I. Burrows, R. Burrows & G. Burrows. 1996. Blue Rock-thrush at Manokwari, a new record for Irian Jaya. *Kukila* 8, 154.
121. Bishop, K.D. & J.M. Diamond. 1987. The Black-headed Gull *Larus ridibundus* in Irian Jaya. *Kukila* 3(1-2), 45-46.
122. Rothschild, W. 1895. On *Salvadorina waigeuensis* Rothschild & Hartert. *Novitates Zoologicae* 2, 22.
123. Gregory, P. 2004. Sicklebill Safaris Papuan New Guinea Substitute Tour March 7th – 25th 2004. Tour Report.
124. Erftemeijer, P.L.A. & Allen, G.R. 1989. Bird observations at Danau Kuru Moi, Irian Jaya. *Kukila* 4(3-4), 153-155.
125. Gregory, P 2009. Eurasian Tree Sparrows (*Passer montanus*) in PNG. *Muruk* 9(2), 96-97.
126. Hobcroft, D. 2010. Reports sent to Birdline PNG, Aug 2010.
127. Cheshire, N. 2010. Procellariiformes observed around Papua New Guinea including the Bismarck Archipelago from 1985 to 2007. *South Australian Ornithologist* 36, 9-24.
128. Bailey, S.F. 1992. Seabirds of Madang Province, Papua New Guinea, September – November 1989. *Emu* 92, 223-232.
129. Wardill, J.C. & Nando, T. 2000. Concentration of wintering Streaked Shearwaters off the Northern coast of West Papua. *Kukila* 11, 151.
130. van Balen, S., Noske, R. & Supriatna, A.A. 2009. Around the Archipelago. *Kukila* 14, 73-85.
131. Gregory, P., Burrows, I., Burrows, R & G. 1996. Red-rumped Swallow at Manokwari, a new species for Irian Jaya. *Kukila* 8, 153.
132. Andrew, P. 1993. The Birds of Indonesia, *Kukila* Checklist No. 1 Additions, Corrections and Notes -1. *Kukila* 6 (2), 47-52.

133. Erflemeijer, P., Allen, G., Kosamah, Z & S. 1991. Birds of the Bintuni Bay Region, Irian Jaya. *Kukila* 5(2), 85-98...
134. Hobcroft, D. 2011. Report to Eremaea.com 12 Sept 2011.
135. Coates, B.J. & Peckover, W.S. 2001. Birds of New Guinea and the Bismarck Archipelago: A photographic guide. Dove Pub. Alderley Qld.
136. Gregory, P. 2011. An overview of Recent taxonomic Changes and Additions to the Avifauna of New Guinea. *Muruk* 10(1), 2-40.
137. Cheshire, N. 2011. Observations of Long-tailed Skua *Stercorarius longicaudus*, South Polar Skua *Stercorarius maccormicki* and other skuas in Papua New Guinea waters. *Muruk* 10(1), 57-60.
138. King, B. 1979. New Distributional records and field notes for some New Guinean Birds. *Emu* 79, 146-148.
139. Beehler, B.M., Prawiradilaga, D.M., de Fretes, Y., & Kemp, N. 2007. A new species of Smoky Honeyeater (*Meliphagidae: Melipotus*) from Western New Guinea. *Auk* 124(3), 1000-1009.
140. Schodde, R. & Mason, I.J. 1999. The Directory of Australian Birds. CSIRO. Collingwood. + IOC.
141. Beckers, G. Jacobs, M. Raymaekers, S., & Janssen K. 2011. www.travellingbirder.com/tripreports/tripreports_redirect.php?id=12485
142. Antram, F. 2012. Eremaea Birds. www.ereamaea.com/LatestLists.aspx?Region=70 Lists 149410 & 149323 for Sorong.
143. Antram, F. 2012. Eremaea Birds: www.ereamaea.com/Lists.aspx?List=151481 , 151482, 151292, 151295, & 151106.