

Schumann (Schaumann) Is. Bird Checklist

Kimbe Bay, NB. P.N.G.

5 17 35.4s 150 05 36.9e

Compiled by M.K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[To communicate please re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Lesser Frigatebird	<i>Fregatta ariel</i>	Res	1 obs Jun 2009,	1,
2.	Common Tern	<i>Sterna hirundo</i>	Res	Obs Jun 2009,	1,
3.	Black-naped Tern	<i>Sterna sumatrana</i>	Res	2 obs 19 Jun 2009,	1,
4.	Island Imperial Pigeon	<i>Ducula pistrinaria vanwyckii</i>	Res	50+ Aug 2005,	1,
5.	Beach Kingfisher	<i>Todiramphus saurophaga</i>	Res	1 Obs 2009,	1,
6.	Collared Kingfisher	<i>Todiramphus chloris</i>	Res	3 obs on beach 2009,	1,
7.	Shining Flycatcher	<i>Myiagra alecto</i>	Res	pr ons Jun 2009,	1,
8.	Black Sunbird	<i>Nectarinia aspasia</i>	Res	obs Jun 2009,	1,
9.	Ashy Myzomela	<i>Myzomela cineracea</i>	Res	Obs Jun 2009,	1,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Bird, S, & Nichol, G. 2009.6. http://www.sunrisebirding.com/09png_web/09PNG_rpt_nopix.pdf accessed 14.7.2015,