

Wogeo Is. Bird Checklist

Schouten Group, P.N.G.

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

| # | Common Name | Scientific Name | Ecol. Status | Abundance | References |
|----|---------------------|---------------------------|--------------|--|------------|
| 1. | Spot-winged Monarch | <i>Monarcha guttula</i> | Res bre | C in Rainforest, monsoon forest & tall regrowth-quiet. | 1, |
| 2. | Black Sunbird | <i>Nectarinia aspasia</i> | Res bre | MC-C in forests and forest edges. | 1, |

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Coates, B.J. 1990. **The Birds of Papua New Guinea V. 2.** Dove Pub. Aldersley, Qld.