

# Naru Island Bird Checklist

## 630m long

### New Georgia Group: Solomon Islands

8 08 19.95s 156 55 04.30e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

[swiftlet@optusnet.com.au](mailto:swiftlet@optusnet.com.au)

[To communicate: please re-type e-mail address]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Melanesian Scrub Fowl	<i>Megapodius eremita</i>	End Bis-Sol	4 seen 14.12.2005,	1,
2.	Red Jungle Fowl	<i>Gallus gallus</i>	Intro	Heard 14.12.2005,	1,
3.	Island Imperial Pigeon	<i>Ducula pistrinaria</i>	Res	Heard 14.12.2005,	1,
4.	Collared Kingfisher	<i>Todirhamphus chloris</i>	Res bre	1 seen 14.12.2005,	1,
5.	Yellow-bellied Sunbird	<i>Nectarinia jugularis</i>	Res bre	1 heard 14.12.2005,	1,

#### KEY

##### **Ecological status**

**End** = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

##### **Abundance**

**R** = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant **P** = present.

**Colour coding** applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

**Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.**

#### REFERENCES

1. Tarburton, M.K. 2005. Personal Field Records.