

New Georgia Island (Rubiana) Bird Checklist

New Georgia Group, Solomon Islands

8 18 10s 157 37 07e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[To communicate re-type above address into e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Wedge-tailed Shearwater	<i>Ardenna pacificus</i>	Spr/Aut mig	C over deep waters during NW monsoons	18,
2.	Heinroth's Shearwater	<i>Puffinus heinrothi</i>	?	Rare ? seen offshore Moray Isles.	16,16,
3.	Lesser Frigatebird	<i>Fregata ariel</i>	Res	MC UC, Present all year, 700+ on Munda Bar am of 28/8/90 but only 70 in pm 30/7/90,	4,5,18,38,
4.	Christmas Island Frigatebird	<i>Fregata andrewsi</i>	Res	Ad. F offshore Jul 1990	17,
5.	Brown Booby	<i>Sula leucogaster</i>	Res	C inshore & offshore all year, 80 on Munda Bar 30/7, 60 on 28/8 1990,	18,38,
6.	Australian Pelican	<i>Pelecanus conspicillatus</i>	Vag	Rare	1,
7.	Little Pied Cormorant	<i>Phalacrocorax m. melanoleucos</i>	Vag	P,	1,
8.	Eastern Reef Egret	<i>Egretta sacra</i>	Res bre	Common, 2 spec. AMNH.	1,5,12,
	[Eastern Great Egret	<i>Ardea modesta</i>	Vagrant	Specific islands not named,	1,]
9.	Striated Heron	<i>Butorides (Ardeola) striata solomonensis</i>	Res bre	P, C in mangroves & Beach hibiscus	1,5,18,
10.	Rufous Night-Heron	<i>Nycticorax caledonicus mandibularis</i>	Res bre	P, 1+ spec. AMNH	1,3,
11.	Black Bittern	<i>Ixobrychus flavicollis woodfordi</i>	Res bre	P,	1,
12.	Pacific Baza	<i>Aviceda subcristata proxima</i>	Res bre	P,	1,8,
13.	Brahminy Kite	<i>Haliastur indus flavirostris</i>	Res bre	P, Common C on all coasts and lagoons	1,5,18,
14.	Variable (Grey) Goshawk	<i>Accipiter novaehollandiae rubianae</i>	Res bre	P, Fairly Common, in AMNH,	1,2,5,6,8,9,
15.	Pied Goshawk	<i>Accipiter albogularis gilvus</i>	End Sol/SanCr	P, Coll for BM, 2 obs	1,2,5,6,18, 27,
16.	Solomon Sea Eagle	<i>Haliaeetus sanfordi</i>	End Sol	P, Present on all shoreline esp coconut, 1 nr Noro 30/7/90,	1,5,18,19,38,
17.	Eastern Osprey	<i>Pandion cristatus melvillensis</i>	Res bre	P, C in all coastal areas	1,5,18,
18.	Pacific Black Duck	<i>Anas superciliosa pelewensis</i>	Res bre	P, C on all rivers and mangrove lined estuaries, 1 coll.	1,18,26,
19.	Melanesian Scrubfowl	<i>Megapodius eremita</i>	Res bre	P, C in Forest & islets UC in regrowth	1,5,18,
20.	Roviana Rail	<i>Gallirallus rovianae</i>	End Nga Group	Rare, C, on airstrip, Coll 1977, Desc 1991, known as kitiketi.	1,16,19,22,
	[Woodford's Rail	<i>Nesoclopeus woodfordi</i>	?	? seen twice but no specimen, Considered to be Roviana Rail,	5,37,
	[Buff-banded Rail	<i>Gallirallus philippensis</i>	Res bre	1 st rec = 3 Munda Jan 1988. Misidentification of Roviana.	1,18,
21.	Rufous-tailed Bush-hen	<i>Amaurornis moluccanus negrifornis</i>	Res b re	P,	1,21,
22.	Purple Swampphen	<i>Porphyrio porphyrio samoensis</i>	Res bre	P, C-A in cleared areas, <5Coll by AMNH,	1,18,31,
23.	Beach Thick-knee	<i>Esacus magnirostris</i>	Res bre	P, Present esp on sandy shores, 1 at Rendova July '44. Coll also at Wickham anchorage AMNH, 1 Buru Hbr 30/7 & 25/8 1990,	1,18,22,31,38,
24.	Masked Lapwing	<i>Vanellus miles</i>	Vag	2 rec at Munda airstrip for 3 weeks Jan 1984.	18,
25.	Pacific Golden Plover	<i>Pluvialis fulva</i>	Sum mig	C. A in mudflats, reefs grasslands. P 1944.	5,18,23,
26.	Ruddy Turnstone	<i>Arenaria interpres</i>	Sum mig	Common P,	5,23,
27.	Eastern Curlew	<i>Numenius madagascariensis</i>	Sum mig	1 seen Dec 1985,	18,

28.	Whimbrel	<i>Numenius phaeopus</i>	Sum mig	A in Summer, C in winter P Oct 1944.	18,23,
29.	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	Sum vag	1 obs Munda Feb 1998.	37,
30.	Grey-tailed Tattler	<i>Tringa brevipes</i>	Sum mig	C in groups of 2-10. P Oct 1944.	18,23,
31.	Wandering Tattler	<i>Tringa incana</i>	Sum mig	Uncommon	5,
32.	Common Sandpiper	<i>Actitis hypoleucos</i>	Sum mig	A. C throughout the year. Oct 1944.	5,9,18,23,
33.	Bar-tailed Godwit	<i>Limosa lapponica</i>	Sum mig	Few Obs Mar 1987 none 1988.	18,
34.	Roseate Tern	<i>Sterna dougallii bangsi</i>	Res	<130 birds Aug 1990. SM no's Jul & Jan,	17,18,21,
35.	Crested Tern	<i>Thalasseus bergii cristatus</i>	Res	Offshore, Blanche Ch. Roviana Lag A in & off - shore	4,5,18,21,
36.	Little Tern	<i>Sternula albifrons</i>	Res bre	MC in Summer	18,
37.	Common Tern	<i>Sterna hirundo</i>	Res	C in Summer UC in Winter, 68 in Blanche Channel 30/7/1990.	18,38,
38.	Black-naped Tern	<i>Sterna sumatrana</i>	Res	100's offshore, Roviana Lag Munda C all year, 130 in Blanche Channel 30 July 1990, 1 in AMNH Coll,	4,5,18,38,39,
39.	Grey-backed Tern	<i>Onychoprion lunata</i>	?	1 observed Jul 1987.	18,
40.	Bridled Tern	<i>Onychoprion anaethetus</i>	Res/mig?	48 in Blanche Channel 30/7/1990,	38,
41.	Brown Noddy	<i>Anous stolidus pileatus</i>	Res	60 offshore Jan A all year, 600 loafing on sandy cay in chain to S of Seghe 28/8/1990, 300 in Blanche Channel S of Munda, Lge flock Dec 2004, 500 at Munda Bar + 500 Blanche Channel 1990,	4,18,21,38,
42.	Black Noddy	<i>Anous minutus minutus</i>	Res		21,29,38,
43.	Superb Fruit-Dove	<i>Ptilinopus s. superbus</i>	Res bre	P, C in primary forest UC elsewhere, 2M Coll 1904,	1,5,6,18,39,
44.	Yellow-bibbed Fruit-Dove	<i>Ptilinopus solomonensis vulcanorum</i>	Res bre	P, M Coll 1904,	1,6,39,
45.	Claret-breasted Fruit-Dove	<i>Ptilinopus viridis lewisi</i>	End Bis-Sol	P, C in forest A throughout island	1,5,18,
46.	Red-knobbed Imperial-Pigeon	<i>Ducula rubricera rufigula</i>	Res bre	P, A throughout Island, 1 on coast from boat Jul 1990,	1,5,18,38,
47.	Island Imperial Pigeon	<i>Ducula p. pistrinaria</i>	Res bre	P, C near coast none inland, 14 obs from boat Noro-Munda 28 Aug, Some over Morovo Lagoon,	1,18,38,
48.	Mackinlay's Cuckoo-Dove	<i>Macropygia mackinlayi arossi</i>	Res bre	P, UC, 2F2M Coll 1904,	1,5,6,39,
49.	Crested Cuckoo-Dove	<i>Reinwardtoena crassirostris</i>	End Sol	Rare	1,
50.	Stephan's Dove	<i>Chalcophaps stephani mortoni</i>	Res bre	Uncommon, C mainly in Primary Forest, 2F Coll 1904,	1,5,6,18,39,
51.	Bronze Ground-Dove	<i>Chalcophaps beccarii intermedia</i>	Res bre	P, M Coll 1904,	1,6,39,
52.	Nicobar Pigeon	<i>Caloenas n. nicobarica</i>	Res bre	P,	1,
53.	Cardinal Lory	<i>Chalcopsitta cardinalis</i>	Res bre	A in lowlands, 3 crossing Morovo Lag from forested islets 28 Aug 1990, 30 on coast Noro-Munda 30 Jul 1990, 1 Coll 1894,	1,5,18,38,39,
54.	Coconut Lorikeet	<i>Trichoglossus haematodus massena</i>	Res bre	P, A esp in lowlands, 3M2F Coll 1904,	1,6,18,39,
55.	Finsch's Pygmy Parrot	<i>Micropsitta finschii tristrami</i>	Res bre	P, F&M Coll 1904,	1,5,6,39,
56.	Ducorp's Cockatoo	<i>Cacatua ducorpsi</i>	Res bre	P, A throughout, M Coll 1904,	1,5,6,18,39,
57.	Eclectus Parrot	<i>Eclectus roratus solomonensis</i>	Res bre	P, A in primary forest, F Coll 1904, M coll. by Cotton & Webster for Tring, M&F now in AMNH,	1,5,6,18,39,
58.	Song (Singing) Parrot	<i>Geoffroyus h. heteroclitus</i>	Res bre	P, Pair obs once, 3M Coll 1904,	1,5,6,18,39,
59.	Brush Cuckoo	<i>Cacomantis variolosus addendus</i>	Res bre	MC, A, 5 spec. AMNH. UC in Summer, 1F5M Coll 10/3-15/3/1904,	1,3,5,6,3,13,18,39,
60.	Oriental Cuckoo	<i>Cuculus saturatus</i>	Sum mig	4 Spec Mar 1904, 3M2F Coll 2/3-15/3/1904,	3,6,7,39,
61.	Eastern Koel	<i>Eudynamys orientalis alberti</i>	Win mig	P, A in primary forest calls throughout year,	1,18,
62.	Buff-headed Coucal	<i>Eudynamys milo albidiventris</i>	End C Sol	Fairly common C in primary & sec forest	1,5,18,
63.	Barn Owl	<i>Tyto alba crassirostris</i>	Res bre	P,	1,5,
64.	White-throated Nightjar	<i>Eurostopodus mystacalis nigripennis</i>	Res bre	P,	1,
65.	Fork-tailed Swift	<i>Apus pacificus</i>	Vag	1 observed with swiftlets at Munda Airport 28 Dec 1996,	35,42,
66.	Uniform Swiftlet	<i>Aerodramus vanikorensis lugubris</i>	Res bre	P, A over all habitats throughout year, 1 unsexed skin AMNH,	1,5,18,34,38,39

67.	Glossy Swiftlet	<i>Collocalia esculenta becki</i>	Res bre	many hundreds over islets near Noro 30 Jul 1990, 1 Coll by Capt Webster Prob 1894,	
68.	Moustached Tree-Swift	<i>Hemiprocne mystacea woodfordiana</i>	Res bre	Abundant in all forests	1,5,18,
69.	Common Kingfisher	<i>Alcedo atthis salomonensis</i>	Res bre	P, A adjacent to forests, 12 ad skins in Mus coll, 3F Coll 1904,	1,5,6,18,34,39,
70.	Little Kingfisher	<i>Alcedo pusilla richardsi</i>	Res bre	P, C in Lembu & Mbareke S elsewhere,	1,5,18,
71.	Variable Dwarf Kingfisher	<i>Ceyx lepidus collectoris</i>	Res bre	P, A in mangroves and coastal Veg	1,18,
72.	Sacred Kingfisher	<i>Todirhamphus s. sancta</i>	Res bre ?	P, 3M3F Coll 1904,	1,6,39,
73.	Collared Kingfisher	<i>Todirhamphus chloris alberti</i>	Res bre	P, S winter visitor, 2M1F Coll 1894, F2M Coll 10/3/1904,	1,6,39,
74.	Beach Kingfisher	<i>Todirhamphus s. saurophaga</i>	Res bre	C throughout year esp sec forest, Coll. ca. 1870. 1 @ Munda	1,5,8,18,24,
75.	Dollarbird	<i>Eurystomus orientalis solomonensis</i>	Res bre		30,
76.	Blyth's Hornbill	<i>Aceros plicatus mendanae</i>	Res bre	P, S but widespread, 1 nr Buru 1990, 1 Coll 1887,	1,5,18,19,38,39
77.	Pacific Swallow	<i>Hirundo tahitica subfusca</i>	Res bre	P, only obs in winter but prob resident. 3M3F Coll 1904,	1,5,8,18,39,
78.	North Melanesian Cuckoo-Shrike	<i>Coracina welchmani</i>	Res bre	P, Pairs obs a number of times, 1 over Marovo Lag E of Chea,	1,18,38,
79.	Barred Cuckoo-Shrike	<i>Coracina lineata ombriosa</i>	End Bis-Sol	A in open areas. Rec. 1920's, 3 nr Noro, 7 Buru Hbr 1990,	1,5,18,28,38,
80.	White-bellied Cuckoo-shrike	<i>Coracina papuensis elegans</i>	Res bre	P, 7M5F Coll.	1,28,41,
81.	Grey-capped Cicadabird	<i>Coracina remota</i>	Res bre	P, C in forest crown A in primary Forest, M Coll 1894,	1,5,18,39,
82.	Solomon Cuckoo-shrike	<i>Coracina holopolia pygmaea</i>	End Sol	C in open country A in open country, Descr of ssp, 3M1F Coll	1,5,18,36,39,
83.	Willie Wagtail	<i>Rhipidura leucophrys melaleuca</i>	Res bre	1904, F Coll 1894,	
84.	White-winged Fantail	<i>Rhipidura cockerelli albina</i>	End Sol	Common P in primary and secondary Forests,	1,5,18,
85.	Rufous Fantail	<i>Rhipidura rufifrons granti</i>	Res bre	UC Low altitudes C at High,	1,
86.	White-capped Monarch	<i>Monarcha richardsii</i>	End NGa Grp	Common near shore & habitation A in open areas, 1 @ Munda,	1,5,15,18,
87.	Kulambangra Monarch	<i>Monarcha b. browni</i>	End NGa Grp		30,
88.	Island Monarch	<i>Monarcha cinerascens</i>	Res	A in forest 25 spec. AMNH. A in secondary, C in Primary	1,5,15,18,
89.	Steel-blue Flycatcher	<i>Myiagra ferrocyanea feminina</i>	End Sol	C ? spec. AMNH. C in primary, secondary, UC in mangroves,	1,5,15,18,
90.	Common Golden Whistler	<i>Pachycephala pectoralis centralis</i>	Res bre	A in forest A in primary & secondary, F coll by Capt Webster	1,5,18,39,
91.	Yellow-bellied Sunbird	<i>Nectarina jugularis flavigaster</i>	Res bre	prob 1894,	
92.	Central Solomons White-eye	<i>Zosterops rendovae kulabungrae</i>	End Sol	Common C in primary, less in secondary	1,5,18,33,
93.	Yellow-vented Myzomela	<i>Myzomela e. eichhorni</i>	End Nga Grp	F Coll 1888,	39,
94.	Singing Starling	<i>Aplornis cantoroides</i>	Res bre	P, A in primary UC elsewhere	1,5,18,33,
95.	Brown-winged Starling	<i>Aplornis g. grandis</i>	End Sol	P, 15+ spec taken 1928	1,10,32,
96.	Metallic Starling	<i>Aplornis metallica nitida</i>	Res bre	Common out of forest A in open spaces,	1,5,18,
97.	Melanesian Myna	<i>Mino kreffii</i>	Res bre	A, A everywhere except mangroves, 24M12F Coll. 1928, M	1,5,18,25,39,
98.	Common Myna	<i>Acridotheres tristis</i>	Intro	Coll 1894, 2M2F Coll 1928,	
				P, 6+ spec. AMNH C heard >10m, 4M Coll 1904,	1,5,6,14,18,39,
				C in regrowth A in regrowth & villages, 6 at Munda Airport,	1,5,18,30,
				P, 6 coll. A in primary forest UC in villages,	1,5,11,18,
				P, A everywhere, 11 in tall mangroves at W end of archipelago	1,5,18,38,
				30/7/90,	
				Abundant in forests	1,5,8,18,
				Prob intro but failed.	1,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Mayr, E. & J. Diamond. 2001. **The Birds of Northern Melanesia**. Oxford University Press. Oxford.
2. Hartert, E. 1929. Birds collected during the Whitney South Seas Expedition 8. Notes on birds from the Solomon Islands. *Amer Mus. Novit.* **364**.
3. Amadon, D. 1942a. Birds Collected during the Whitney South Sea Expedition. 49. Notes on some non-passerine genera, 1. *American Museum Novitates* **1175**.
4. Greensmith, A. 1975. Some notes on Melanesian seabirds. *Sunbird* **6**: 77-89.
5. Sibley, C.G. 1951. Notes on the birds of New Georgia, Central Solomon Islands. *Condor* **53**: 81-92.
6. Rothschild, W., & E. Hartert. 1905. Further contributions to our knowledge of the ornithology of the Solomon Islands. *Novitates Zoologicae* **12**: 243-268.
7. Galbraith, I.C.J. & E.H. Galbraith. 1962. Land birds of Guadalcanal and the San Cristobal group, Eastern Solomon Islands. *Bull. Brit. Mus. Zool.* **9**(1): 1-86.
8. Ramsay, E.P. 1879. Notes on the Zoology of the Solomon Islands. *Proc. Linn. Soc. NSW* (1) **7**: 16-43.
9. Tristram, H.B. 1882. On birds from the Solomon Islands. *Ibis* (4)**6**: 133-146.
10. Mayr, E. 1932. Birds collected during the Whitney South Sea Expedition 20. Notes on Thickheads (Pachycephala) from the Solomon Islands. *Am. Mus. Novit.* **522**:1-22.
11. Mayr, E. 1931. Birds Collected during the Whitney South Sea Expedition. 17. The birds of Malaita Island (British Solomon Islands). *Am. Mus. Novit.* **504**: 1-26.
12. Mayr, E. & D. Amadon. 1941. Birds collected during the Whitney South Sea Expedition. 46. Geographical variation in *Demigretta sacra* (Gmelin). *Am. Mus. Novit.* **1144**: 1-11.
13. Amadon, D. 1942b. Birds Collected during the Whitney South Sea Expedition. 50. Notes on some non-passerine genera, 2. *American Museum Novitates* **1176**: 1-26.
14. Mayr, E. 1932. Birds collected during the Whitney South Sea Expedition 18. Notes on Meliphagidae from Polynesia and the Solomon Islands. *Am. Mus. Novit.* **516**: 1-30.
15. Mayr, E. 1931. Birds collected during the Whitney South Sea Expedition. 16. Notes on fantails of the genus *Rhipidura*. *Am. Mus. Novit.* **502**: 1-21.
16. Doughty, C., N. Day & A. Plant. 1999. **Birds of The Solomons, Vanuatu & New Caledonia**. Christopher Helm, London.
17. Dutson, G. 2001. New distributional ranges for Melanesian birds. *Emu* **101**: 237-248.
18. Blaber, S.J.M. 1990. A checklist and notes on the current status of the birds of New Georgia, Western Province, Solomon Islands. *Emu* **90**: 205-214.
19. Hornbuckle, J. 2000. http://worldtwitch.virtualave.net/solomons_jh.htm
20. Hoyo, J del., A. Elliott & J Sargatal. 1992. **Handbook of the Birds of the World** Vol. 1. Lynx Edicions / Birdlife International.
21. Hoyo, J del., A. Elliott & J Sargatal. 1996. **Handbook of the Birds of the World** Vol. 3. Lynx Edicions / Birdlife International.
22. Diamond, J. 1991. A new species of rail from the Solomon Islands and convergent evolution of insular flightlessness. *Auk* **108**: 461-470.
23. Bull, P.C. 1948. Field notes on waders in the south-west Pacific with special reference to the Russell Islands. *Emu* **47**, 165-176.
24. Ramsay, R.M. 1877. Notes of a collection of birds from New Britain, New Ireland, and the Duke of York Islands, with some remarks on the zoology of the group. *Proc. Linn. Soc. NSW* **1**, 369-378.
25. Murphy, R.C. 1929. Birds collected during the Whitney South Sea Expedition. 9. Zosteropidae from the Solomon Islands. *Amer. Mus. Novit.* **365**, 1-11.
26. Amadon, D. 1943. Birds collected during the Whitney South Sea Expedition. 52. Notes on some non-passerine genera, 3. *Amer. Mus. Novit.* **1237**, 1-22.
27. Mayr, E. 1957. Notes on the birds of Northern Melanesia. 4. The Genus *Accipiter*. *Amer. Mus. Novit.* **1823**, 1-14.
28. Mayr, E. 1955. Notes on the birds of Northern Melanesia. 3. Passeres. *Amer. Mus. Novitates* **1707**: 1-46.
29. Hosken, G. & Zutu, W. 2004. Video of large feeding flock of Black Noddies.
30. Tarburton, M.K. 2005. Personal Field Records.
31. Mayr, E. 1949. Notes on the birds of Northern Melanesia. 2. *Amer. Mus. Novitates* **1417**: 1-38.
32. Boles, W.E. 2007. In Hoyo, J. A. Elliott, & D Christie. 2007. **Handbook of the Birds of the World Vol 12**. Lynx Edicions. Barcelona.
33. Coates, B.J., G.C.L. Dutson, & C.E. Filardi. 2006. Monarch-Flycatchers. In Hoyo, J. A. Elliott, & D Christie. 2006. **Handbook of the Birds of the World Vol 11**. Lynx Edicions. Barcelona.
34. Salomonsen, F. 1983. Revision of the Melanesian Swiftlets (*Apodes, Aves*) & their Conspecific Forms in the Indo-Australian and Polynesian Region. Noona Dan Papers No. 141.
35. Gregory, P. & C. Eastwood. Personal Communication.
36. Rothschild, W. & E. Hartert. 1916a. On some forms of *Coracina Graucalus* Auct.) from the Solomon Islands. *Novit. Zool.* **23**: 289-291.
37. Dutson, G. 2010. Personal communication.

38. Buckingham, D.L., Dutson, G.C.L., & Newman, J.L. 1990. Birds of Manus, Kolombangara and Makira (San Cristobal) with notes on mammals and records from other Solomon Islands. Report of the Cambridge Solomons Rainforest Project 1990.
39. AMNH. American Museum Natural History. <http://entheros.amnh.org/db/emuwebamnh/logon.php> accessed 9.10.2009.
40. Rothschild, W. & Hartert, E. 1901a. Notes on Papuan Birds. *Novitates Zoologicae* **8**, 55-88.
41. Handbook of the Birds of the World Vol. 10, 71.
42. Tarburton. M. 2009. New Birds and other Interesting Sightings from Melanesia. *Muruk* 9(2), 56-91.