

Tema Lata Island Systematic Bird Check List

Nth of Wagina (Vaghena) Solomon Islands

7 23 02.60s 157 40 31.16e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[To communicate: please re-type e-mail address]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Black-naped Tern	<i>Sterna sumatrana sumatrana</i>	Res	2 fishing inshore	1,
2.	Cardinal Lory	<i>Chalcopsitta cardinalis</i>	Res	2 on 16.12.05,	1,
3.	Collared Kingfisher	<i>Todirhamphus chloris</i>	Res	2 Heard 16.12.05,	1,
4.	Beach Kingfisher	<i>Todirhamphus saurophaga</i>	Res	1 seen 16.12.05,	1,
5.	Pacific Swallow	<i>Hirundo tahitica subfusca</i>	Res	4 seen 16.12.05,	1,
6.	Willie Wagtail	<i>Rhipidura leucophrys melaleuca</i>	Res bre	1 brooding 2 young on 2m pole 7m seaward,	1,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Tarburton, M.K. 2005. Personal Field Notes.