

# Ugi (Golfe) Island Bird Checklist

## San Cristobal Group, Solomon Islands

10 15 21.17s 161 44 23.19e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

[swiftlet@optusnet.com.au](mailto:swiftlet@optusnet.com.au)

[To communicate: please re-type e-mail address]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Striated Heron	<i>Butorides striatus solomonensis</i>	Res bre	P,	1,3,
2.	Eastern Reef Egret	<i>Egretta s. sacra</i>	Res bre	P,	1,3,4,
3.	Rufous Night Heron	<i>Nycticorax caledonicus mandibularis</i>	Res bre	P,	1,3,4,
4.	Pacific Black Duck	<i>Anas superciliosa pelewensis</i>	Res bre	P, Uncommon	3,4,
5.	Pacific Baza (Crested Hawk)	<i>Aviceda subcristata gurneyi</i>	Res bre	P,	1,3,4,
6.	Brahminy Kite	<i>Haliastur indus flavirostris</i>	Res bre	P, 1 <sup>st</sup> Spec 1865.	1,3,4,5,21,
7.	Pied Goshawk	<i>Accipiter albogularis albogularis</i> <i>sspp</i> ??	End Sol/SanCruz	P,	3,4,18,
8.	Solomon (Sanford's) Sea-Eagle,	<i>Haliaeetus sanfordi</i>	Res bre	P,	1,4,
9.	Eastern Osprey	<i>Pandion cristatus melvillensis</i>	Res bre	P, Unconfirmed rec Mar 1998	3,12,
10.	Melanesian Scrub Fowl	<i>Megapodius eremita</i>	Res bre	C. 2 eggs 1 hatchling = 1 <sup>st</sup> Coll. Sep 1865.	1,4,21,
11.	Rufous-tailed Bush-hen	<i>Amaurornis moluccanus ultimus</i>	Res bre	P, 2 heard Mar 1998	3,12,16,
12.	Purple Swampphen	<i>Porphyrio porphyrio samoensis</i>	Res bre	P,	1,4,
13.	Buff-banded Rail	<i>Rallus philippensis christophori</i>	Res bre	P,	2,4,
14.	Beach Thick-knee	<i>Esacus magnirostris</i>	Res bre	P, Uncommon	3,6,
15.	Common Sandpiper	<i>Actitis hypoleucos</i>	Sum mig	P,	6,
16.	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	Sum mig	P,	5,
17.	Crested Tern	<i>Thalasseus bergii cristatus</i>	Res bre	P,	6,16,
18.	Superb Fruit-Dove	<i>Ptilinopus s. superbus</i>	Res bre	P,	3,4,
19.	Silver-capped Fruit-Dove	<i>Ptilinopus richardsii richardsii</i>	End Sol	P, Coll. 1920's, 1 Coll 1896 +1?	3,4,5,6,19,24,
20.	Yellow-bibbed Fruit-Dove	<i>Ptilinopus solomonensis solomonensis</i>	Res bre	P, Rare in lowland common in High, F Coll 1896,	3,4,8,14,24,
21.	Claret-breasted Fruit-Dove	<i>Ptilinopus viridis eugeniae</i>	Res bre	P, 1 Coll. Apr. 1929.	3,4,5,20,
22.	White-headed Fruit-Dove	<i>Ptilinopus eugeniae</i>	End Makira, Malaupaina	MC, 2M Coll 1896,	6,13,24,
23.	Red-knobbed Imperial Pigeon	<i>Ducula rubricera rufigula</i>	Res bre	P,	3,4,
24.	Island Imperial Pigeon	<i>Ducula pistrinaria pistrinaria</i>	Res bre	P, 2 Coll. Apr. 1929.	3,4,5,20,
25.	Chestnut-bellied Imperial Pigeon	<i>Ducula brenchleyi</i>	End Cen Sol	Rare	3,4,5,
26.	Yellow-legged Pigeon	<i>Columba pallidiceps</i>	Res bre	Rare	7,
27.	Mackinlay's Cuckoo-Dove	<i>Macropygia mackinlayi arossi</i>	Res bre	P,	3,4,
28.	Crested Cuckoo-Dove	<i>Reinwardtoena crassirostris</i>	End Sol	Rare 1 seen + 1 heard Mar 1998.	3,4,12,
29.	Stephan's Dove	<i>Chalcophaps stephani mortoni</i>	Res bre	P,	3,4,
30.	Nicobar Pigeon	<i>Caloenas n. nicobarica</i>	Res bre	P,	3,
31.	Cardinal Lory	<i>Chalcopsitta cardinalis</i>	Res bre	P, 1-6 Coll. Apr. 1929.	3,4,20,
32.	Coconut Lorikeet	<i>Trichoglossus haematodus massena</i>	Res bre	P,	3,4,

33.	Duchess Lorikeet	<i>Charmosyna margarethae</i>	Res bre	P,	14,
34.	Yellow-bibbed Lory	<i>Lorius chlorocercus</i>	End E Sol	P, 1 Coll. Apr. 1929, Spec in AMNH,	3,4,6,20,24,
35.	Finsch's Pygmy Parrot	<i>Micropsitta f. finschii</i>	Res bre	P,	3,4,
36.	Ducorp's Cockatoo	<i>Cacatua ducorpsi</i>	Res bre	P,	3,
37.	Eclectus Parrot	<i>Eclectus roratus solomonensis</i>	Res bre	P, 1-6 Coll. Apr. 1929.	3,4,5,20,
38.	Long-tailed Koel	<i>Euridymanys taitensis</i>	Win Mig.	1 Coll. Apr. 1929.	20,
39.	Brush Cuckoo	<i>Cacomantis variolosus addendus</i>	Res bre	P,	3,4,
40.	Oriental Cuckoo	<i>Cuculus saturatus</i>	Win Mig	Rare	5,
41.	Eastern Barn Owl	<i>Tyto javanica crassirostris</i>	Res bre	Rare	1,3,
42.	Solomon Boobook	<i>Ninox jacquinoti roseoaxillaris</i>	End Sol	Coll 1927, Common	1,3,4,
43.	White-rumped Swiftlet	<i>Aerodramus spodiopygius reichenowi</i>	Res bre	P, 1 <sup>st</sup> Spec 1953, Common, 1M skin BM,	1,4,23,
44.	Uniform Swiftlet	<i>Aerodramus vanikorensis lugubris</i>	Res bre	P, 1F skin AMNH,	3,4,23,
45.	Glossy Swiftlet	<i>Collocalia esculenta makirensis</i>	Res bre	P,	1,3,6,
46.	Sacred Kingfisher	<i>Todirhamphus s. sancta</i>	Win mig	P, 1-5 Coll. Apr. 1929.	3,6,20,
47.	Collared Kingfisher	<i>Todirhamphus chloris solomoni</i>	Res bre	P,	1,3,4,5,6,
48.	Beach Kingfisher	<i>Todirhamphus s. saurophaga</i>	Res bre	P,	1,3,4,5,
49.	Dollarbird	<i>Eurystomus orientalis solomonensis</i>	Res bre	P,	3,4,6,
50.	Pacific Swallow	<i>Hirundo tahitica subfusca</i>	Res bre	P, 1st Rec 1953	1,3,4,
51.	Long-tailed Triller	<i>Lalage leucopyga affinis</i>	Res bre	P, on forest edge & open spaces, 2 coll.	3,2,4,5,9,
52.	Willie Wagtail	<i>Rhipidura leucophrys melaleuca</i>	Res bre	P, 1-6 Coll. Apr. 1929.	13,
53.	Rufous Fantail	<i>Rhipidura rufifrons ugiensis</i>	Res bre	P, 12 spec. AMNH	1,3,4,5,11,
54.	Chestnut-bellied Monarch	<i>Monarcha castaneiventris ugiensis</i>	Res bre	Mod common in 2 <sup>o</sup> growth. C, 1 Coll. Apr. 1929.	3,4,5,6,13,
55.	White-collared Monarch	<i>Monarcha vidua squamulatus</i>	End Mak,A.Ana	Mod common on thicket edge	20,
56.	Ochre-headed Flycatcher	<i>Myiagra cervinicauda</i>	End S.Ana.Ugi	P,	3,4,5,6,13,22,
57.	Yellow-bellied Sunbird	<i>Nectarinia jugularis flavigaster</i>	Res bre	P, Uncommon 1952	1,3,4,5,
58.	Cardinal Myzomela	<i>Myzomela cardinalis pulcherrima</i>	Res bre	Common in 2 <sup>o</sup> growth c 10 spec. AMNH. 10 coll. Apr. 1929. M coll 1895, 1 Spec AMNH,	3,4,5,6,10,
59.	Sooty Myzomela	<i>Myzomela tristrami</i>	Vag	Ramsay 1 <sup>st</sup> 1882.No further Recs. 2 seen Mar 1988.	17,20,24,
60.	Singing Starling	<i>Aplornis cantoroides</i>	Res bre	P,	17,
61.	Metallic Starling	<i>Aplornis metallica nitida</i>	Res bre	P, 1-5 Coll. Apr. 1929.	3,4,5,6,
					1,3,4,5,20,

## KEY

### Ecological status

**End** = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

### Abundance

**R** = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

**Colour coding** applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

**Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.**

## REFERENCES

1. Mayr, E. 1945. **Birds of the South West Pacific**. Macmillan Press, Wheldon Reprint, New York.
2. Mayr, E. 1941. Birds collected during the Whitney South Sea Expedition *Am. Mus. Novit.* **1116**.
3. Mayr, E. & Diamond, J. 2001. **Birds of Northern Melanesia**. Oxford University Press. Oxford.
4. Cain, A.J., & I.C.J. Galbraith. 1956. Field notes on birds of the Eastern Solomon Islands. *Ibis* **98**: 100-134, & 262-295.
5. Galbraith, I.C.J. & E.H. Galbraith. 1962. Land birds of Guadalcanal and the San Cristobal group, Eastern Solomon Islands. *Bull. Brit. Mus. Zool.* **9**(1): 1-86.
6. Tristram, H.B. 1882. On birds from the Solomon Islands. *Ibis* (4)**6**: 133-146.
7. Mayr, E. 1934. Birds collected during the Whitney South Sea Expedition. 28. Notes on some birds from New Britain, Bismarck Archipelago. *Am. Mus. Novit.* **709**: 1-15.
8. Mayr, E. 1931. Birds Collected during the Whitney South Sea Expedition. 17. The birds of Malaita Island (British Solomon Islands). *Am. Mus. Novit.* **504**: 1-26.
9. Mayr, E. & S.D. Ripley. 1941. Birds collected during the Whitney South Sea Expedition. 44. Notes on the Genus *Lalage* Boie. *Am. Mus. Novit.* **1116**: 1-18.
10. Mayr, E. 1932. Birds collected during the Whitney South Sea Expedition 18. Notes on Meliphagidae from Polynesia and the Solomon Islands. *Am. Mus. Novit.* **516**: 1-30.
11. Mayr, E. 1931. Birds collected during the Whitney South Sea Expedition. 16. Notes on fantails of the genus *Rhipidura*. *Am. Mus. Novit.* **502**: 1-21.
12. Dutson, G. 2001. New distributional ranges for Melanesian birds. *Emu* **101**: 237-248.
13. Doughty, C., N. Day & A. Plant. 1999. **Birds of The Solomons, Vanuatu & New Caledonia**. Christopher Helm, London.
14. Gould, J. & A. Rutgers. 1970. **Birds of New Guinea**. Methuen. London.
15. Hoyo, J del., A. Elliott & J Sargatal. 1992. **Handbook of the Birds of the World** Vol. 1. Lynx Edicions / Birdlife International.
16. Hoyo, J del., A. Elliott & J Sargatal. 1996. **Handbook of the Birds of the World** Vol. 3. Lynx Edicions / Birdlife International.
17. Ramsay, E.P. 1882. Notes on the zoology of the Solomon islands, with descriptions of some new birds. *Proc. Linn. Soc. NSW.* **6**, 176-181.
18. Mayr, E. 1957. Notes on the birds of Northern Melanesia. 4. The Genus *Accipiter*. *Amer. Mus. Novit.* **1823**, 1-14.
19. Ripley, S.D. & H. Birkhead. 1942. Birds collected during the Whitney South Sea Expedition. 51. On the fruit pigeons of the *Ptilinopus purpuratus* group. *Amer. Mus. Novit.* **1192**, 1-14.
20. Mayr, E. & S. Camras. 1938. Birds of the Crane Pacific Expedition. *Publ. Field Mus. (Zool.)*. **20**, 453-473.
21. Gray, G.R. 1870. Descriptions of new species of birds from the Solomon and Banks's groups of islands. *Ann. Mag. Nat. Hist.* (4)**5**, 327-331.
22. Coates, B.J., G.C.L. Dutson, & C.E. Filardi. 2006. Monarch-Flycatchers. In Hoyo, J. A. Elliott, & D Christie. 2006. **Handbook of the Birds of the World Vol 11**. Lynx Edicions. Barcelona.
23. Salomonsen, F. 1983. Revision of the Melanesian Swiftlets (*Apodes, Aves*) & their Conspecific Forms in the Indo-Australian and Polynesian Region. Noona Dan Papers No. **141**.
24. AMNH. American Museum Natural History. <http://entheros.amnh.org/db/emuwebamnh/logon.php> accessed 9.10.2009.