

Vaghena (Wagina) Island Systematic Bird Check List

Solomon Islands

7 26 23.82s 157 45 55.15e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[To communicate: please re-type e-mail address]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Lesser Frigatebird	<i>Fregata ariel</i>	Res	1 flying 16.12.05,	1,
2.	Little Tern	<i>Sternula albifrons</i>	Res	3 feeding 1 km offshore 13 perched in tree 16.12.05,	1,
3.	Black-naped Tern	<i>Sterna s. sumatrana</i>	Res	1 feeding 1 km offshore 29 perched in tree 16.12.05,	1,
4.	Brown Noddy	<i>Anous stolidus pileatus</i>	Res	16 feeding 1 km offshore 16.12.05,	1,
5.	Black Noddy	<i>Anous m. minutus</i>	Res	19 feeding 1 km offshore 16.12.05	1,
4.	White-billed Crow	<i>Corvus w. woodfordi</i>	Res bre	Coll AMNH,	2,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Tarburton, M.K. 2005. Personal Field Notes.
2. Mayr, E. & J. Diamond. 2001. **Birds of Northern Melanesia**. Oxford University Press, Oxford.