

# Sakao Island Bird Checklist

## Vanuatu Nth

-15.186796,167.03957

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

[swiftlet@optusnet.com.au](mailto:swiftlet@optusnet.com.au)

[To communicate: please re-type e-mail address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Pacific Imperial Pigeon	<i>Ducula p. pacifica</i>	Res bre	1 obs 30 Oct 2014,	1,
2.	Glossy Swiftlet	<i>Collocalia esculenta uropygialis</i>	Res bre	50 obs 30 Oct 2014,	1,
3.	White-rumped Swiftlet	<i>Aerodramus spodiopygius</i>	Res bre	1 obs 30 Oct 2014,	1,
4.	Collared Kingfisher	<i>Todirhamphus chloris</i>	Res bre	1 obs 30 Oct 2014,	1,
5.	Streaked Fantail	<i>Rhipidura verreauxi spilodera</i>	Res bre	1 obs 30 Oct 2014,	1,
6.	Dark-Brown Honeyeater	<i>Lichmera incana</i>	Res bre	2 obs 30 Oct 2014,	1,

### KEY

#### Ecological status

**End** = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

#### Abundance

**R** = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

**Colour coding** applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

**Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.**

### REFERENCES

1. Gemmell, Daphne. Pers comm, + eBird.